

GL00041

FC  
USGS  
OFR  
79-993

UNITED STATES DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Tables of Room Temperature Electrical Properties for Selected Rocks  
and Minerals with Dielectric Permittivity Statistics

by

Gary R. Olhoeft

U.S. Geological Survey, Denver, Colorado 80225

Open File Report 79-993

May 1979

UNIVERSITY OF UTAH  
RESEARCH INSTITUTE  
EARTH SCIENCE LAB.

Tables of Room Temperature Electrical Properties for Selected  
Rocks and Minerals and Dielectric Permittivity Statistics  
by Gary R. Olhoeft

Over the last 9 years, the data of this report has been accumulated by the author. Figures 1 through 3 summarize in histograms the statistics of the dielectric permittivity. Table 1 lists the DC electrical conductivity and relative dielectric permittivity with the recommended specific gravity (grain density) of 347 minerals. Table 2 lists the measured dry bulk density, DC electrical conductivity, relative dielectric permittivity and dielectric loss tangent for 372 rocks and minerals.

Figures 1 through 3 illustrate histograms of the density-reduced relative dielectric permittivity according to the formula

$$k_r = k^{1/D}$$

where  $k_r$  is the density-reduced relative dielectric permittivity from a relative dielectric permittivity,  $k$ , measured at a density of  $D \text{ gm/cm}^3$ . In all three figures, the top box identifies the sample types, the width of the histogram bins for counting purposes ("Div.=" in dimensionless  $k_r$  units), the total number of measurements ("No.="), the skewness, mean, standard deviation, mode, and median of the distribution (with these terms defined as in Meyer, 1975). The main plot is the histogram and a smooth line running average over nearest-neighbor bins. The vertical axis is percent of samples in a given bin relative to the total number of samples, and the horizontal axis is the density-reduced relative dielectric permittivity. The inset plot in the upper right corner illustrates the percentage of samples (vertical axis) falling between the mode- $x$  and the mode+ $x$  where  $x$  is the horizontal axis. Thus, in Figure 1, 90 percent of all lunar samples have a density-reduced relative dielectric permittivity falling between  $1.92-0.27$  and  $1.92+0.27$ .

Figure 1 represents the statistics of data from lunar sample measurements as published in Olhoeft and Strangway (1975) and Sill and Ward (1977). Figure 2 represents the statistics of the data from Table 1. Figure 3 represents the statistics of the data from Table 2.

It is remarkable that the diverse materials represented in Figures 1 through 3 all have a relative dielectric permittivity that is given roughly by

$$k = 2^D$$

where  $k$  is the relative dielectric permittivity at a dry bulk density of  $D$  gm/cm<sup>3</sup>. The notable exceptions are those materials with large amounts of chemically bound or adsorbed water. Water has a density-reduced relative dielectric permittivity of 78 as a liquid and 3.4 as a solid from frequencies of  $10^5$  Hz to  $10^9$  Hz.

Most materials fall near a density-reduced relative dielectric permittivity of 2 as the electronic polarization mechanism is the only one of importance with the density of electrons in the material the determining factor. In water, the water molecules and OH radicals are highly polar contributing largely to the dielectric permittivity through the molecular orientation polarization mechanism in addition to electronic polarization. Thus, wet materials and highly hydrated materials (such as montmorillonite clay) strongly reflect this molecular polarization in their dielectric permittivities.

A few other minerals that are highly conducting metallic or semiconducting materials also deviate from the above expression due to the free-electron nature of their structures. Also, ferroelectric materials are exceptions due to the dominance of their spontaneous structurally-related electrical polarizations.

Figure 1




Figure 2





Figure 3



density-reduced relative dielectric permittivity

Table 1 lists the recommended values of zero porosity density in  $\text{gm/cm}^3$  (specific gravity), DC electrical conductivity in  $\text{mho/m}$ , and relative dielectric permittivity at or below 1 MHz. Minerals are arranged alphabetically by name, with the chemical formula given, and a number in brackets for those minerals whose tabulated values were derived from Table 2. The remaining values were culled from the literature. In addition to minerals, a variety of elements (in their reference state) and common chemical compounds are shown for comparison.

Mineral names and chemical formulas are according to Aballain and others (1968).

Table 1

Name/Description	-8-		
	Density gm/cc	DC cond. Mho/m	Dielectric k @ 1 MHz
Acanthite/Argentite Ag <sub>2</sub> S	7.248	+1.0E+02	
Albite NaAlSi <sub>3</sub> O <sub>8</sub> [14.8]	2.620	+2.1E-09	6.95
Allanite (Ca,Ce) <sub>2</sub> (Fe <sup>2+</sup> ,Fe <sup>3+</sup> )Al <sub>2</sub> [O/Oh/SiO <sub>4</sub> /SiO <sub>7</sub> ] [293.6]	3.800	+1.2E-10	13.50
Almandine Fe <sub>3</sub> Al <sub>2</sub> Si <sub>3</sub> O <sub>12</sub>	4.318		4.30
Altaite PbTe SEMICONDUCTOR	8.246	+1.0E+04	450.00
Aluminum Al [REF]	2.698	+3.7E+07	
Aluminum antimonide AlSb SEMICONDUCTOR	4.340		24.00
Aluminum oxide-gamma Al <sub>2</sub> O <sub>3</sub> INSULATOR	3.900		10.10
Amblygonite (Li,Na)AlPO <sub>4</sub> (F,OH) [248.6]	3.110	+3.1E-12	8.50
Ammonium sulfate (NH <sub>4</sub> ) <sub>2</sub> SO <sub>4</sub>	1.769		3.30
Analcime NaAlSi <sub>2</sub> O <sub>6</sub> .H <sub>2</sub> O	2.258		5.80
Andalusite Al <sub>2</sub> SiO <sub>5</sub> [165.6]	3.145	+3.9E-12	6.90
Andradite Ca <sub>3</sub> Fe <sub>2</sub> Si <sub>3</sub> O <sub>12</sub>	3.860		8.20
Anglesite PbSO <sub>4</sub> [437.6]	6.324	+7.6E-11	14.30
Anhydrite CaSO <sub>4</sub>	2.963	+1.0E-09	6.50
Annabergite Ni <sub>3</sub> (AsO <sub>4</sub> ) <sub>2</sub> .8H <sub>2</sub> O [439.6]	3.000	+1.2E-10	6.60
Ancrthite CaAl <sub>2</sub> Si <sub>2</sub> O <sub>8</sub>	2.760		6.90
Anthophyllite (Mg,Fe) <sub>7</sub> Si <sub>8</sub> O <sub>22</sub> (OH) <sub>2</sub>	3.000	+5.6E-09	8.00
Antimony Sb [REF]	6.698	+2.5E+06	
Apatite Ca <sub>5</sub> (PO <sub>4</sub> ) <sub>3</sub> F [253.6]	3.180	+1.2E-12	11.70
Aragonite CaCO <sub>3</sub> [260.6]	2.931	+2.9E-13	8.67
Arcanite K <sub>2</sub> SO <sub>4</sub>	2.662		6.40
Arsenic As [REF]	5.780	+3.4E+06	
Arsenic bromide AsBr <sub>3</sub>	3.540		3.30
Arsenopyrite FeAsS SEMICONDUCTOR	6.162	+1.0E+03	7.20
Augite (Ca,Mg,Fe <sup>2+</sup> ,Fe <sup>3+</sup> ,Al)(Si,Al) <sub>3</sub> O <sub>7</sub>	3.300	+2.1E-11	9.30
Axinite Ca <sub>2</sub> (Mn,Fe)Al <sub>2</sub> ESi <sub>4</sub> Cl <sub>5</sub> OH	3.300	+1.1E-12	8.90
Azurite Cu <sub>3</sub> (CO <sub>3</sub> ) <sub>2</sub> (OH) <sub>2</sub> [249.6]	3.787	+1.8E-09	21.00
Baödeleyite ZrO <sub>2</sub>	5.826		12.40
Barite BaSO <sub>4</sub> [79.6]	4.480	+9.8E-08	10.03
Barium chloride BaCl <sub>2</sub>	3.850		11.40
Barium oxide BaO	5.992		34.00
Barium stannate BaSnO <sub>3</sub>			18.00
Barium sulfide BaS	4.250		19.23
Barium titanate BaTiO <sub>3</sub>	6.017		3600.00
Barium zirconate BaZrO <sub>3</sub>	5.520		43.00
Beidellite (Na,K,Mg,Ca) <sub>0.33</sub> Al <sub>2</sub> (Si,Al) <sub>4</sub> ClO(CH) <sub>2</sub> .nH <sub>2</sub> O	2.600		17.40
Berlinite AlPO <sub>4</sub>	2.618		6.05
Beryl Be <sub>3</sub> Al <sub>2</sub> Si <sub>6</sub> O <sub>18</sub> [180.6]	2.641	+2.8E-13	6.75
Beryllium Be [REF]	1.847	+2.5E+07	
Beryllium oxide-beta BeO	3.010		7.41
Biotite K <sub>2</sub> (Mg,Fe) <sub>4-6</sub> (Si,Al) <sub>8</sub> O <sub>20</sub> (OH) <sub>4</sub>	2.900	+1.2E-11	6.30
Bismite Bi <sub>2</sub> O <sub>3</sub>	9.370		18.20
Bismuth Bi [REF] SEMIMETAL	9.807	+8.6E+05	
Bismuth titanate Bi <sub>4</sub> Ti <sub>3</sub> O <sub>12</sub>			135.00
Bismuthinite Bi <sub>2</sub> S <sub>3</sub> SEMICONDUCTOR	6.808	+1.5E-01	18.20
Bornite Cu <sub>5</sub> FeS <sub>4</sub> SEMICONDUCTOR	5.091	+1.0E+03	8.13



Eoron B [REF]	2.465	+5.5E-05	
Bromargyrite Ag <sub>8</sub> r SEMICONDUCTOR	6.477		12.20
Bromellite BeO	3.010		7.35
Brucite Mg(OH) <sub>2</sub> [247.6]	2.368	+3.6E-11	8.60
Bunsenite NiO SEMICONDUCTOR	6.809		11.90
Cadmium Cd [REF]	8.643	+1.5E+07	
Cadmium bromide CdBr <sub>2</sub>	5.192		8.60
Cadmium telluride CdTe SEMICONDUCTOR	6.200		10.60
Cadmoselite CdSe SEMICONDUCTOR	5.810		9.70
Calcite CaCO <sub>3</sub> [194.6]	2.931	+1.1E-14	6.35
Calcium Ca [REF]	1.530	+3.0E+07	
Calcium nitrate Ca(NO <sub>3</sub> ) <sub>2</sub>	2.483		6.54
Calcium oxide CaO (Lime) INSULATOR	3.345		11.80
Calcmel HgCl	7.166		14.00
Cancrinite (Na <sub>2</sub> Ca) <sub>4</sub> [CO <sub>3</sub> /(H <sub>2</sub> O) <sub>0-3</sub> /(AlSi <sub>4</sub> ) <sub>6</sub> ] [432.6]	2.450	+2.4E-10	8.60
Cassiterite SnO <sub>2</sub> SEMICONDUCTOR	6.993	+1.0E+00	9.00
Celestine SrSO <sub>4</sub> [251.6]	3.971	+7.1E-12	9.90
Celsian BaAl <sub>2</sub> Si <sub>2</sub> O <sub>8</sub> [200.6]	3.200	+1.6E-10	9.40
Cerianite CeO <sub>2</sub>	7.216		7.00
Cerium Ce [REF]	6.746	+1.3E+06	
Cerrusite PbCO <sub>3</sub>	6.583		18.60
Cesium Cs [REF]	1.906	+5.0E+06	
Cesium chloride CsCl INSULATOR	3.988		6.34
Cesium iodide CsI INSULATOR	4.510		5.60
Chalcanthite CuSO <sub>4</sub> .5H <sub>2</sub> O	2.291		6.50
Chalcoelite Cu <sub>2</sub> S SEMICONDUCTOR	5.793	+1.0E+03	
Chalcopyrite CuFeS <sub>2</sub> SEMICONDUCTOR	4.200	+1.0E+03	
Chlorargyrite AgCl ELECTROLYTE	5.571	+1.5E-07	12.30
Chlorite Mg <sub>3</sub> (Si <sub>4</sub> O <sub>10</sub> )(OH) <sub>12</sub> .Mg <sub>3</sub> (OH) <sub>6</sub>	2.800	+6.2E-10	9.00
Chromite FeCr <sub>2</sub> O <sub>4</sub> [27KCC]	5.086	+2.0E-08	11.42
Chromium Cr [REF] METAL	7.187	+7.8E+06	
Chrysoberyl BeAl <sub>2</sub> O <sub>4</sub> [434.6]	2.913	+2.1E-12	7.83
Chrysocolla CuSiO <sub>3</sub> .2H <sub>2</sub> O	2.200		13.10
Cinnabar HgS	8.187	+2.0E-10	18.00
Clausthalite PbSe SEMICONDUCTOR	8.100		280.00
Cobalt Co [REF]	8.836	+1.6E+07	
Cobaltite CoAs	6.275	+1.0E+03	
Cobaltous oxide CoO	6.438		12.90
Colemanite Ca <sub>2</sub> B <sub>6</sub> O <sub>11</sub> .5H <sub>2</sub> O [332.6]	2.400	+3.2E-11	13.80
Columbite (Fe,Mn)(Cb,Ta) <sub>2</sub> O <sub>6</sub>	5.000		13.00
Copper Cu [REF] METAL	8.934	+5.9E+07	
Copper dichloride CuCl <sub>2</sub>	3.054		9.80
Corâierite (Mg,Fe <sup>2+</sup> ) <sub>2</sub> Al <sub>4</sub> Si <sub>5</sub> Cl <sub>8</sub> [346.6]	2.508	+1.1E-09	7.40
Corundum Al <sub>2</sub> O <sub>3</sub> INSULATOR	3.987	+1.0E-14	12.60
Cotunnite PbCl <sub>2</sub>	5.906		47.40
Covellite CuS METAL	4.682	+1.4E+06	
Cristobalite SiO <sub>2</sub>	2.300	+1.0E-13	
Cryolite Na <sub>3</sub> AlF <sub>6</sub> [263.6]	2.965	+6.1E-13	8.40
Cumingtonite (Mg,Fe) <sub>7</sub> [OH/Si <sub>4</sub> O <sub>11</sub> ] <sub>2</sub>	3.211	+6.0E-11	7.02
Cupric sulfate monohydrate CuSO <sub>4</sub> .H <sub>2</sub> O			7.00
Cuprite Cu <sub>2</sub> O SEMICONDUCTOR	6.105	+3.0E-01	7.60
Danburite CaB <sub>2</sub> Si <sub>2</sub> O <sub>8</sub> [181.6]	3.000	+4.1E-11	6.94

Datclite $\text{CaBSiO}_4\text{OH}$ [442.6]	2.900	+7.9E-11	7.50
Diamond C SEMICONDUCTOR	3.515	+2.0E-13	5.68
Diaspore $\text{AlO(OH)}$ [416.6]	3.378	+4.6E-09	12.50
Dickite $\text{Al}_2\text{Si}_2\text{O}_5(\text{OH})_4$ [225.6]	2.620	+1.3E-09	4.60
Ligenite $\text{Cu}_9\text{S}_5$	5.603	+1.0E+02	
Diopside $\text{MgCaSi}_2\text{O}_6$ [317.6]	3.277	+1.7E-11	8.60
Diopside $\text{CuSiO}_2(\text{OH})_2$	3.300		7.60
Dolomite $\text{CaMg}(\text{CO}_3)_2$ [102.6]	2.866	+2.3E-14	7.46
Dumortierite $(\text{Al,Fe})_7\text{BSi}_3\text{O}_{18}$ [190.6]	3.350	+9.2E-12	7.00
Dysprosium Dy [REF]	8.548	+1.8E+06	
Enargite $\text{Cu}_3\text{AsS}_4$ [265.6] SEMICONDUCTOR	4.463	+1.0E+01	200.00
Epidote $\text{Ca}_2(\text{Al,Fe})_3\text{Si}_3\text{O}_{12}\text{OH}$ [328.6]	3.587	+1.3E-10	14.40
Epsomite $\text{MgSO}_4 \cdot 7\text{H}_2\text{O}$	1.680		5.46
Erbium Er [REF]	9.006	+9.3E+05	
Eskolaite $\text{Cr}_2\text{O}_3$	5.225		11.90
Europium Eu [REF]	5.245	+1.1E+06	
Fayalite $\text{Fe}_2\text{SiO}_4$	4.393		6.80
Ferberite $\text{FeWO}_4$	7.521		14.00
Ferrous oxide $\text{FeO}$ (stoichiometric)	5.700		14.20
Fluorite $\text{CaF}_2$ INSULATOR	3.179	+1.3E-14	6.76
Forsterite $\text{Mg}_2\text{SiO}_4$	3.213		6.80
Franklinite	5.350		9.40
Gadolinium Gd [REF]	7.906	+7.1E+05	
Gahnite $\text{ZnAl}_2\text{O}_4$	4.608	+5.2E-04	
Galena PbS SEMICONDUCTOR	7.598	+1.0E+03	205.00
Gallium Ga [REF]	5.913	+5.7E+06	
Gallium antimonide $\text{GaSb}$ SEMICONDUCTOR			15.69
Gallium arsenide $\text{GaAs}$ SEMICONDUCTOR			12.95
Gehlenite $\text{Ca}_2\text{Al}_2\text{SiO}_7$ [444.6]	3.050	+4.2E-11	10.40
Geikielite $\text{MgTiO}_3$	3.895		18.00
Germanium Ge [REF] SEMICONDUCTOR	5.326	+2.2E+00	15.80
Gersdorffite $\text{NiAsS}$	5.964	+1.0E+05	
Gibbsite $\text{Al(OH)}_3$	2.441		8.40
Glaucosite $\text{K}_{1.5}(\text{Fe}^{3+}, \text{Mg}, \text{Al}, \text{Fe}^{2+})_4-6(\text{Si}, \text{Al})_8\text{O}_{20}(\text{OH})_4$ [313	2.300	+3.5E-09	12.70
Glaucophane $\text{Na}_2\text{Mg}_3\text{Al}_2[\text{Si}_8\text{O}_{22}](\text{OH})_2$	3.200	+9.7E-12	9.30
Goethite $\text{FeO(OH)}$	4.268		11.70
Gold Au [REF] METAL	19.282	+4.5E+07	
Goslarite $\text{ZnSO}_4 \cdot 7\text{H}_2\text{O}$	1.972		6.20
Graphite C [REF] Carbon SEMIMETAL	2.267	+7.0E+04	
Greenockite $\text{CdS}$ SEMICONDUCTOR	4.826		9.35
Grossular $\text{Ca}_3\text{Al}_2\text{Si}_3\text{O}_{12}$	3.595		7.60
Gypsum $\text{CaSO}_4 \cdot 2\text{H}_2\text{O}$ [26.5] Alabaster	2.305	+9.5E-12	6.39
Hafnium Hf [REF]	13.242	+2.8E+06	
Halite $\text{NaCl}$ ELECTROLYTE [433.6]	2.163	+2.0E-14	5.90
Halloysite $\text{Al}_2\text{Si}_2\text{O}_5(\text{OH})_4 \cdot 2\text{H}_2\text{O}$ [228.6 @ 1.12	2.550	+2.9E-07	7.88
Hedenbergite $\text{CaFeSi}_2\text{O}_6$ [10.8]	3.632	+1.5E-08	17.40
Hematite $\text{Fe}_2\text{O}_3$ SEMICONDUCTOR	5.275	+1.0E-02	25.00
Hercynite $\text{FeAl}_2\text{O}_4$ [277.6]	4.265	+1.3E-07	40.00
Hessite $\text{Ag}_2\text{Te}$ SEMICONDUCTOR	8.405	+1.0E+05	
Holmium Ho [REF]	8.801	+1.1E+06	
Hornblende $(\text{Ca}, \text{NaK})_2-3(\text{Mg}, \text{Fe}^{2+}, \text{Fe}^{3+}, \text{Al})_5(\text{Si}, \text{Al})_8\text{O}_{22}(\text{OH})_2$	3.080	+2.1E-11	8.00

Hydroxyapatite $\text{Ca}_5(\text{PO}_4)_3\text{OH}$	3.155		4.90
Idocrase $\text{Ca}_{10}(\text{Mg}, \text{Fe}^{2+}, \text{Fe}^{3+})_2\text{Al}_4\text{Si}_9\text{O}_{34}(\text{OH})_4$ [445.6]			
Vesuvianite	3.400	+5.2E-11	8.64
Illite $(\text{H}_3\text{O}, \text{K})\text{Al}_8(\text{Si}, \text{Al})_{16}\text{O}_{40}(\text{OH})_8$	2.660		10.00
Ilmenite $\text{FeTiO}_3$	4.788	+1.0E+02	
Indium In [REF]	7.297	+1.2E+07	
Indium antimonide InSb SEMICONDUCTOR			17.88
Indium arsenide InAs SEMICONDUCTOR			14.55
Iodargyrite AgI SEMICONDUCTOR	5.684		6.80
Iridium Ir [REF]	22.564	+1.9E+07	
Iron Fe [REF]	7.875	+1.0E+07	
Jadeite $\text{NaAlSi}_2\text{O}_6$ [343.6]	3.400	+1.2E-10	10.00
Kaolinite $\text{Al}_2\text{Si}_2\text{O}_5(\text{OH})_4$ [223.6]	2.594	+3.1E-08	11.80
Karelianite $\text{v}_2\text{O}_3$	5.021		15.00
Kernite $\text{Na}_2\text{B}_4\text{O}_7 \cdot 4\text{H}_2\text{O}$ [440.6]	1.877	+1.9E-12	5.23
Kyanite $\text{Al}_2\text{SiO}_5$ [187.6]	3.675	+1.8E-12	7.80
Labradorite $\text{Na}_2\text{Ca}_3(\text{AlSi}_3\text{O}_8)_8$ [314.6]	2.710	+1.3E-10	5.87
Lead Pb [REF] METAL	11.343	+4.8E+06	
Lead nitrate $\text{Pb}(\text{NO}_3)_2$	4.530		16.80
Lead titanate $\text{PbTiO}_3$	7.940		200.00
Lead zirconate $\text{PbZrO}_3$	7.000		200.00
Lepidolite $\text{K}(\text{Li}, \text{Al})_3(\text{Si}, \text{Al})_4\text{O}_{10}(\text{F}, \text{OH})_2$ [27.5]	2.900	+2.6E-12	6.30
Leucite $\text{KAlSi}_2\text{O}_6$	2.469		6.80
Limonite [41.5] Amorphous Iron	3.176	+3.5E-08	12.40
Litharge $\text{PbO}$ red SEMICONDUCTOR			
	9.335		25.90
Lithium Li [REF]	.533	+1.2E+07	
Lithium chloride $\text{LiCl}$ ELECTROLYTE	2.060		10.60
Magnesite $\text{MgCO}_3$	3.010		8.10
Magnesium Mg [REF] METAL	1.737	+2.3E+07	
Magnesium sulfate $\text{MgSO}_4$	2.660		8.20
Magnetite $\text{Fe}_3\text{O}_4$ METAL	5.200	+1.0E+04	
Malachite $\text{Cu}_2(\text{CO}_3)(\text{OH})_2$ [28KCC]	4.031	+1.1E-09	6.33
Manganese Mn [REF]	7.470	+7.4E+05	
Manganite $\text{MnO} \cdot \text{OH}$ [212.6]	3.984	+1.9E-02	917.00
Manganosite $\text{MnO}$	5.366		18.00
Muscovite $(\text{NH}_4)_2\text{SO}_4$	1.769		9.80
Mercuric chloride $\text{Hg}_2\text{Cl}_2$			
	6.470		9.40
Mercurous chloride $\text{HgCl}_2$			
	5.600		3.20
Microcline $\text{KAlSi}_3\text{O}_8$ [103.6]	2.560	+5.7E-12	5.48
Millerite $\text{NiS}$	5.374	+3.0E+06	
Minium $\text{Pb}_3\text{O}_4$	8.926		17.80
Molybdenite $\text{MoS}_2$ SEMICONDUCTOR	4.999	+1.0E+00	
Molybdenum Mo [REF] METAL	10.221	+1.9E+07	
Monticellite $\text{CaMgSiO}_4$ [339.6]	3.200	+7.7E-11	8.50
Montmorillonite			
$(\text{Na}, \text{K}, \text{Mg}, \text{Ca})_0.33(\text{Al}, \text{Mg})_2\text{Si}_4\text{O}_{10}(\text{OH})_2 \cdot n\text{H}_2\text{O}$ [229	2.608	+4.8E-07	207.00
Mullite $3\text{Al}_2\text{O}_3 \cdot 2\text{SiO}_2$ 3-2 INSULATOR	3.167	+1.0E-14	6.60
Muscovite $\text{KAl}_3\text{Si}_3\text{O}_{10}(\text{OH})_2$ [24.5]	2.831	+4.6E-13	7.60
Nantockite $\text{CuCl}$ SEMICONDUCTOR	4.139	+2.9E-07	9.80
Natrolite $\text{Na}_2\text{Al}_2\text{Si}_3\text{O}_{10} \cdot 2\text{H}_2\text{O}$ [168.6]	2.245	+1.0E-09	6.70

Nepheline Na3KA14Si4Cl6	2.623	+1.6E-09	6.04
Niccolite NiAs	7.776	+1.0E+07	
Nickel Ni [REF] METAL	8.910	+1.4E+07	
Nickel carbonate Ni(CO)4	1.320		2.20
Niobium Nb [REF]	8.580	+8.0E+06	
Niter KNO3	2.105		4.37
Nitrobarite Ba(NO3)2	3.240		5.50
Oldhamite CaS	2.602		6.70
Opal SiO2.nH2O [198.6]	1.890	+3.9E-07	13.01
Orthoclase KAlSi3O8 [13.5]	2.570	+6.9E-13	5.60
Palladium Pd [REF]	12.006	+9.3E+06	
Pectolite Ca2NaSi3O8OH [208.6]	2.870	+2.3E-11	9.00
Periclase MgO INSULATOR	3.583	+1.6E-11	9.65
Percovskite CaTiO3 SEMICONDUCTOR	4.044		165.00
Petalite LiAlSi4O10 [269.6]	2.410	+1.7E-10	5.00
Phenacite Be2SiO4 R3	2.960		5.10
Phlogopite KMg3AlSi3O10(OH)2 [23.5]	2.784	+1.0E-13	7.60
Phosphorus P [REF]	1.801	+1.0E-09	
Phosphorus trioxide P2O3	2.135		3.20
Plattnerite PbO2	9.375	+1.1E+06	26.00
Potassium K [REF]	.862	+1.6E+07	
Potassium aluminum sulfate KAl(SO4)2			3.80
Potassium bromate KBrO3	3.270		7.30
Potassium bromide KBr INSULATOR	2.754		4.78
Potassium carbonate K2CO3	2.428		4.96
Potassium chlorate KClO3	2.320		5.10
Potassium fluoride KF ELECTROLYTE	2.505		6.05
Potassium orthophosphate K3PO4	2.564		7.75
Powellite CaMCO4	4.256		24.00
Praseodymium Pr [REF]	6.774	+1.5E+06	
Prehnite Ca2Al2Si3O10(OH)2 [203.6]	2.910	+2.5E-12	6.50
Proustite Ag3Ass3 SEMICONDUCTOR	5.595	+1.0E-03	16.50
Pt [REF] METAL	21.460	+9.6E+06	
Pyrargyrite Ag3Sbs3 [302.6] SEMICONDUCTOR			
	5.851	+2.8E-03	222.00
Pyrite FeS2 SEMICONDUCTOR	5.011	+1.0E+03	
Pyrolusite MnO2 SEMICONDUCTOR	5.234	+1.0E+00	10000.00
Pyrophyllite Al2Si4O10(OH)2 [221.6]	2.819	+6.6E-13	6.30
Pyrrhotite Fe.877S METAL	4.610	+1.0E+05	
Quartz SiO2 INSULATOR	2.648	+5.0E-15	4.50
Realgar AsS	3.590		7.60
Retgersite NiSO4.6H2O	2.070		6.20
Rhenium Re [REF]	21.017	+5.2E+06	
Rhodium Rh [REF]	12.425	+2.2E+07	
Rhodochrosite MnCO3	3.699		6.80
Rhodonite MnSiO3 [320.6]	3.726	+1.5E-11	10.00
Riebeckite Na2Fe2+3Fe3+2Si8O22(OH)4	3.000	+2.6E-10	6.59
Rubidium Rb [REF]	1.530	+8.0E+06	
Rubidium carbonate Rb2CO3			6.73
Rubidium chloride RbCl	2.800		4.91
Ruthenium Ru [REF]	12.369	+1.3E+07	
Rutile TiO2 [137.6] SEMICONDUCTOR	4.245	+4.7E-10	78.90
Salmiac NH4Cl Sal Amoniac	1.527		6.96

Samarium Sm [REF]	7.528	+1.1E+06	
Sannartinite $ZnWO_4$	7.872		16.10
Scandium Sc [REF]	2.989	+1.6E+06	
Scapolite $CaCO_3 \cdot 3CaAl_2Si_2O_8 \cdot CaSO_4 \cdot CaCl_2$	2.600	+8.2E-11	8.23
Scheelite $CaWO_4$	6.120		11.70
Selenium Se [REF] SEMICONDUCTOR	4.809	+8.3E+06	11.00
Sellaite $MgF_2$ INSULATOR	3.148		9.50
Serpentine $Mg_3(Si_2C_5)(OH)_4$ [318.6]	2.600	+3.2E-09	14.00
Siderite $FeCO_3$ [271.6]	3.944	+1.2E-10	9.30
Silicon Si [REF] SEMICONDUCTOR	2.330	+1.0E+07	11.70
Silicon carbide SiC SEMICONDUCTOR	3.217	+5.0E-01	10.20
Sillimanite $Al_2SiC_5$ [186.6]	3.247	+1.0E-11	11.00
Silver Ag [REF] METAL	10.501	+6.2E+07	
Silver oxide $Ag_2O$	7.140		8.60
Smaragdite $Ca_2(Mg, Fe)_5Si_8O_{22}(OH)_2$ [290.6]			
Actinolite	3.400	+1.0E-11	3.60
Soda-niter $NaNO_3$	2.261		6.85
Scapolite $Na_4Al_3(SiO_4)_3Cl$	2.200		6.80
Sodium Na [REF]	.965	+2.4E+07	
Sodium bromate $NaBrO_3$	3.339		5.70
Sodium carbonate $Na_2CO_3$	2.532		8.75
Sodium carbonate hydrogen $NaHCO_3$	2.159		4.40
Sodium perchlorate $NaClO_4$	2.020		5.76
Spessartine $Mn_3Al_2Si_2O_{12}$	3.022		7.60
Sphaalerite $ZnS$ [213.6] SEMICONDUCTOR	4.089	+3.8E-12	7.50
Spinel $MgAl_2O_4$	3.583		6.80
Spodumene $LiAlSi_2O_6$ [210.6]	3.188	+4.9E-13	8.30
Stannous tetrachloride $SrCl_4$	2.230		2.87
Stibnite $Sb_2S_3$ SEMICONDUCTOR	4.627	+1.0E-06	11.20
Stibnicus bromide $SbBr_3$			
	4.148		5.10
Stibnous chloride $SbCl_3$			
	3.140		5.30
Stilbite $NaCa_2Al_5Si_3O_{36} \cdot 14H_2O$ [482.6]	2.150	+4.6E-08	7.85
Stilleite $ZnSe$ SEMICONDUCTOR	5.420		9.12
Stolzite $PbWO_4$	8.411		23.60
Strontianite $SrCO_3$ [272.6]	3.784	+2.2E-12	9.60
Strontium Sr [REF]	2.583	+4.4E+06	
Strontium nitrate $Sr(NO_3)_2$	2.986		5.33
Strontium oxide $SrO$	4.700		13.30
Strontium sulfide $SrS$ SEMICONDUCTOR	3.700		11.31
Strontium titanate $SrTiO_3$	5.110		332.00
Sulfur S [REF]	2.067	+1.0E-12	3.75
Sulfuryl chloride $SO_2Cl_2$	1.680		9.05
Sylvite $KCl$ ELECTROLYTE	1.987	+1.0E-13	4.84
Talc $Mg_3Si_4O_{10}(OH)_2$	2.784		5.80
Tantalite $(Fe, Mn)(Ta, Nb)_2O_6$	6.500		10.00
Tantalum Ta [REF]	16.676	+8.0E+06	
Tantalum pentoxide $Ta_2O_5$	8.311		45.00
Tellurium Te [REF] SEMICONDUCTOR	6.232	+2.3E-04	5.00
Tenorite $CuO$ SEMICONDUCTOR	6.509		18.10
Tephroite $Mn_2SiO_4$ [419.6]	4.155	+5.8E-11	10.00
Terbium Tb [REF]	8.239		33.00

Thallium Tl [REF]	11.875	+5.6E+06	
Thallos chloride TlCl SEMICONDUCTOR	7.020		31.90
Thallos nitrate TlNO <sub>3</sub>			10.50
Thenardite Na <sub>2</sub> SO <sub>4</sub> [450.6]	2.663	+2.1E-12	5.00
Thorianite ThO <sub>2</sub>	10.012		18.90
Thorium Th [REF]	11.726	+7.7E+06	
Thulium Tm [REF]	9.320	+1.3E+06	
Tierannite HgSe SEMICONDUCTOR	8.266		25.00
Tin Sn [REF] SEMIMETAL	7.287	+9.1E+06	
Tin antimonide SnSb			147.00
Titanite CaTiSiO <sub>5</sub> Sphene	3.523	+5.8E-12	21.00
Titanium Ti [REF] METAL	4.506	+2.3E+06	
Topaz Al <sub>2</sub> (SiO <sub>4</sub> )(F <sub>2</sub> ) [184.6]	3.500	+7.1E-14	6.80
Topaz Al <sub>2</sub> (SiO <sub>4</sub> )(OH)	3.174		5.00
Tremolite Ca <sub>2</sub> Mg <sub>5</sub> [Si <sub>8</sub> O <sub>22</sub> ](OH) <sub>2</sub> [312.6]	2.977	+2.6E-10	8.00
Tungsten W [REF]	19.261	+1.8E+07	
Tungsten pentoxide W <sub>2</sub> O <sub>5</sub>		+2.2E+05	
Tungsten trioxide WO <sub>3</sub>	7.160	+5.0E-04	
Ulexite NaCaB <sub>5</sub> O <sub>9</sub> ·8H <sub>2</sub> O [441.6]	2.000	+2.9E-12	5.80
Uraninite UO <sub>2</sub>	10.969	+2.6E-03	24.00
Uranium U [REF]	19.047	+3.3E+06	
Valentinite Sb <sub>2</sub> O <sub>3</sub>	5.829		12.60
Vanadium V [REF]	6.101	+4.0E+06	
Villiaumite NaF	2.790		6.90
Water H <sub>2</sub> O (liquid) INSULATOR	.997	+5.5E-06	78.30
Willemite Zn <sub>2</sub> SiO <sub>4</sub> [182.6]	4.251	+2.9E-08	7.70
Witherite BaCO <sub>3</sub> [273.6]	4.308	+4.9E-13	7.20
Wollastonite CaSiO <sub>3</sub> [348.6]	2.909	+1.5E-11	8.60
Wulfenite PbMoO <sub>4</sub>	6.817		26.80
Kustite Fe <sub>9</sub> S <sub>7</sub> O <sub>20</sub>	5.722		14.20
Ytterbium Yb [REF]	6.969	+3.4E+06	
Ytterbium sesquioxide Yb <sub>2</sub> O <sub>3</sub>	9.170		5.00
Yttrium Y [REF]	5.912	+1.8E+06	
Yttrium sesquioxide Y <sub>2</sub> O <sub>3</sub>	5.010		11.50
Zinc Zn [REF] METAL	7.136	+1.7E+07	
Zinc telluride ZnTe SEMICONDUCTOR	6.340		10.10
Zincite ZnO SEMICONDUCTOR	5.676		12.00
Zircon ZrSiO <sub>4</sub>	4.669		10.00
Zirconium Zr [REF]	6.508	+2.5E+06	
Zoisite Ca <sub>2</sub> Al <sub>3</sub> (SiO <sub>4</sub> ) <sub>3</sub> (OH) [347.6]	3.328	+2.4E-11	10.40

Table 2 lists the measurements of a series of rocks and minerals. The columns in the table are the rock or mineral description and any identifying information (sample number, location, etc.), the dry bulk density ( $\pm 0.01 \text{ gm/cm}^3$ ), the DC electrical conductivity in mho/m ( $\pm 10$  percent), and the relative dielectric permittivity ( $\pm 1$  percent) and loss tangent at frequencies of 1 kHz, 10 kHz, 100 kHz, and 1MHz. All measurements were performed using a three-terminal sample holder at room temperature in 8 percent relative humidity.

Samples without bracketed numbers are from the U.S.G.S. Petrophysics Laboratory sample collection. Those with bracketed numbers beginning with "R" are from Robertson and Peck (1974). Those with other bracketed numbers are from Hunt and Salisbury (1976) and references therein.

Blank entries in the table indicate sample measurements that were outside the range of the measurement instruments. DC electrical conductivities were measured using a Guildline 9520 automatic digital teraohmmeter and dielectric properties were measured with a Hewlett-Packard 4270A digital capacitance meter\*.

Where necessary, values for Table 1 were generated from these Table 2 measurements by reducing the dielectric permittivity to zero porosity through

$$k_1 = k_2^{S/D}$$

where  $k_1$  is the value in Table 1 at the zero porosity density of  $S \text{ gm/cm}^3$  and  $k_2$  is the value in Table 2 at the measured dry bulk density of  $D \text{ gm/cm}^3$ . DC electrical conductivities were reported as the same values in both tables as there is no known density correction.

\*Trade and manufacturer's names are used for descriptive purposes only and do not imply recommendation or endorsement by the U.S. Geological Survey.

Name/Description	Density gm/cc	Conductivity LC Ohm/m	Relative Dielectric Permittivity & Loss Tangent			
			1kHz	10kHz	100kHz	1MHz
Afwillite [211.6] Riverside, California	2.832	7.6E-12	10.9 0.0422	10.2 0.0430	9.6 0.0409	9.2 0.0310
Albite Gneiss [390.6] Colorado	2.677	9.7E-11	17.2 0.3662	11.3 0.2664	8.4 0.1604	7.0 0.1093
Albite [14.8] Bancroft, Ontario	2.601	2.1E-09	8.5 0.2559	7.4 0.0756	7.0 0.0324	6.9 0.0111
Albite [324.6] So. Dakota	2.547	1.1E-10	5.8 0.0143	5.7 0.0072	5.6 0.0102	5.8 0.0071
Allanite [293.6] Ontario	3.517	1.2E-10	15.3 0.1331	13.5 0.0717	12.4 0.0511	11.1
Antlygonite [248.6] Keystone, So. Dakota	2.970	3.1E-12	8.2 0.0196	8.0 0.0172	7.8 0.0175	7.7 0.0178
Andalusite [185.6] Australia	2.757	3.9E-12	6.9 0.0774	6.1 0.0711	5.6 0.0461	5.4 0.0183
Andesite Hornblende [130.6] Mt. Shasta, California	2.184	1.6E-09	5.6 0.1724	5.0 0.0475	4.9 0.0152	4.7
Andesite Hornblende [236.6] Colorado	2.599	5.8E-09	34.2 0.7206	18.5 0.4145	12.6 0.2593	9.4 0.2030
Andesite Plagioclase [121.6] San Juan, Colorado	2.606	1.4E-10	16.4 0.2125	12.6 0.1083	10.1 0.1415	8.5 0.1205
Andesite [181.6] Lyr, [46.5] Boulder, Colorado	2.733	2.1E-11	12.3 0.1789	10.0 0.1265	8.6 0.1019	7.6 0.0792
Andesite [239.6] Texas	2.854	1.7E-10	12.1 0.2087	9.8 0.1230	8.6 0.0726	8.1 0.0393
Argesite [437.6] Utah	4.075	7.6E-11	24.6 0.1044	22.1 0.0586	20.9 0.0307	20.4 0.0189
Anhydrite [334.6] Salmat, NY	2.778	1.2E-11	7.8 0.0748	7.1 0.0372	6.9 0.0168	6.9 0.0085
Annabergite [439.6] Nevada	2.707	1.2E-10	6.2 0.0691	5.7 0.0445	5.4 0.0247	5.5 0.0129
Arctocelase [321.6] Norway	2.537	1.5E-11	8.4 0.0928	7.4 0.0650	6.9 0.0490	6.6 0.0304
Anthophyllite [266.6] No. Carolina	2.451	5.6E-09	10.3 0.3517	7.4 0.1969	6.1 0.1180	5.4 0.0802
Apatite [250.6] Quebec	3.022	2.7E-12	9.9	9.8 0.0057	9.7 0.0074	9.7 0.0082
Apatite [253.6] Norway	3.124	1.2E-12	13.4 0.0486	12.5 0.0364	12.0 0.0256	11.2
Aragonite [260.6] England	2.687	2.9E-11	7.5 0.0089	7.4 0.0054	7.4 0.0073	7.3 0.0064
Arsenopyrite [262.6] Gold Hill, Utah	3.620	1.2E-03				
Asbestos Amphibole [292.6] Lozeman, Montana	2.758	7.0E-10	9.4 0.4058	7.1 0.1566	6.4 0.0664	6.0 0.0329
Augite [12.8]	3.171	2.1E-11	12.4 0.1664	10.2 0.1089	9.0 0.0653	8.5 0.0346
Axinite [342.6] Mexico	3.127	1.1E-12	8.7 0.0346	8.4 0.0261	6.2 0.0222	7.9 0.0229
Azurite [249.6] Bisbee, Arizona	2.121	1.8E-09	22.1 0.3444	13.9 0.3277	8.7 0.3365	5.5 0.2842
Barite [79.6] Carter, Colorado	4.364	9.8E-08	14.5 0.6965	11.1 0.1755	9.9 0.0618	9.5 0.0261
Basalt Hornblende [7.5] Chaffee, Colorado	2.635	9.9E-09	48.1 0.7061	22.4 0.4890	14.6 0.2843	10.8 0.1973
Basalt Thingvellir, Iceland	2.916	0.4E-11	10.4 0.0444	9.9 0.0297	9.6 0.0209	9.4 0.0213
Basalt Oxydaloidal [246.6] Michigan	3.134	2.4E-10	24.5 0.2026	17.9 0.1843	14.7 0.1161	13.1 0.0737
Basalt Ilce [58.5] U.S.E.M.	2.843	1.4E-09	29.0 0.3533	21.1 0.1851	17.7 0.1133	15.5 0.1004
Basalt [166.6A] Hawaii	2.365	6.0E-10	8.5 0.0633	8.0 0.0392	7.7 0.0183	7.4
Basalt [166.6L] Hawaii	2.365	5.2E-10	7.9 0.0791	7.5 0.0368	7.2 0.0185	6.9
Basalt [166.6] Hawaii	2.365	7.9E-10	8.4 0.1117	7.9 0.0438	7.5 0.0229	7.5 0.0126
Basalt [5.5] Chaffee, Colorado	1.953	7.3E-09	29.3 0.5480	16.8 0.3763	11.1 0.2762	8.0 0.2136
Basalt [6.5] Germany	3.030	5.8E-09	37.6 0.6048	19.6 0.4278	14.2 0.2020	11.6 0.1220
Basalt [1604] Hawaii	2.136	1.7E-11	10.1 0.0494	9.6 0.0325	9.2 0.0327	8.8 0.0441
Basalt [1606] Hawaii	2.230	1.5E-11	10.7 0.0277	10.4 0.0190	10.1 0.0238	9.8 0.0467
Basalt [1607] Hawaii	2.184	1.3E-11	10.3 0.0266	10.1 0.0185	9.8 0.0210	9.5 0.0409
Basalt [1608] Hawaii	2.029	1.2E-11	9.9 0.0349	9.5 0.0212	9.3 0.0233	9.0 0.0404
Basalt [1609] Hawaii	2.048	6.4E-12	8.1 0.0283	7.8 0.0196	7.6 0.0180	7.5 0.0235
Basalt [1610] Hawaii	2.043	4.5E-12	7.7 0.0238	7.5 0.0137	7.4 0.0127	7.3 0.0194
Basalt [1611] Hawaii	1.630	1.0E-11	6.3 0.0255	6.1 0.0146	6.0 0.0134	5.9 0.0177
Basalt [1612] Hawaii	2.462	1.2E-09	12.9 0.2762	10.3 0.1208	9.3 0.0624	8.7 0.0522
Basalt [1613] Hawaii	2.617	2.7E-11	13.2 0.0397	12.7 0.0246	12.3 0.0254	11.9 0.0385
Basalt [1614] Hawaii	2.807	2.3E-11	10.7 0.0793	9.8 0.0532	9.2 0.0415	8.7 0.0374
Basalt [1615] Hawaii	2.817	1.4E-11	11.4 0.0514	10.8 0.0350	10.3 0.0362	9.8 0.0482
Basalt [1616] Hawaii	2.882	1.2E-11	10.9 0.0336	10.6 0.0224	10.2 0.0260	9.8 0.0399
Basalt [1617] Hawaii	2.105	1.2E-11	7.0 0.0880	6.4 0.0545	6.0 0.0374	5.6 0.0241
Basalt [1618] Hawaii	1.979	7.8E-12	9.2 0.0370	8.8 0.0215	8.6 0.0202	8.4 0.0315

TABLE 2



Basalt [1619] Hawaii	1.949	2.9E-13	7.1	0.0291	6.8	0.0180	6.7	0.0104	6.5	0.0278
Basalt [1620] Hawaii	2.402	1.4E-11	10.9	0.0334	10.5	0.0212	10.3	0.0226	9.9	0.0357
Basalt [1621] Hawaii	2.304	7.5E-12	8.0	0.0597	7.5	0.0354	7.2	0.0255	7.0	0.0223
Basalt [1622] Hawaii	2.613	2.4E-09	12.0	0.1487	10.5	0.0796	9.6	0.0564	8.9	0.0534
Basalt [1623] Hawaii	2.456	5.2E-11	9.7	0.0648	9.1	0.0349	8.8	0.0299	8.4	0.0351
Basalt [1624] Hawaii	2.693	1.5E-11	10.0	0.0471	9.5	0.0350	9.1	0.0342	8.7	0.0381
Basalt [1625] Hawaii	2.919	4.9E-10	15.0	0.2381	12.2	0.1164	10.9	0.0715	10.1	0.0596
Basalt [1626] Hawaii	2.686	2.2E-11	12.6	0.0780	11.5	0.0574	10.6	0.0607	9.7	0.0783
Basalt [1628] Hawaii	1.414	1.7E-11	5.5	0.0582	5.1	0.0387	4.9	0.0307	4.7	0.0382
Basalt [1629] Hawaii	1.649	1.3E-11	7.2	0.0286	7.0	0.0167	6.8	0.0195	6.6	0.0296
Basalt [1630] Hawaii	2.012	1.1E-11	9.6	0.0328	9.3	0.0181	9.1	0.0172	9.0	0.0317
Basalt [1631] Hawaii	2.595	2.4E-11	15.1	0.0321	14.7	0.0186	14.4	0.0185	14.1	0.0408
Basalt [1632] Hawaii	2.527	1.6E-11	12.1	0.0188	11.9	0.0161	11.6	0.0272	11.0	0.0629
Basalt [1802-A] Hawaii	1.612	2.9E-11	7.0	0.0395	6.7	0.0236	6.5	0.0215	6.4	0.0285
Basalt [1802-B] Hawaii	.767	5.7E-12	3.3	0.0205	3.2	0.0148	3.2	0.0165	3.1	0.0212
Basalt [1802-C] Hawaii	.814	4.7E-12	3.5	0.0258	3.4	0.0140	3.4	0.0149	3.3	0.0227
Basalt [1802-X-1] Hawaii	1.932	4.8E-12	7.5	0.0335	7.3	0.0192	7.1	0.0187	7.0	0.0297
Basalt [1802-X-2] Hawaii	1.775	6.7E-12	6.7	0.0274	6.5	0.0179	6.4	0.0191	6.2	0.0310
Basalt [1802-X-3] Hawaii	1.454	2.2E-11	5.6	0.0330	5.4	0.0179	5.3	0.0183	5.1	0.0307
Basalt [1803-A-1] Hawaii	1.624	2.9E-11	6.8	0.0369	6.6	0.0241	6.4	0.0223	6.2	0.0325
Basalt [1803-A-2] Hawaii	1.319	1.3E-11	5.3	0.0301	5.2	0.0167	5.0	0.0173	5.0	0.0222
Basalt [1803-A-3] Hawaii	1.038	1.3E-11	4.5	0.0361	4.3	0.0192	4.2	0.0166	4.1	0.0234
Basalt [1804-1] Hawaii	1.040	6.8E-12	4.4	0.0208	4.3	0.0171	4.2	0.0181	4.1	0.0206
Basalt [1804-2] Hawaii	.928	2.6E-12	3.4	0.0135	3.3	0.0110	3.3	0.0112	3.3	0.0127
Basalt [1805-1] Hawaii	.837	7.8E-12	3.9	0.0294	3.8	0.0163	3.7	0.0148	3.7	0.0244
Basalt [1805-2] Hawaii	.876	1.6E-11	4.0	0.0285	3.9	0.0152	3.8	0.0143	3.8	0.0230
Basalt [1806-1] Hawaii	.769	4.0E-12	3.4	0.0135	3.3	0.0145	3.3	0.0134	3.2	0.0121
Basalt [1807-A] Hawaii	.844	2.5E-12	3.9	0.0351	3.8	0.0194	3.7	0.0149	3.6	0.0188
Basalt [1807-L] Hawaii	.853	3.0E-11	4.3	0.0430	4.1	0.0213	4.0	0.0166	3.9	0.0221
Basalt [1808-A] Hawaii	.802	4.1E-12	3.1	0.0292	3.0	0.0196	3.0	0.0201	2.9	0.0214
Basalt [1808-E] Hawaii	.837	4.6E-12	3.3	0.0341	3.2	0.0198	3.1	0.0204	3.1	0.0224
Basalt [1815] Hawaii	2.925	1.0E-09	15.4	0.2114	12.9	0.1051	11.5	0.0721	10.6	0.0631
Basalt [1816] Hawaii	2.874	1.5E-11	15.6	0.0420	14.7	0.0503	13.5	0.0642	12.2	0.0773
Basalt [1818] Hawaii	3.039	3.0E-12	9.3	0.0191	9.0	0.0189	8.8	0.0214	8.6	0.0275
Basalt [1819] Hawaii	3.019	8.3E-08	16.0	0.1196	16.6	0.0677	15.1	0.0708	13.7	0.0738
Basalt [1821-A] Hawaii	2.545	2.7E-11	10.4	0.0321	10.0	0.0224	9.7	0.0254	9.4	0.0306
Basalt [1821-B] Hawaii	2.614	3.3E-11	11.6	0.0403	11.1	0.0293	10.6	0.0324	10.1	0.0467
Basalt [1822-A] Hawaii	2.914	1.0E-11	10.2	0.0131	10.0	0.0115	9.8	0.0124	9.7	0.0187
Basalt [1822-L] Hawaii	2.863	9.3E-12	10.2	0.0131	10.0	0.0116	9.8	0.0134	9.7	0.0204
Basalt [1823-B] Hawaii	2.255	2.6E-11	9.1	0.0362	8.7	0.0243	8.4	0.0264	8.1	0.0385
beryl [100.6] Maine	2.644	2.8E-13	7.6		7.3	0.0231	7.0	0.0316	6.8	0.0316
biotite [300.6] Colorado	2.660	3.7E-12	6.1	0.0663	5.6	0.0433	5.4	0.0226	5.1	
biotite [20.5] Bancroft, Ontario	3.030	1.2E-11	6.6	0.0419	6.3	0.0156	6.3	0.0057	6.3	0.0026
lismuthinite [470.6] S.Africa	6.494	2.6E-08	157.3	0.2197	115.8	0.2525	70.2	0.3696	45.2	0.2068
lornite [18000] Butte, Montana	3.269	6.2E-12	9.2	0.1147	7.7	0.1084	6.7	0.0806	6.2	0.0504
breccia andesitic [88.6] Ouray, Colorado	2.507	1.8E-10	7.8	0.0955	7.1	0.0552	6.7	0.0336	6.5	0.0179
breccia basalt [95.6] Lane, Oregon	2.450	1.1E-07	108.5	0.7248	52.4	0.5205	31.2	0.3548	21.0	0.2844
breccia volcanic [61.6] Guffy, Colorado	2.245	2.5E-11	5.9	0.0750	5.4	0.0437	5.2	0.0259	4.8	
bronzeite linstatite [9.6] Jackson, No.Carolina	3.214	4.6E-12	6.8	0.0308	6.7	0.0102	6.6	0.0039	6.6	
brucite [247.6] Lead, Nevada	2.390	3.6E-11	33.4	0.3789	19.3	0.3868	11.5	0.3188	8.6	0.1486
calcite chalk [340.6] England	1.427	4.7E-11	5.9	0.1455	4.9	0.1115	4.3	0.0713	4.0	0.0191
calcite [194.6] Mexico SINGLE CRYSTAL	2.808	1.1E-14	6.1		6.1		6.1	0.0017	5.9	
calcite [331.6] Canada	2.707	4.9E-13	10.1		9.8	0.0339	9.1	0.0503	8.4	

Calcite [48.6] Cherokee, Kansas	2.555	3.8E-11	9.6	0.0601	9.0	0.0275	8.8	0.0117	8.8	0.0072
Cancrinite [432.6] Ontario	2.390	2.4E-10	5.3	0.0430	9.0	0.0157	8.8	0.0091	8.2	
Cassiterite [279.6] Nigeria	5.953	1.2E-04					300.0	0.9583	90.1	1.1593
Celestite [251.6] Mexico	3.789	7.1E-12	9.4	0.0435	9.0	0.0163	8.9	0.0082	8.9	0.0055
Celadonite [260.6] Australia	2.896	1.6E-10	9.5	0.1369	8.4	0.0648	7.9	0.0380	7.6	0.0267
Chalcoite [19KCC]	7.013	1.0E-07								
Chlorite [179.6] Colorado	2.819	9.6E-12	37.8	0.3219	21.2	0.4379	10.9	0.4235	7.4	0.2011
Chlorite [197.6] Calaveras, California	2.617	6.2E-10	22.3	0.4552	14.5	0.2678	10.8	0.2152	7.9	0.2052
Chromite [27KCC] So. Rhodesia	5.001	2.0E-08	64.7	0.7312	26.1	0.6175	15.4	0.3495	11.0	0.2212
Chromite [261.6] Sierra Leone	3.490	7.4E-06	52.1	1.2038	19.3	0.6978	12.5	0.3162	9.5	0.1606
Chrysoberyl [434.6] So. Dakota	2.989	2.1E-12	12.5	0.1440	9.8	0.1398	8.4	0.0786	7.8	0.0520
Cinnabar [460.6] Spain	3.470	9.5E-06	117.4	0.3124	47.3	0.6864	19.7	0.6014	10.9	0.4002
Cobaltite [264.6] Elliot Lake, Ontario	5.821	3.8E+00								
Colemanite [332.6] California	2.347	3.2E-11	21.8	0.3673	15.9	0.1637	14.0	0.0745	13.1	0.0502
Colemanite [435.6] California	2.311	4.2E-12	13.6	0.0314	13.0	0.0213	12.7	0.0176	12.5	0.0136
Cordierite [340.6] Colorado	2.717	1.1E-09	15.0	0.4774	10.0	0.2355	6.2	0.1141	7.4	0.0656
Corundum [263.6] Transvaal	3.890	8.9E-12	9.3	0.0078	9.1	0.0056	9.1	0.0032	9.2	
Cryolite [263.6] Greenland	2.879	6.1E-13	6.7	0.0145	8.4	0.0263	8.1	0.0226	7.9	0.0167
Cunningtonite [294.6] Lead, So. Dakota	3.211	6.0E-11	8.9	0.1196	7.8	0.0705	7.2	0.0384	7.0	0.0198
Lacite Porphyry Mica [40.5] Ward, Colorado	2.661	8.4E-12	9.4	0.0987	8.3	0.0758	7.5	0.0782	6.7	0.0753
Lacite Porphyry [398.6] Montana	2.416	6.9E-11	13.1	0.2379	9.6	0.1969	7.6	0.1446	6.1	
Lacite [56.5] U.S.A.M.	2.206	1.5E-10	5.3	0.0909	4.9	0.0344	4.8	0.0138	4.5	
Lamburite [161.6] New York	2.992	4.1E-11	7.9	0.0500	7.5	0.0232	7.3	0.0151	6.9	
Lactite [442.6] Connecticut	2.840	7.9E-11	7.4	0.0433	7.1	0.0135	7.0	0.0107	7.2	0.0060
Diabase [129.6] Jersey City, NJ	3.149	2.6E-08	39.3	0.5457	24.5	0.2907	18.6	0.1722	15.5	0.1224
Diabase [131.6] St. Peters, Pennsylvania	3.039	4.4E-11	14.9	0.1558	12.4	0.0833	11.4	0.0643	10.4	0.0743
Diabase [155.6] Mt. Tom, Massachusetts	3.015	4.2E-10	17.3	0.1718	14.7	0.1120	12.9	0.0817	11.7	0.0681
Diabase [242.6] Colorado	3.051	3.5E-09	36.8	0.4037	25.0	0.2446	19.2	0.1719	15.6	0.1418
Diapire [416.6] Rosetud, Missouri	2.319	4.6E-09	10.4	0.5304	6.9	0.2387	5.9	0.0785	5.7	0.0264
Dickite [225.6] St. George, Utah	2.480	1.3E-09	8.9	0.3162	6.3	0.2006	5.1	0.1388	4.3	0.0916
Liopsite [317.6] Finland	3.162	1.7E-11	9.3	0.0522	8.7	0.0441	8.2	0.0336	7.9	0.0256
Licrite hornblende [152.6] Fremont, Colorado	2.808	4.0E-11	12.0	0.1834	10.0	0.1100	8.8	0.0759	8.1	0.0527
Licrite hornblende [69.6] Salem, Massachusetts	2.860	5.1E-09	20.9	0.4011	14.6	0.2197	11.8	0.1320	10.2	0.0905
Licrite porphyry [44.5] Jackson, Wyoming	2.608	4.7E-08	59.7	0.6074	24.7	0.5819	14.4	0.3461	10.4	0.2125
Licrite [240.6] Texas	2.759	2.0E-08	64.9	0.6841	24.2	0.6449	14.0	0.3473	10.5	0.1824
Lomonite [102.6] Lee, Massachusetts	2.892	2.3E-14	7.9		7.8	0.0049	7.7	0.0109	7.5	
Lomonite [316.6] Colorado	2.545	7.0E-10	7.9	0.0955	7.3	0.0379	7.1	0.0190	7.0	0.0144
Lomonite [43.6] Thornococ, New York	2.851	1.3E-13	8.2		8.1	0.0136	7.9	0.0246	7.7	0.0269
Lunaticite [190.6] Pershing, Nevada	2.850	9.2E-12	6.0	0.0277	5.7	0.0145	5.6	0.0148	5.2	
Luzgite [265.6] Peru	4.796	4.6E-03							299.5	1.4252
Luzgite [323.6] Arizona	2.892	1.3E-10	9.2	0.0430	8.9	0.0197	6.7	0.0147	8.6	0.0093
Felsite Porphyry [124.6] Salem, Massachusetts	2.519	9.0E-12	7.9	0.1000	7.1	0.0662	6.6	0.0472	6.2	0.0370
Felsite [96.6] Mattapan, Massachusetts	2.574	3.2E-10	29.3	0.2026	19.1	0.3004	13.1	0.2399	9.6	0.2171
Fluorspar [278.6] Illinois	3.168	1.8E-14	6.8		6.8	0.0023	6.8	0.0093	6.7	0.0118
Gabbro Eytownite [38.6] Duluth, Minnesota	2.915	1.3E-10	16.4	0.1447	14.1	0.0931	12.6	0.0752	11.3	0.0739
Gabbro hornblende [132.6] Essex, New York	3.486	1.9E-11	11.8	0.2491	9.9	0.0960	9.2	0.0464	8.8	0.0289
Gabbro hornblende [160.6] Salem Neck, Massachusetts	2.829	7.9E-10	19.5	0.3215	14.9	0.1662	12.5	0.1090	11.1	0.0847
Gabbro hypersthene [75.6] Ontario	2.902	3.0E-11	9.8	0.1353	8.7	0.0685	8.1	0.0381	7.5	
Gabbro Olivine [158.6] Wichita Mtn., Oklahoma	3.045	1.9E-10	16.5	0.1147	14.6	0.0718	13.4	0.0623	12.1	0.0860
Gabbro [84.6] Custer, Colorado	3.047	7.2E-12	11.0	0.0446	10.3	0.0419	9.8	0.0410	9.3	0.0379
Garnet Almandine [114.6] Warren, New York	3.947	6.0E-12	13.7	0.2113	12.1	0.0625	11.6	0.0216	11.5	0.0696
Garnet Andradite [111.6] Granam, Arizona	3.669	2.6E-10	18.0	0.2257	14.2	0.1482	11.8	0.1154	10.5	0.0636
Garnet Grossular [113.6] Transvaal	3.426	8.7E-12	8.4	0.0258	8.1	0.0089	8.1	0.0080	8.1	0.0036

Garnet Spessartine [112.6] Hadcom, Connecticut	4.032	2.3E-11	11.9	0.0264	11.6	0.0145	11.4	0.0138	11.2	0.0093
Gehlerite [444.6] New Mexico	3.032	4.2E-11	11.2	0.0489	10.6	0.0250	10.4	0.0143	10.3	0.0083
Glauconite [313.6] So. Dakota	2.425	3.5E-09	44.0	0.3875	27.6	0.3253	18.1	0.2853	12.7	0.2289
Glaucophane [426.6] California	3.017	5.7E-12	11.5	0.0901	10.0	0.0849	0.9	0.0745	0.2	0.0526
Gneiss micrite [464.6] California	2.913	1.6E-10	19.2	0.3579	13.1	0.2355	10.2	0.1515	8.8	0.0951
Gneiss sillimanite-garnet [466.6] Warren Co., NY	3.133	1.4E-10	17.4	0.1562	14.8	0.0992	13.2	0.0740	12.1	0.0550
Granite Aplite [65.6] Boulder, Colorado	2.573	2.3E-12	6.0	0.0113	5.7	0.0249	5.6	0.0208	5.5	0.0137
Granite Liotite [76.6] Rhode Island	2.591	3.7E-11	0.1	0.1354	6.9	0.0835	6.4	0.0494	6.1	0.0292
Granite Porphyry [162.6] Ontario	2.676	3.6E-12	7.4	0.0424	7.0	0.0350	6.6	0.0381	5.9	
Granite Westerly	2.650	9.0E-12	6.9	0.0672	6.2	0.0509	5.8	0.0373	5.6	0.0182
Granite Westerly A	2.650	3.0E-11	7.5	0.0753	6.7	0.0596	6.3	0.0347	6.1	0.0196
Granite Westerly B	2.650	1.5E-11	7.6	0.0740	6.9	0.0583	6.4	0.0361	6.3	0.0157
Granite Westerly C	2.650	8.8E-12	7.0	0.0705	6.3	0.0546	5.9	0.0357	5.7	0.0184
Granite Westerly L	2.650	5.6E-12	6.8	0.0620	6.2	0.0546	5.8	0.0325	5.5	
Granite Liotite [70.6] Pikes Peak, Colorado	2.616	1.2E-11	8.0	0.1066	7.6	0.0853	6.9	0.0645	6.4	0.0479
Granite [150.6] Rockport, Massachusetts	2.606	2.3E-11	6.7	0.1159	5.9	0.0595	5.6	0.0314	5.2	
Granite [244.6] Georgia	2.662	3.3E-11	8.9	0.1097	7.7	0.0807	7.1	0.0390	6.6	
Granite [245.6] Wisconsin	2.577	4.4E-12	6.1	0.0265	5.9	0.0193	5.7	0.0198	5.6	0.0144
Granodiorite [235.6] Colorado	2.626	1.9E-12	8.4	0.1261	6.8	0.1225	5.9	0.0618	5.7	0.0184
Granodiorite [405.6] San Diego, California	2.672	1.6E-11	6.9	0.0594	6.3	0.0443	6.0	0.0301	5.8	0.0168
Granodiorite [64.6] St. Cloud, Minnesota	2.695	9.6E-12	9.0	0.0914	7.8	0.0823	7.0	0.0592	6.6	0.0339
Greerockite [479.6] Pennsylvania	2.870	6.6E-12	6.9	0.0462	6.4	0.0333	6.1	0.0242	5.8	
Cyprus Alabaster [26.5] Pomaia, Italy	2.299	9.5E-12	7.1	0.0833	6.5	0.0306	6.4	0.0120	6.4	0.0010
Halite [433.6] Kansas	2.003	2.0E-14	5.2		5.2	0.0036	5.2	0.0037	5.3	
Halloysite [226.6] Colorado	1.120	2.9E-07	185.9	2.6762	49.4	1.6508	18.5	0.9987	7.9	0.7076
Hauynite [425.6] Germany	2.004	4.1E-10	6.2	0.1854	5.4	0.0680	5.1	0.0306	5.1	0.0104
Hectorbergite [10.6]	3.202	1.5E-08	55.9	0.6349	26.6	0.4948	16.5	0.3012	12.4	0.1830
Hercynite [277.6] Czechoslovakia	3.855	1.3E-07	157.5	0.8168	66.6	0.6253	39.7	0.3497	20.2	0.2313
Helmholtzite [251.6] Quebec	2.903	5.5E-10	18.5	0.2222	14.2	0.1646	11.6	0.1259	9.9	0.1050
Hornblende [115.6] Brewster, New York	2.992	3.7E-12	9.7	0.0398	9.0	0.0508	8.3	0.0531	7.8	0.0378
Hornblende [16.6] Ontario	3.133	7.2E-10	18.5	0.2450	14.1	0.1602	11.7	0.1129	10.3	0.0663
Hornblende [177.6] Gore Mtn., New York	3.135	2.1E-11	5.1	0.0684	6.4	0.0349	6.2	0.0199	8.0	0.0145
Hypersthene [205.6] Essex, New York	2.781	6.7E-12	16.9	0.0589	15.3	0.0662	14.0	0.0816	11.9	0.1164
Idocrase Vesuvianite [445.6] Mexico	3.465	5.2E-11	9.4	0.0336	9.0	0.0259	8.8	0.0181	8.6	0.0134
Idocrase [446.6] Maine	3.240	1.5E-11	9.7	0.0968	8.6	0.0497	8.3	0.0226	8.2	0.0102
Ijolite [412.6] Colorado	2.944	2.3E-09	15.9	0.4063	11.4	0.2062	9.3	0.1214	8.0	
Jadeite Pyroxene [343.6] California	3.312	1.2E-10	15.7	0.1279	13.4	0.1111	11.3	0.1206	9.5	0.1165
Jamesonite [266.6] Bolivia	4.771	2.1E+01								
Kaolinite [216.6] Macon, Georgia	1.474	4.3E-07	165.0	1.3441	66.2	0.8506	29.0	0.6650	13.7	0.5846
Kaolinite [220.6] Bath, So. Carolina	1.524	2.2E-08	20.9	0.4190	14.7	0.2242	11.8	0.1577	9.4	0.2065
Kaolinite [223.6] Mesa Alta, New Mexico	2.315	2.9E-08	36.6	0.5609	21.3	0.3871	13.7	0.3018	9.5	0.2359
Kernite [440.6] California	1.877	1.9E-12	5.3		5.2		5.2	0.0069	5.3	
Kyanite [167.6] Kenya	3.479	1.6E-12	7.5	0.0103	7.3	0.0095	7.2	0.0096	7.0	
Labradorite [105.6] Essex, New York	2.715	1.1E-10	8.1	0.0727	7.5	0.0366	7.2	0.0253	7.0	0.0195
Labradorite [17.8] Ontario	2.743	1.5E-11	6.4	0.0668	7.7	0.0448	7.3	0.0332	6.8	
Labradorite [314.6] Wyoming	2.714	1.3E-10	7.1	0.0884	6.6	0.0442	6.3	0.0313	5.9	
Lanprophyre [80.6] Fremont, Colorado	2.708	6.5E-11	10.5	0.1782	6.7	0.1077	7.6	0.0763	7.1	0.0562
Latite [174.6] Lutite, Montana	2.584	1.8E-11	6.7	0.0811	7.6	0.0894	6.7	0.0766	6.2	0.0399
Latite [175.6] Table Mtn., California	2.629	2.0E-10	16.7	0.5446	10.8	0.2492	9.0	0.1078	8.2	0.0596
Lazurite [416.6] Chile	2.822	4.7E-11	7.3	0.0144	7.1	0.0104	7.0	0.0090	7.2	0.0029
Lepidolite [167.6] So. Dakota	2.794	2.7E-12	22.2	0.2832	13.7	0.3287	9.0	0.2575	6.8	0.1511
Lepidolite [27.5] Keystone, So. Dakota	2.891	2.6E-12	16.7	0.2189	10.8	0.3042	7.3	0.2052	6.3	0.0693
Linkurgite [237.6] Colorado	3.016	2.3E-09	18.0	0.3968	12.9	0.1915	10.9	0.1079	9.7	0.0752

Limestone Argillaceous [359.6] Colorado	2.229	1.5E-09	8.8	0.1688	7.5	0.0908	6.8	0.0497	6.7	0.0190
Limestone Argillaceous [381.6] Colorado	2.837	1.4E-09	14.3	0.3651	10.1	0.2087	8.4	0.0937	7.9	0.0279
Limestone Dolomitic [353.6] Colorado	2.519	3.3E-11	10.5	0.2200	8.2	0.1437	7.0	0.0995	6.3	0.0684
Limestone Fossiliferous [355.6] Colorado	2.653	4.1E-12	9.0	0.0153	8.8	0.0121	8.7	0.0091	8.6	0.0084
Limestone Lithographic [356.6] Germany	2.560	2.4E-11	8.6	0.0189	8.2	0.0208	8.1	0.0142	7.7	
Limestone Travertine [357.6] New Mexico	2.408	4.5E-10	9.7	0.0538	9.2	0.0215	9.0	0.0139	8.7	
Limestone Dark Gray [352.6] Pennsylvania	2.760	1.7E-11	7.2	0.1191	6.6	0.0489	6.3	0.0312	6.1	0.0179
Lincnite [41.5] Tuscaloosa, Alabama	3.176	3.5E-08	32.0	0.6085	19.8	0.3299	14.5	0.1789	12.4	0.0906
Magnesite [47.6] Victorville, California	2.216	7.1E-09	10.8	0.5696	7.1	0.2650	5.7	0.1284	4.7	
Malachite [280C] Bisbee	4.072	1.1E-09	13.8	0.3787	9.3	0.2413	7.3	0.1416	6.3	0.0799
Manganite [212.6] Linneseta	3.984	1.9E-02							917.0	2.1783
Marble Dolomitic [458.6] New York	2.832	1.6E-12	7.7	0.0137	7.5	0.0142	7.4	0.0115	7.3	0.0087
Marble Pink [360.6] Colorado	2.694	5.6E-13	11.7	0.0213	11.2	0.0305	10.7	0.0366	10.2	0.0384
Microcline [103.6] Crystal Peak, Colorado	2.547	5.7E-12	5.8	0.0346	5.6	0.0202	5.5	0.0134	5.4	0.0074
Microcline [108.6] Perth, Ontario	2.549	2.4E-11	21.2	0.2464	12.9	0.3565	8.9	0.1589	8.0	0.0745
Microcline [151.6] Custer, Colorado	2.448	1.4E-11	6.7	0.0286	6.4	0.0256	6.2	0.0200	5.8	
Molybdenite [267.6] Salt Lake City, Utah	2.590	7.3E-06	142.2	2.6024	96.3	0.4962	68.9	0.2158	57.2	0.1603
Morticellite [339.6] Texas	3.103	7.7E-11	8.9	0.1170	8.3	0.0402	8.1	0.0168	8.0	0.0091
Montmorillonite [219.6] Upton, Wyoming	1.902	2.0E-07	178.2	0.8535	97.2	0.4799	58.0	0.3921	33.6	0.4198
Montmorillonite [224.6] Utoy, California	1.990	3.4E-07	3147.5	0.4654	1504.1	0.7150	302.1	1.3794	94.7	1.0112
Montmorillonite [229.6] Carcon, Arizona	2.320	4.8E-07	2254.9	1.2572	611.4	1.1794	249.4	0.7458	117.0	0.6365
Monzonite Porphyry [173.6A] Chaffee, Colorado	2.593	9.5E-11	14.4	0.2652	10.8	0.1746	8.9	0.1217	7.8	0.0846
Monzonite Porphyry [173.6B] Chaffee, Colorado	2.593	2.4E-11	7.3	0.0916	6.4	0.0687	5.9	0.0534	5.3	
Monzonite Porphyry [406.6] Norway	2.690	4.9E-10	18.1	0.2613	13.9	0.1627	11.5	0.1219	9.8	0.1090
Monzonite [154.6] San Juan, Colorado	2.690	5.9E-12	0.7	0.0592	7.9	0.0562	7.4	0.0364	7.2	0.0269
Muscovite [24.5] Effingham Twp., Ontario	2.771	4.6E-13	8.1	0.0198	7.8	0.0214	7.6	0.0266	7.3	0.0280
Natrolite [166.6] Springfield, Oregon	2.153	1.0E-09	7.7	0.1946	6.8	0.0611	6.5	0.0272	6.2	
Nepheline Syenite Scapolite [156.6] Red Hill, New II	2.591	3.0E-09	16.9	0.5208	10.7	0.2586	8.8	0.1104	8.1	0.0494
Nepheline Syenite [100.6] Bancroft, Ontario	2.628	1.6E-09	10.0	0.5029	7.3	0.1749	6.6	0.0547	6.0	
Nepheline Syenite [103.6] McClure Mtn., Colorado	2.607	5.0E-11	9.1	0.1246	7.9	0.0836	7.2	0.0549	6.8	0.0387
Nephrite Jade Amphibole [296.6] British Columbia	2.910	4.6E-11	13.4	0.1528	11.2	0.1265	9.2	0.1423	7.4	0.1454
Obsidian Black [52.5] Lake Co., Oregon	2.301	2.8E-12	6.5	0.0088	6.4	0.0135	6.3	0.0119	6.2	0.0111
Obsidian Brown [53.5] Lake, Oregon	2.397	1.3E-12	4.4		4.3	0.0161	4.3	0.0178	4.1	0.0127
Obsidian Brown [77.6] Custer, Colorado	2.314	1.2E-10	8.4	0.1922	7.1	0.0840	6.6	0.0457	6.0	
Oligoclase [143.6] Norway	2.569	8.5E-12	5.5	0.0134	5.5	0.0054	5.4	0.0081	5.2	
Olivine Phenolite [157.6] Butte, Montana	2.696	2.0E-08	52.7	0.5603	28.0	0.4238	17.8	0.2978	12.8	0.2264
Olivine [330.6] Colorado	3.204	6.7E-10	17.7	0.7079	9.8	0.3402	7.8	0.1215	7.3	0.0394
Olivine [420.6] Washington	3.306	3.7E-11	7.5	0.0137	7.3	0.0142	7.2	0.0130	7.1	0.0043
Opal [190.6] Humboldt, Nevada	1.890	3.9E-07	207.8	2.3450	73.8	1.2357	25.9	0.8802	13.0	0.5251
Orthoclase [13.5] Kuggles Mine, New Hampshire	2.550	6.9E-13	5.4	0.0108	5.3	0.0122	5.2	0.0169	5.1	0.0195
Orthoclase [82.6] Custer, Colorado	2.587	6.5E-12	6.6	0.0588	6.1	0.0362	5.9	0.0330	5.7	0.0253
Periclite [208.6] W. Patterson, NJ	2.508	2.3E-11	7.5	0.0964	7.0	0.0313	6.8	0.0133	6.8	0.0053
Peridotite Harzburgite [128.6] Nye, Montana	3.254	0.5E-11	8.7	0.1511	7.8	0.0583	7.4	0.0290	7.3	0.0148
Peridotite Harzburgite [427.6] Montana	3.229	1.6E-11	7.9	0.0295	7.7	0.0162	7.5	0.0134	7.5	0.0094
Peridotite Bica-augite [71.6] Arkansas	2.691	2.4E-07	298.9	1.0940	135.8	0.7381	54.7	0.6772	27.9	0.4673
Peridotite Olivine [63.6A] Jackson, No. Carolina	3.101	2.5E-11	15.1	0.6396	9.9	0.2330	8.7	0.0758	8.3	0.0290
Peridotite Olivine [63.6B] Jackson, No. Carolina	3.101	6.6E-10	9.7	0.2148	8.6	0.0740	8.1	0.0394	7.8	0.0269
Peridotite Olivine [63.6] Jackson, No. Carolina	3.101	2.9E-11	11.8	0.4191	9.1	0.1416	8.3	0.0541	7.6	
Peridotite Pyroxenite [144.6] Webster, No. Carolina	2.937	3.4E-11	8.8	0.1759	7.6	0.0744	7.1	0.0332	6.8	
Peridotite Pyroxenite [410.6] No. Carolina	3.318	1.4E-11	8.0	0.0692	7.7	0.0258	7.6	0.0126	7.5	0.0053
Perlite [72.6] Chaffee, Colorado	2.159	1.0E-10	9.7	0.2394	7.7	0.1420	6.5	0.0991	5.8	0.0756
Perthite [415.6] Perth, Ontario	2.536	6.3E-12	6.1	0.0162	5.8	0.0204	5.7	0.0175	5.4	
Petalite [289.6] Rhodesia	2.566	1.7E-10	7.7	0.3183	6.2	0.1187	5.7	0.0540	5.5	0.0291

Alloppite [23.5] no. Burgess, Ontario	2.463	1.0E-13	6.2	0.0119	6.1	0.0089	6.0	0.0044	6.0	0.0033
Alonclite Kycningite [232.6] Kycning	2.664	6.1E-09	13.3	0.5771	9.4	0.1978	8.3	0.0770	7.7	0.0493
Phonolite [153.6] Cripple Creek, Colorado	2.513	3.7E-09	23.0	0.5478	14.2	0.3163	10.5	0.1842	8.8	0.1106
Phyllite [306.6] Colorado	2.621	1.1E-10	9.4	0.1839	7.7	0.1190	6.7	0.0773	6.3	0.0433
Phyllite [473.6] Vermont	2.728	3.3E-11	10.3	0.1521	15.3	0.1149	13.1	0.0903	11.9	0.0583
Prehnite [203.6] W. Patterson, NJ	2.887	2.5E-12	6.8		6.5	0.0125	6.4	0.0127	6.4	0.0057
Psilomelane [230.6] New Mexico	4.679	2.2E-04			5937.8	0.7016	3851.1	0.5012	2977.0	0.2610
Punice [62.5] U.S.S.R.	.665	2.2E-13	1.9	0.0292	1.8	0.0281	1.7	0.0159	1.7	
Pyraeryrite [302.6] British Columbia	5.448	2.8E-03							154.3	2.3187
Pyrolusite [280.6] Brazil	3.233	9.7E-03					2940.0	1.7297	2101.0	0.6426
Pyrophyllite [221.6] Robbins, No. Carolina	2.456	6.6E-13	5.3	0.0148	5.1	0.0215	5.0	0.0173	5.0	0.0031
Pyroxene [118.6] Helena, Montana	3.043	3.7E-12	8.4	0.0279	8.1	0.0173	8.0	0.0117	7.9	0.0079
Pyroxene [119.6] Canaca, Mexico	3.320	1.2E-09	18.6	0.3087	13.8	0.1830	11.4	0.1233	9.8	0.0868
Pyrrhotite [269.6] Ontario	4.168	1.2E+00								
Quartz Adventurine [117.6] India	2.740	2.6E-12	5.0		5.0	0.0039	4.9	0.0079	4.9	
Quartz Anethyst [204.6] Thunder Bay, Ontario	2.661	3.3E-12	5.1	0.0317	4.9	0.0215	4.8	0.0186	4.8	0.0119
Quartz Biorite Yocalite [171.6] Australia	2.701	1.5E-11	9.0	0.0967	7.8	0.1005	6.7	0.0901	5.9	
Quartz Monzonite Porphyry [234.6] Colorado	2.523	2.2E-10	10.1	0.2198	8.1	0.1222	7.1	0.0803	6.2	
Quartz Monzonite [148.6] Westerly, Rhode Island	2.590	1.1E-11	7.2	0.0774	6.5	0.0605	6.1	0.0382	5.7	
Quartz Monzonite [148.6] Cañon, Colorado	2.620	6.2E-12	8.6	0.0637	7.9	0.0488	7.3	0.0482	6.9	0.0326
Quartz Monzonite [233.6] Arkansas	2.775	2.9E-08	27.6	0.4872	19.0	0.2326	15.1	0.1477	12.8	0.1121
Quartz Rose [104.6] Custer, So. Dakota	2.627	2.9E-12	9.4	0.0978	7.2	0.1925	5.8	0.1126	5.2	0.0600
Quartz Syenite [172.6] Vermontville, New York	2.782	9.5E-10	9.3	0.2008	7.8	0.0950	7.3	0.0434	7.0	0.0248
Quartz Tiger Eye [209.6] So. Africa	2.633	6.1E-11	9.5	0.4547	5.5	0.3158	4.4	0.0875	4.2	
Quartzite pink [379.6] Colorado	2.504	1.3E-11	5.0	0.0157	4.8	0.0165	4.7	0.0168	4.7	0.0084
Quartzite purple [378.6] Colorado	2.606	8.3E-13	5.1	0.0317	4.9	0.0164	4.8	0.0151	4.9	0.0067
Quartzite red [377.6] Norway	2.369	5.8E-10	5.9	0.1549	5.3	0.0562	5.1	0.0246	5.1	0.0098
Quartzite white [382.6] Colorado	2.584	6.9E-10	6.0	0.1972	5.2	0.0603	5.0	0.0290	4.9	0.0103
Rhodesite [320.6] California	3.354	1.5E-11	8.6		8.5	0.0100	8.4	0.0081	8.4	0.0051
Rhodesite [325.6] Colorado	3.406	2.5E-10	8.9	0.0786	8.3	0.0272	8.1	0.0139	8.1	0.0118
Rhyolite altered [243.6] Nevada	2.253	7.2E-10	5.4	0.1780	4.8	0.0677	4.6	0.0350	4.3	
Rhyolite altered [55.5] U.S.S.R.	2.224	6.0E-10	38.8	0.3806	23.8	0.3514	14.4	0.3535	9.1	0.3066
Rhyolite fresh [54.5] U.S.S.R.	2.233	7.5E-10	5.0	0.1959	5.1	0.0596	4.9	0.0183	4.9	0.0097
Rhyolite [101.6] Castle Rock, Colorado	2.122	7.2E-09	10.1	0.4853	7.1	0.2092	6.0	0.1628	5.5	0.0550
Rhyolite [97.6] Challice, Colorado	2.237	7.9E-11	4.6	0.6423	4.4	0.0118	4.3	0.0074	4.5	
Riebeckite [326.6] Colorado	3.002	2.6E-10	11.0	0.2501	8.6	0.1474	7.3	0.0968	6.6	0.0617
Rutile [126.6] Canaca, Mexico	4.055	4.2E-11	87.1	0.0083	86.2	0.0065	85.5	0.0065	84.5	0.0076
Rutile [137.6] Graves Mtn., Georgia	4.145	4.7E-10	83.5	0.0370	79.9	0.0314	76.0	0.0397	71.2	0.0494
Rutile [58.6] Nelson, Virginia	2.813	4.5E-12	7.0	0.1089	6.9	0.0672	6.4	0.0426	6.0	
Sandstone Arkose [362.6] Colorado	2.319	0.7E-11	6.0	0.1248	5.3	0.0661	5.0	0.0313	4.7	
Sandstone ferruginous [452.6] New York	2.510	1.1E-10	7.6	0.1117	6.0	0.0608	6.5	0.0278	6.0	
Sandstone purple Landed [453.6] So. Dakota	2.315	1.8E-11	6.5	0.1297	5.5	0.1079	4.8	0.0740	4.3	
Sandstone red [365.6] Colorado	1.629	1.7E-09	10.4	0.3822	10.4	0.3820	6.5	0.3101	4.6	0.2140
Scapolite [350.6] Quebec	2.829	8.2E-11	9.9	0.1117	8.8	0.0569	8.3	0.0255	8.2	0.0050
Scapolite [351.6] Quebec	2.951	1.6E-11	10.6	0.1193	9.4	0.0636	8.8	0.0362	8.5	0.0257
Scheelite [256.6] Ontario	3.232	5.3E-12	6.1		5.9	0.0074	5.9	0.0150	5.9	0.0163
Schist Chlorite [355.6] Colorado	3.189	1.5E-10	15.7	0.1646	12.5	0.1487	10.2	0.1178	9.1	0.0615
Schist hornblende [196.6] Clintonville, New York	2.993	4.3E-10	11.1	0.2117	9.1	0.1144	8.1	0.0719	7.5	0.0485
Schist hornblende [241.6] So. Dakota	3.027	2.6E-12	7.4	0.0219	7.2	0.0135	7.1	0.0122	7.1	0.0064
Schist hornblende [393.6] Colorado	2.945	0.7E-11	9.4	0.1171	8.2	0.0773	7.6	0.0416	7.4	0.0170
Schist mica [394.6] Colorado	2.722	4.3E-11	10.3	0.2402	8.0	0.1429	6.8	0.0877	6.4	0.0468
Schist micaceous [396.6] Colorado	2.825	6.4E-11	26.3	0.4350	14.9	0.3763	9.7	0.2494	7.9	0.1111
Schist green [392.6] Norway	2.848	2.6E-11	10.0	0.0570	9.2	0.0537	8.5	0.0564	7.9	0.0374

Selenite Gypsum [333.6] Utah	2.248	1.4E-14	5.9	5.9	0.0031	5.9	0.0046	5.8		
Serpentine [318.6] Colorado	2.632	3.2E-09	21.0	0.1739	17.9	0.1036	15.6	0.1104	13.4	0.1097
Serpentine [6.6] Cardiff, Maryland	2.627	2.1E-10	18.7	0.1645	15.4	0.1243	13.0	0.1174	11.1	0.1163
Serpentine [60.5] U.S.B.M.	2.655	9.8E-08	99.8	0.7928	36.9	0.7233	19.7	0.4075	14.1	0.2188
Shale Arenaceous [307.6] Colorado	2.223	9.9E-10	10.6	0.3144	7.8	0.1899	6.4	0.1259	5.6	0.0929
Shale Argillaceous [366.6] Colorado	2.289	2.3E-07	1923.3	0.3245	693.6	0.9845	206.1	0.8227	89.9	0.7354
Shale Calcareous [363.6] Colorado	2.457	6.7E-08	42.3	1.3025	19.3	0.6224	12.5	0.2948	9.7	0.1563
Shale Carbonaceous [338.6] So. Africa	2.358	1.1E-11	9.6	0.1033	8.5	0.0726	7.8	0.0544	7.3	0.0388
Shale Phosphatic [364.6] Wyoming	2.510	3.3E-11	8.5	0.0154	8.2	0.0112	8.0	0.0114	8.2	0.0032
Shale Black [365.6] So. Dakota	2.460	1.0E-09	16.3	0.2394	12.4	0.1703	10.1	0.1391	8.4	0.1209
Shale illite-bearing [449.6] New York	2.506	2.2E-08	24.9	0.4831	17.1	0.2544	13.1	0.1726	10.6	0.1547
Siderite [271.6] Roxbury, Connecticut	3.665	1.2E-10	8.5	0.0304	8.2	0.0115	8.1	0.0106	8.0	0.0160
Sillimanite [166.6] Australia	2.888	1.0E-11	45.9	0.3001	27.8	0.3876	14.7	0.4519	8.3	0.3465
Slate argillite [461.6] Montana	3.036	6.9E-11	9.2	0.0619	8.4	0.0552	7.8	0.0466	7.3	
Slate chertotic [462.6] California	2.671	1.6E-11	8.9	0.1073	7.6	0.0890	6.8	0.0533	6.6	0.0205
Slate red [305.6] Colorado	2.812	1.1E-10	10.7	0.2415	8.7	0.1203	7.7	0.0827	7.0	0.0754
Emeraldite Amphitole [290.6] Clay, N.C. Carolina	2.953	1.0E-11	7.3	0.0110	7.0	0.0114	6.9	0.0104	6.5	
Scapolite [191.6] Bancroft, Ontario	2.651	7.7E-11	9.4	0.0692	8.7	0.0427	8.3	0.0266	8.1	0.0176
Sphaalerite [213.6] Oklahoma	4.061	3.8E-12	9.0	0.1970	8.0	0.0554	7.7	0.0255	7.5	0.0181
Sphaalerite [214.6] Mexico	4.034	5.0E-08	20.2		27.8		27.7	0.0670	27.4	0.0096
Sphaalerite [25KCC] Beaver City, Utah	5.310	8.5E-06			39.4	1.4133	27.7	0.4075	19.8	0.2560
Sphene [189.6] Ontario	3.140	5.8E-12	18.9	0.0876	17.1	0.0606	15.9	0.0430	15.2	0.0295
Syconene [210.6] Afghanistan	3.057	4.9E-13	8.2	0.0398	8.0	0.0143	7.9	0.0146	7.8	0.0095
Stilbite [270.6] Mexico	3.314	6.6E-10	20.1	0.2975	15.8	0.1328	14.1	0.0696	13.1	0.0426
Stilbite [462.6] Nova Scotia	2.220	4.6E-08	22.2	1.0344	12.2	0.4313	9.2	0.1679	7.8	
Strontianite [272.6] Germany	3.460	2.2E-12	8.6	0.0542	8.1	0.0414	7.7	0.0428	7.2	0.0454
Syenite Alcite [170.6] Larvik, Norway	2.647	2.0E-09	21.4	0.2344	18.0	0.1095	15.7	0.1011	13.6	0.0832
Syenite porphyry [178.6] Wassau, Wisconsin	2.672	4.1E-09	14.3	0.3308	10.1	0.2057	8.1	0.1406	6.9	0.1042
Syenite porphyry [192.6A] Litchfield, Maine	2.550	1.4E-10	13.6	0.4684	8.6	0.2520	7.1	0.0953	6.7	0.0341
Syenite porphyry [192.6] Litchfield, Maine	2.558	4.8E-10	8.0	0.1643	6.9	0.0662	6.6	0.0236	6.1	
Syenite [39.6] Victor, California	2.722	7.0E-09	22.4	0.6485	13.0	0.3376	10.1	0.1412	9.1	0.0620
Sylvite [430.6] N.M. Mexico	2.132	1.1E-10	12.6	0.2293	9.5	0.1555	8.1	0.0972	7.4	0.0520
Tephroite Olivine [419.6] Japan	3.992	5.0E-11	10.4	0.0714	9.8	0.0281	9.6	0.0132	9.2	
Theracite [450.6] Arizona	2.573	2.1E-12	4.8		4.7	0.0027	4.8	0.0054	4.7	
Theralite [176.6] Mt. Johnson, Quebec	2.862	1.7E-09	13.9	0.3562	10.8	0.1417	9.7	0.0602	9.2	0.0391
Tocapaz [184.6] Stonham, Maine	3.386	7.1E-14	6.7		6.7	0.0060	6.6	0.0159	6.4	0.0200
Tourmaline [120.6] Minas Geras, Brazil	3.148	7.3E-14	5.8		5.8	0.0022	5.8	0.0032	5.6	
Trachyte porphyry [123.6] Ontario	2.612	5.5E-12	9.9	0.0802	9.0	0.0569	8.4	0.0483	7.8	0.0498
Trachyte Sandstone [109.6] Germany	2.272	1.4E-11	6.2	0.0617	5.7	0.0430	5.5	0.0325	5.5	0.0198
Trachyte Sandstone [99.6] Custer, Colorado	2.370	6.8E-10	12.3	0.3811	8.6	0.2105	7.1	0.1269	5.8	
Trachyte porphyry [406.6] New York	2.578	2.6E-11	7.0	0.1057	6.3	0.0540	6.0	0.0300	5.7	
Trachyte [42.6] Cripple Creek, Colorado	2.543	1.7E-11	8.6	0.1412	7.4	0.0849	6.8	0.0563	6.4	0.0416
Tremolite [312.6] Conn.	2.750	2.6E-10	8.0	0.0790	7.3	0.0417	7.0	0.0269	6.9	0.0196
Triphaneite Lecite [399.6] California	2.456	1.9E-10	18.1	0.3772	11.8	0.2754	8.5	0.2067	7.0	0.1223
Tuff Lapilli [90.6] California	2.038	1.9E-09	74.3	0.3204	33.7	0.5344	18.4	0.3885	12.2	0.2851
Tuff Ahyclite [87.6] Ennis, Montana	1.849	4.9E-09	5.3	0.4186	4.1	0.1337	3.8	0.0370	3.8	0.0020
Tuff green Lapilli [89.6] Butte, Montana	2.140	5.5E-08	50.1	1.0568	23.8	0.6530	14.1	0.3664	9.9	0.2351
Tuff white Lapilli [91.6] Butte, Montana	1.800	1.0E-08	35.1	0.7280	16.3	0.4477	11.9	0.2932	8.5	0.2163
Tuff [62.5] U.S.B.M.	.931	4.6E-11	3.5	0.0500	3.3	0.0485	3.0	0.0638	2.7	0.0645
Tuff [94.6] Colorado	2.413	1.3E-10	8.4	0.1123	7.5	0.0723	6.9	0.0534	6.5	0.0411
Ulexite [441.6] California	1.957	2.9E-12	5.9		5.8	0.0052	5.8	0.0052	5.6	
Uncchagrite [413.6] Power Horn, Colorado	3.115	2.8E-10	12.9	0.1230	11.5	0.0637	10.8	0.0384	10.4	0.0286
Uralite Amphitole [345.6] Calumet, Colorado	2.990	9.6E-08	284.2	0.8950	52.7	1.4181	19.9	0.8009	11.7	0.3764

Vivianite [257.6] New Jersey	1.844	5.6E-09	23.5 0.4851	14.6 0.3205	10.2 0.2360	7.7 0.1777
Willenite [182.6] Franklin, New Jersey	4.502	2.9E-08	28.9 0.6055	11.8 0.5145	9.1 0.1297	8.7 0.0315
Witherite [273.6] England	4.262	4.9E-13	7.5 0.0302	7.2 0.0168	7.1 0.0117	7.0 0.0043
Kollastonite [346.6] Mexico	2.621	1.5E-11	6.9 0.0152	6.8 0.0046	6.8 0.0078	6.9 0.0046
Zoisite [347.6] Norway	3.101	2.4E-11	8.9	8.8 0.0019	8.8 0.0029	8.8

REFERENCES

- Aballain, M., Chambolle, P., Derec-Poussier, F., Guillemin, C., Mignon, R., Pierrot, R., and Sarcia, J.A., 1968, Index Alphabetique de Nomenclature Mineralogique, Orleans: B.R.G.M. 386p. (plus 1973 supplement, 16p.)
- Hunt, G.R. and Salisbury, J.W., 1976, Visible and near infrared spectra of minerals and rocks: XII. Metamorphic rocks, *Modern Geology*, v.5, pp.219-228.
- Meyer, S.L., 1975, *Data Analysis for Scientists and Engineers*: New York: Wiley, 513p.
- Othoef, G.R. and Strangway, D.W., 1975, Dielectric properties of the first 100 meters of the moon, *Earth and Planetary Science Letters*, v.24, pp. 394-404.
- Robertson, E.C. and Peck, D.L., 1974, Thermal conductivity of vesicular basalt from Hawaii, *Jour. Geophys. Res.*, v.79, pp.4875-4888.
- Sill, W.R. and Ward, S.H., 1977, The dielectric properties of lunar samples as a function of density, composition, temperature, and exposure to water vapor, Final Report to NASA Grant No. 45-003-090, The University of Utah, Salt Lake City, UT, 43p.

Dielectric properties of other materials are summarized in:

- Davies, M. (Sr. Rptr.), 1972, *Dielectric and Related Molecular Processes*, v.1, Specialist Periodical Reports, London: The Chemical Society 394p. (and subsequent volumes)
- Westphal, W.B. and Sils, A., 1972, *Dielectric Constant and Loss Data*, Technical Report AFML-TR-72-39, Air Force Materials Laboratory, Air Force Systems Command, Wright-Patterson Air Force Base, Ohio, 224p.
- Young, K.F. and Frederikse, H.P.R., 1973, *Compilation of the static dielectric constant of inorganic solids*, *J. Phys. Chem. Ref. Data*, v.2, pp. 313-409.