

GL00176

FC
USGS
OFR
79-240

U.S. Department of the Interior
Geological Survey

Mail Stop 964
Box 25046, Federal Center
Denver, Colorado 80225

Program MARQLOOPs:
Marquardt inversion of loop-loop frequency soundings

by
Walter L. Anderson

**UNIVERSITY OF UTAH
RESEARCH INSTITUTE
EARTH SCIENCE LAB.**

OPEN-FILE REPORT 79-240

1979

CONTENTS.

DISCLAIMER	3
INTRODUCTION	4
PARAMETERS AND DATA REQUIRED	5
PROGRAM FILES	5
DETAIL PARAMETER AND DATA DEFINITIONS	6
\$parms parameters	6
\$init parameters	11
DATA MATRIX NOTES	12
EXAMPLES OF INPUT PARAMETERS AND DATA ORDERING	14
SPECIAL OBJECT FORMAT PHRASES	15
MULTICS OPERATING INSTRUCTIONS	15
ERROR MESSAGES	16
REFERENCES	17
Appendix 1.-- Source listing	18
Source availability	18
Appendix 2.-- Conversion to other systems	69
Appendix 3.-- Test problem input/output listing	70

DISCLAIMER.

This program was written in Fortran IV for a Honeywell Multics 68/80 system*. Although program tests have been made, no guarantee (expressed or implied) is made by the author regarding accuracy or proper functioning of this program on all computer systems.

* Brand or manufacturers' names used in this report are for descriptive purposes only and do not constitute endorsement by the U.S. Geological Survey.

By Walter L. Anderson

INTRODUCTION.

Program MARQLOOPS is a general-purpose program for inversion of various loop-loop frequency sounding data obtained over a horizontally stratified earth for the quasi-static case (i.e., neglecting displacement currents). A modified Marquardt (1963) nonlinear least squares algorithm (MARQRT) is used for inversion of frequency sounding data. An adaptive digital filtering algorithm (ZHANKS) developed by Anderson (1979) is used for evaluating all Hankel transforms.

The following program options are currently available:

- (1) Simultaneous (or joint) inversion of up to five different loop-loop configurations (e.g., see Frischknecht, 1967); both ground and airborne loop cases, and the dipole wire-loop case (same as in Anderson, 1977), are provided.
- (2) Simultaneous inversion of loop-loop soundings and Schlumberger soundings.
- (3) Mixed frequency (parametric) and/or distance (geometric) sounding inversion. Also, mixed observation types can be used (e.g., amplitude, phase, real or imaginary parts).
- (4) Inclusion of an additional amplitude shift parameter in the least squares when the correct primary field normalization factor is unknown.
- (5) Scaling parameter and observation spaces to constrain the solution space and to reduce round-off effects.
- (6) Weighted observations.
- (7) Holding certain parameters fixed (constrained).
- (8) Object-time format control of reading the observed data matrix.

To provide as much timely computer information as possible, this report is being released without a mathematical formulation section. The interested reader may consult the cited references for more details.

PARAMETERS AND DATA REQUIRED.

Parameters required by program MARQLOOPS are read using Fortran namelist read statements with specific names: \$parms and \$init. Default values are used whenever a corresponding parameter is omitted in a namelist. The input data matrix is read from an optional alternate file (unless overridden) using a Fortran object-time format. Preceding the \$parms statement is a required 80 (or less) character title.

The general input order read by program MARQLOOPS is:

1. Title line (always required, max. 80 characters).
2. \$parms --non-default parameters--\$
(note \$parms begins in col. 1 on Multics).
3. (Object-time format) statement defining the given format of the input data matrix. The object format begins with "(" placed in col. 1.
4. Optionally, the data matrix read under the object format may be inserted here if the alternate data file is not used (see parameter ialt below).
5. \$init --non-default parameters--\$
6. Optionally, subsequent runs using the same data matrix but with changed \$parms and \$init parameters may be given by repeating steps 1,2,3, and 5 (provided parameters istop=0 and ialt is not 5).

The above general input order is required whether the job is being run in time-sharing or batch modes (see job operating instructions below).

PROGRAM FILES.

file05 title, input parameters \$parms, object format (for reading data matrix on unit ialt=10--default), and \$init parameters.
file06 output on-line printer file (see file16 for more detail output).
file10 default input data matrix file read under the object format given in file05. parameter ialt=10 (default) may be changed to any file number other than 06,13, or 16. Note ialt=05 will mean the data matrix is included immediately after the object-time format on file05.
file13 output scratch disk file used as required during execution of MARQLOOPS.
file16 output master print-type disk file--contains maximum printable output (if parameter iout=1).

DETAIL PARAMETER AND DATA DEFINITIONS.

\$parms parameters (with defaults and cross-references):

- n= Number of observed data points $y(i), i=1, \dots, n$, where $n \leq 200$.
- k= Total number of parameters ($1 \leq k \leq 20$, $k \leq n$). The value of k must be specified from one of the following options:
= $2*mm-1$, where \$init parameter mm>0 is the number of layers in the model, and mm>0 is used to indicate that the amplitude shift option is not selected.
= $2*|mm|$, where |mm| is the number of layers in the model, and mm<0 is used to indicate the amplitude shift option is selected.
(cref: \$init parameter mm and \$parms n,b).
- ip= Number of omitted parameters; i.e., number of parameters held fixed or constrained via array ib() to initial input values given in array b(). Default ip=0 with the restrictions that ip< k and $n \geq k-ip$.
(cref: \$parms k,n,ib(), and b).
- m= Number of independent variables ($m \leq 4$) given in the data matrix $(y(i), x(j,j), j=1, m), i=1, n$. The value of m must be given as follows:
= 2 when \$init parameter iob<=4 (defines specific observation type in y(i));
= 3 when \$init parameter iob=5 (defines mixed observation types in y(i) via x(i,3));
= 4 when \$init parameter iob=6 (defines mixed observation types in y(i) via x(i,3) and distance or elevation types in x(i,4)).
(cref: \$parms iwt, \$init iob, and DATA MATRIX NOTES below for all definitions of x(i,m) used).
- ialt= Input data matrix alternate logical unit number (default 10) for reading the data under the object-time format specified in file05. The value of ialt can be any value the operating system supports, but cannot be equal to 6, 13, or 16. If ialt=5 is used, then the data matrix $((y(i), x(i,j), j=1, m), i=1, n)$ will immediately follow the object format on file05.
(cref: \$parms n,m, \$init iob).
- istop= 0 to continue processing after completion of the current problem (i.e., a total restart) with the same data matrix as last used, but by using a revised title, \$parms, object-time format, and

\$init parameters. Note that istop=0 can only be used whenever ialt is not 5 (since file ialt is rewound and read again). Also, all \$parms and \$init parameters previously used will be assumed, with the exception of array b(j)--which must always be given.

= 1 (default) to stop the run after completion of the current problem.
(cref: \$parms b, ialt).

iwt= 0 (default) for unweighted observations; i.e., all n observations y(i), i=1,...,n will be weighted unity (with assumed standard deviations equal to 1.0).
= 1 for weighted observations given by the formula $wt(i)=1.0/x(i,m+1)^{**2}$, where $x(i,m+1)$ is the standard deviation augmented to the data matrix for the given $m \leq 4$. Note: $wt(i)=1.0$ is stored automatically if $iwt=0$ or when $iwt=1$ and $x(i,m+1)=0.0$ (to avoid division by 0).
(cref: \$parms n,m, \$init iob, and DATA MATRIX NOTES).

ider= 0 (default) to use analytic derivatives, which calls both forward problem (fcode) and analytic derivative (PCODE) subroutines.
= 1 to use estimated derivatives, which calls only subroutine fcode. ider=1 option is useful to check the validity of the analytic derivatives, but is not recommended for general use because of accuracy and timing considerations.
(cref: \$parms del).

iprt= 0 (default) for standard abbreviated printout format for each iteration. Note scaled values of parameters b(j) and phi (sum of squares) will be given via parameter scalep.
= 1 for detail printout format for each iteration, which includes the parameter changes from the Marquardt algorithm.
= -1 (recommended if scalep>0 used) for abbreviated printout format for each iteration with printed unscaled values of b(j) but scaled values of phi.
= -2 same as iprt=-1 but also prints on file06 n-observational lines containing: observed value (obs=y(i)), calculated value (cal), residual (res), and x(i,1). Note file16 will always contain the complete obs-cal-res and x(i,m) data printout. Option iprt=-2 may be useful for time-sharing runs to examine on-line the final solution and residuals.
(cref: \$parms iout,sp and DATA MATRIX NOTES).

niter= Maximum number of iterations allowed before accepting the results as "forced off" (default niter=10). Four different types of convergence tests are possible--one of which is termed "forced off", which will occur whenever niter has been reached and one of the other convergence criteria has not been achieved. Using a small niter may be useful to monitor the progress for a large problem, and as an aid for achieving a convenient restarting procedure with the last b-vector as a new initial estimate.
(cref: \$parms b and Marquardt (1963) for convergence tests used).

inon= 1 (default) to omit nonlinear confidence region calculations.
= 0 to compute nonlinear confidence regions after the last iteration. This option calls subroutine fcode many times, and is not recommended for general use with program MARQLOOPS unless one is interested in a detailed nonlinear statistical analysis of the final solution.
(see IBM Share program No. 1428 for more details on this option).

ff= Variance F-ratio statistic (default 4.0) used to compute linear support-plane confidence limits and nonlinear (if inon=0) confidence limits after convergence or niter iterations. The default value is adequate for most applications.

t= Student's t-statistic (default 2.0) used to compute one-parameter linear confidence limits after convergence or niter iterations. The default value is adequate for most applications.

e= Convergence criterion test parameter (default 0.5e-4). For example, for 2-figure accuracy, use e=.01; for 3-figure accuracy, use e=.001, etc.
(cref: Marquardt, 1963).

tau= Convergence criterion test parameter (default 1e-3).
(cref: Marquardt, 1963).

xl= Initial Marquardt's lambda factor (default .01) to be added to the diagonal of the Jacobian transpose times Jacobian matrix. For some very ill-conditioned problems, or for poor initial parameter estimates, a larger xl (e.g., 1.0) may prove to be advantageous.
(cref: Marquardt, 1963 and Share program No.

1428).

modlam= 1 (default) to use a modified Marquardt lambda method at each iteration as described in Tabata and Ito (1973).
= 0 to use the original Marquardt (1963) lambda method at each iteration.

gamcr= Marquardt's critical angle between the gradient and adjustment vectors (default 45.0 degrees). The value of gamcr should not be set greater than 90 degrees. The default value is usually adequate for most applications.
(cref: Marquardt, 1963).

del= Factor used in finite-difference equations (default 1e-5). Note del is used only when ider=1 for estimated partial derivative calculations.
(cref: \$parms ider).

zeta= Singularity criterion for matrix inversion (default 1e-31), which may be selected greater than or equal to the machine smallest exponent range.

iout= Printout file06 and file16 control.
= 1 (default) for print output on both file06 and file16.
= 0 for print output only on file06.
Note: file16 output may be useful for deferred output when running the job from a time-sharing terminal; also, file16 may be used as an input file for other processing programs (e.g., plot routines). For this version, file06 output has been purposely reduced for time-sharing terminal use; however, for iout=1 (default), a complete printable output is always given on file16.
(cref: \$parms iprt).

sp= scalep (equivalent names) is a parameter scaling option.
= 0 (default) to ignore parameter scaling (i.e., unscaled parameters).
= 1 to scale parameters b(j) using $\ln(b(j))$, provided the initial $b(j) > 0$ for all $j = 1, 2, \dots, k$. Note scalep=1 will automatically constrain the final solution space such that $b(j) > 0$ for all j in $(1, k)$.
= 2 to scale parameters b(j) using $\text{arcsinh}(b(j))$. This option allows for log-type parameter scaling whenever $b(j)$ is positive or negative for any j in $(1, k)$. However, for program MARQLOOPS, the

initial parameters $b(j) > 0$ must be given; hence $sp=2$ should not be used ($sp=2$ is defined here for possible use in other applications).
(cref: \$parms b,k).

sy= scaley (equivalent names) is an observation scaling option.
= 0 (default) to ignore observation scaling (i.e., unscaled observations $y(i)$).
= 1 to scale observations $y(i)$ using $\ln(y(i))$, provided $y(i) > 0$ for all $i=1,2,\dots,n$.
= 2 to scale observations $y(i)$ using $\text{arcsinh}(y(i))$. This option allows for log-type observation scaling whenever $y(i)$ is positive, negative, or zero for any i in $(1,n)$.

Note: Due to the possible wide range of numbers commonly encountered in electromagnetic problems, it is recommended that $scalep=1$ and $scaley=2$ be generally used for program MARQLOOPS. A special case automatically occurs whenever $sy=2$ and $iob>=5$ and both amplitude and phase data are included in the data matrix; in this case, the program will use $\ln(\text{amplitude})$ or $\text{arcsinh}(\text{phase})$ accordingly.
(cref: \$init iob and \$parms b,k,n)

b()= Array of initial guesses for all k-parameters. These values must be supplied greater than zero for program MARQLOOPS (i.e., positive conductivities and thicknesses). The default values are set to $b(j)=0$ for all $j=1$ to k , and would result in an error condition if any $b(j)$ was not supplied greater than zero.

The parameter order must be given as:

$b(1), b(2), \dots, b(|mm|)$ are the $|mm|$ layer conductivities (in mhos per meter), and

$b(|mm|+1), b(|mm|+2), \dots, b(2*|mm|-1)$ are the $|mm|-1$ layer thicknesses (in meters); and if $mm<0$ (amplitude shift option) include

$b(2*|mm|)>0$ as the estimated amplitude shift parameter used in the model as $b(2*|mm|)*z/z_0$, where z/z_0 is the mutual coupling ratio.

Note: If only phase data ($iob=2$) or multiple distance soundings ($iob=6$) are used, then the shift parameter option ($mm<0$) should not be used--or one should fix $b(2*|mm|)$ using parameters

ip and ib.
(cref: \$parms k,ip,ib and \$init mm,iob).

ib()= Array of ip-indicies (in any order) corresponding to any b() parameter to hold fixed to its input value. e.g., ip=2,ib(1)=3,ib(2)=5 will hold fixed b(3), b(5) in the least squares. If ip=0 (default), leave out array ib in the namelist.
(cref: \$parms ip,b).

\$end [end of \$parms namelist]

\$init parameters (with defaults and cross-references):

iob= Observation-type defined for y(i): [where we define Z=z/z0 (if mm>0), or Z=b(2*|mm|)*z/z0 (if mm<0)]
= 1 (default) defines y(i) as the amplitude of Z;
= 2 defines y(i) as the phase of Z, expressed in (-180,+180) degrees [mm>0 option is recommended when iob=2];
= 3 defines y(i) as the real-part of Z;
= 4 defines y(i) as the imaginary-part of Z;
(note: for iob<=4, m=2 must also be given in \$parms).
= 5 defines mixed observation-type frequency soundings and/or Schlumberger sounding, where the i-th observation type is given by x(i,3)=1.0 for amplitude of Z, =2.0 for phase of Z, =3.0 for real of Z, =4.0 for imaginary of Z, or =5.0 for apparent resistivity of a Schlumberger array;
(note: for iob=5, m=3 must also be given in \$parms).
= 6 defines mixed observation-type frequency, distance (or elevation), and/or Schlumberger sounding, where the i-th observation type is given by x(i,3) between 1.0 and 5.0 (same as in iob=5 case), and y0=x(i,4)>0.0 defines the loop-loop separation -or- x(i,4)<=0.0 defines the loops elevation sum as h=z+h'=|x(i,4)|.
(note: for iob=6, m=4 must also be given in \$parms; also, mm>0 option is recommended when iob=6).
(cref: \$parms m,b(), \$init mm, and DATA MATRIX NOTES).

mm= Number of layers in the model (1<=|mm|<=10; default mm=1). Use mm>0 for no amplitude shift option (i.e., Z=z/z0 mutual coupling). Use mm<0 for amplitude shift option (i.e., Z=b(2*|mm|)*z/z0

```

shifted mutual coupling).
Note: make sure $parms k=2*mm-1 (if mm>0) or
k=2*|mm| (if mm<0).
(cref: $parms k,b(), $init iob).

y0= Transmitter-receiver separation, where y0>0
meters. Note y0 must be given, unless iob=6 is
used for distance soundings.
(cref: $init iob and DATA MATRIX NOTES).

h= (z+h') loop elevation sum, where z=receiver loop
elevation (meters), and h'=transmitter loop
elevation (meters). When h=0.0 (default), the
ground case is assumed; when h>0.0, the airborne
case is defined. Note h must be given (or assumed
0.0), unless iob=6 is used to vary the loops
elevation sum.
(cref: $init iob and DATA MATRIX NOTES).

eps= Requested convolution integration tolerance used
to compute all Hankel transforms using subprogram
ZHANKS (default .1e-5).

```

\$end [end of \$init parameters]

DATA MATRIX NOTES.

The data matrix is defined as the sequence of ordered rows: $(y(i), x(i,j), j=1, m^*)$, where $i = \text{row number } 1, 2, \dots, n$, and $m^* = m+1$ if $iwt=1$, otherwise $m^* = m <= 4$. The data matrix is read on logical unit ialt (default 10) using an object-time format statement (see any Fortran manual). The number of items read depends on \$parms m, iwt and \$init iob as previously defined. The various data matrix options are summarized as follows:

(a) Specific observation type, frequency sounding for various loop-loop configurations ($iob \leq 4$, $m=2$, and max. 4 items per record):

1. $y(i)$ = i-th observation, where \$init iob ≤ 4 defines the particular type.
2. $x(i,1)$ = i-th frequency ($x(i,1) > 0.0$ Hz.).
3. $x(i,2)$ = i-th loop-loop configuration; use $x(i,2)=1.0$ for horizontal coplanar loops, $=2.0$ for perpendicular loops, $=3.0$ for vertical coplanar loops, $=4.0$ for vertical coaxial loops, or $=5.0$ for horizontal coplanar loop and wire element (same as the dipole case in Anderson, 1977).

4. $x(i,3)$ = standard deviation of observation i (include only if $iwt=1$).
- (b) Mixed observation types, frequency sounding and/or Schlumberger sounding ($iob=5$, $m=3$, and max. 5 items per record):
1. $y(i)$ = i-th observation (where actual type is defined by $x(i,3)$).
 2. $x(i,1)$ = i-th frequency (if $x(i,3)<5.0$) or AB/2 meter spacing (if $x(i,3)=5.0$).
 3. $x(i,2)$ = i-th loop-loop configuration (must be between 1.0 and 5.0 as defined in (a)3 above). For Schlumberger data ($x(i,3)=5.0$), $x(i,2)$ must be given between 1.0 and 5.0 (but not used).
 4. $x(i,3)$ = observation type in $y(i)$; use $x(i,3)=1.0$ for amplitude, =2.0 for phase (degrees), =3.0 for real part, =4.0 for imaginary part, or =5.0 for Schlumberger apparent resistivity (ohm-meters). Note $x(i,3)<5.0$ defines the observation type of $y(i)$ for the loop-loop configuration defined in $x(i,2)$; however, $x(i,2)$ must be between 1.0 and 5.0 (but not used) when $x(i,3)=5.0$ for a Schlumberger sounding observation.
 5. $x(i,4)$ = standard deviation of observation i (include only if $iwt=1$). Note: for joint inversion of loop-loop and Schlumberger data, a weighted least squares should be used ($iwt=1$ option) to produce near-equal magnitudes.
- (c) Mixed observation types, both frequency and distance (or elevation) loop-loop soundings, plus joint inversion of Schlumberger and loop-loop soundings ($iob=6$, $m=4$, and max. 6 items per record):
1. $y(i)$ = i-th observation (where actual type is defined by $x(i,3)$).
 2. $x(i,1)$ = i-th frequency (if $x(i,3)<5.0$) or AB/2 meter spacing (if $x(i,3)=5.0$).
 3. $x(i,2)$ = i-th loop-loop configuration (must be between 1.0 and 5.0 as defined in (a)3 above). For Schlumberger data ($x(i,3)=5.0$), $x(i,2)$ must be given between 1.0 and 5.0 (but not used).
 4. $x(i,3)$ = observation type in $y(i)$ (must be between 1.0 and 5.0 as defined in (b)4 above).
 5. $x(i,4)$ = distance $y_0=x(i,4)>0.0$ -or- elevation sum $h=z+h'=|x(i,4)|$ if $x(i,4)<=0.0$. Note: one should preset either y_0 or h in \$init

parameter input and use $x(i,4)$ to change either distances (for distance soundings) or elevations; both distances and elevations cannot be changed simultaneously.

6. $x(i,5)=$ standard deviation of observation i (include only if $iwt=1$). Note: for joint inversion of loop-loop and Schlumberger data, a weighted least squares should be used ($iwt=1$ option) to produce near-equal magnitudes. -

For a given loop-loop configuration defined by $x(i,2)$, the data matrix should be grouped or ordered with equal consecutive frequencies (and distances or elevations, if used) with respect to each observation type (for example, see the grouping used in appendix 3). This ordering is not mandatory, but it will significantly reduce the total calculation time when $ider=0$ (default case).

EXAMPLES OF INPUT PARAMETERS AND DATA ORDERING.

1. Mixed observation types (real and imaginary parts), horizontal coplanar loops, ground case ($n=0$), and amplitude shift option ($mm<0$):

example 1.
\$parms n=60,k=6,m=3,iprt=-1,sp=1,sy=2,ialt=5,
b=.1,.2,.3,10,20,2\$
(4f10.0)
1.98 1. 1. 3.
-.027 1. 1. 4.
1.85 1.6 1. 3.
-.034 1.6 1. 4.
--(etc. for 56 more observations)--
\$init mm=-3,iob=5,y0=100,h=0\$

2. Distance soundings ($y0=x(i,4)>0.0$), horizontal and vertical coplanar loops, airborne case ($h>0$), no amplitude shift ($mm>0$), mixed observation types (amplitude and phase):

example 2
\$parms n=100,k=5,m=4,iprt=-2,sp=1,sy=2,ialt=5,
b=.1,.2,.3,10,20\$
(5f10.0)
1.01 1. 1. 1. 100.
-2.3 1. 1. 2. 100.
0.987 1. 3. 1. 100.
-5.23 1. 3. 2. 100.
--(etc. for rest of $y0=x(i,4)=100.$ soundings)--

```

0.79      1.      1.      1.      300.
-2.34      1.      1.      2.      300.
0.867     1.6     3.      1.      300.
-10.23     1.6     3.      2.      300.
--(etc. for rest of y0=x(i,4)=300. soundings)--
$init mm=3,iob=6,h=2$

```

3. Joint loop-loop and Schlumberger soundings, weighted (*iwt*=1), both airborne and ground loops ($x(i,4) \leq 0.0$ as $h=|x(i,4)|$), and amplitude shift option (*mm*<0>):

example 3

```

$parms n=50,k=6,m=4,iprt=-1,sp=1,sy=2,ialt=5,iwt=1,
      b=.1,.2,.3,10,20,2$ (6f10.0)
1.98      1.      1.      3.      -1.      .02
-.027     1.      1.      4.      -1.      .02
--(etc. for rest of loop-loop sounding at h=|-1.|)--
1.56      1.2     1.      3.      0.      .02
-.034     1.2     1.      4.      0.      .02
--(etc. for rest of loop-loop sounding at h=0)--
9.98      4.      1.      5.      0.      .05
8.23      6.      1.      5.      0.      .05
--(etc. for rest of Schlumberger data)--
$init mm=-3,iob=6,y0=200$

```

SPECIAL OBJECT FORMAT PHRASES.

One may use special Fortran object formats to skip observations without changing the data matrix. For example, if we wish to use only the phase data in example 2 above, we could set *n*=50 and use the format (/5f10.0). Similarly, if we wanted only amplitudes to be used in example 2, then the format (5f10.0/) would accomplish the desired result.

Also, if an existing data matrix file does not have the proper defined column ordering in the form (*y*(*i*),*x*(*i,j*),*j*=1,*m*)), then the Fortran "tn" format phrase may be used to begin at any column *n* in the data record. For example, the format (t41,f10.0,t1,3f10.0) will select *y*(*i*) using col.41-50 and *x*(*i,1*) beginning at col.1.

MULTICS OPERATING INSTRUCTIONS.

1. Initially, one should add the following libraries (via the command "asr") to his search rules after the working directory: >udd>Emodl_inv>WAnderson>lib_em and >udd>Emodl_inv>WAnderson>lib_l.

2. Either attach "file05" to a predetermined ascii (stream) parameter file, or let file05 default to "user_input" (i.e., the user's terminal). The order of parameters and data on file05 must be given as defined in the section PARAMETERS AND DATA REQUIRED above. To attach file05, type:
`io attach file05 vfile_ parameter_file_name`
3. Attach "file10" to an input data matrix ascii file if ialt=10 (default) is used. If ialt=5 is selected, then ignore this step, but include the data matrix following the object-time format on "file05"--see examples 1-3 above. In practice, it is usually best to use 'distinct files' file05 and file10 for parameters and data respectively. To attach file10, type:
`io attach file10 vfile_ data_file_name`
4. Set the underflow condition handler off by typing:
`set_ufl -off`
5. Execute program MARQLOOPS by typing: `marqloops`

If file05 was not attached, then the user must anticipate the required title, \$parms, object format, and \$init to be typed on "user_input". Prompt messages are not printed on the terminal.

Note "file16" is the complete print file (normally disk on Multics), and "file06" is always the on-line terminal print file. File16 should either be deleted or dprinted to a line-printer after running program MARQLOOPS. Also, file13 (if used) should be deleted after running the program. To submit the job as a batch job (called absentee on Multics), prepare step 1-5 above in a segment with .absin suffix and use the "enter_abs_request" command.

ERROR MESSAGES.

Most parameter and/or data errors are noted by self-explanatory messages appearing in the printed file(s), and the job is terminated. For example, the message "error--some \$parms out of range" means that a violation (or omission) of a required parameter range has been committed in the \$parms namelist. Check all \$parms values, correct, and resubmit the job.

Exponent underflow may occur when the argument is less than 10**-38 on Multics; this is ok since 0.0 replaces all underflows. To suppress the underflow messages, the command "set_ufl -off" can be used prior to executing MARQLOOPS.

Exponent overflow and/or arithmetic overflow messages will terminate the run under Multics control. An overflow condition usually means a very poor initial parameter estimate was given in array b() for the model (mm) chosen. First check that all \$parms, \$init, data matrix values, and object-time format are correct. If no errors are found, then try to revise the model (mm) and/or use better guessed estimates for the starting parameters in array b().

If any parameter begins to approach zero or become unbounded during the least squares iterations, then one may fix (constrain) the parameter to a reasonable value, and restart the program to obtain a constrained least squares solution. This is usually required when the data are not sufficient to resolve all the parameters for the model mm chosen.

REFERENCES.

- Anderson, W.L., 1977, Marquardt inversion of vertical magnetic field measurements from a grounded wire source: U.S. Geol. Survey Rept. USGS-GD-77-003, 76p. avail. from U.S. Dept. Comm. NTIS, Springfield, Va., 22161 as Rept. PB-263-924/AS.
- , 1979 (in press), Numerical integration of related Hankel transforms of orders 0 and 1 by adaptive digital filtering: Geophysics, v. , no. , p - .
- Frischknecht, F.C., 1967, Fields about an oscillating magnetic dipole over a two-layer earth, and applications to ground and airborne electromagnetic surveys: Quarterly of Col. School of Mines, v.62, no. 1, 326 p.
- Marquardt, D.W., 1963, An algorithm for least-squares estimation of nonlinear parameters: J. Soc. Indust. Appl. Math, v.11, no. 2, pp. 431-441.
- Tabata, T. and Ito,R., 1973, Effective treatment of the interpolation factor in Marquardt's nonlinear least-squares fit algorithm: The Computer Journal, v. 18, no.3, pp. 250-251.

Appendix 1.-- Source listing

The attached subprograms are listed with beginning line numbers in the following order:

C--MARQLOOPS--MARQUARDT INVERSION OF LOOP-LOOP EM DATA--12/26/78.	000000010
SUBROUTINE MARQRT(FCODE,PCODE,SUBZ,SUBEND)	00000170
SUBROUTINE GJR (A,N,EPS,MSING)	00009930
SUBROUTINE UNSCAL(BIN,BOUT,SCALEP)	00010590
REAL FUNCTION ASINH(X)	00010800
SUBROUTINE ERRMSG(MSG,M5,I6,I9)	00010880
SUBROUTINE POLAR2(Z,AMP,PHZ180)	00011110
SUBROUTINE RECUR1(G,V1,F1)	00011400
SUBROUTINE RECURF(G,DEL,SIG1,V1,F1,PF1,JJ)	00011710
SUBROUTINE KELVIN(X,M,B)	00012330
COMPLEX FUNCTION FVP(X)	00014130
COMPLEX FUNCTION KERN(X)	00014580
COMPLEX FUNCTION FG2(G)	00014840
COMPLEX FUNCTION FG(G)	00014980
COMPLEX FUNCTION FG3(G)	00015060
COMPLEX FUNCTION RG2(G)	00015130
COMPLEX FUNCTION RG(G)	00015260
COMPLEX FUNCTION RG3(G)	00015340
SUBROUTINE IKS2(B8,IOK0,I1K1,IKDIF)	00015410
COMPLEX FUNCTION PFBJG(G)	00016180
COMPLEX FUNCTION PFBJG2(G)	00016360
COMPLEX FUNCTION PRBJG(G)	00016430
COMPLEX FUNCTION PRBJG2(G)	00016510
SUBROUTINE MODIFY(N)	00016580
SUBROUTINE SWAP(ICODE)	00016800
COMPLEX FUNCTION ZHANKS(N,B,FUN,TOL,NF,NEW)	00017040
SUBROUTINE FCODE(Y,X,B,PRNT,F,IN,IDER)	00020460
SUBROUTINE PCODE(P,X,B,PRNT,F,IN,IP,IB)	00022290
SUBROUTINE SUBZ(Y,X,B,PRNT,NPRNT,N,TITLE,IOUT)	00024320
SUBROUTINE SUBEND(Y,X,B,K,N,TITLE,IOUT)	00025360

Source Availability

An updated version of the source code may be obtained by writing directly to the author. A magnetic tape copy of the source code will be sent to requestors to be copied and returned to the author. This method of releasing the program was selected in order to satisfy requests for the latest updated version. The magnetic tape will be recorded in the following mode (unless otherwise requested):

Industry compatible: 9-track, unlabeled, EBCDIC mode, odd-parity, 800 bpi density, 80-character records (unblocked card images), and contained on one file.

```

C--MARQLOOPS--MARQUARDT INVERSION OF LOOP-LOOP EM DATA-- 12/26/78.      00000010
C** HONEYWELL MULTICS VERSION **                                         00000020
C                                                               00000030
C--BY W.L.ANDERSON, U.S.GEOLOGICAL SURVEY, DENVER, COLORADO.          00000040
C                                                               00000050
C (FOR DETAILS, SEE MULTICS DOCUMENTATION FOR PGM MARQLOOPS)        00000060
C                                                               00000070
C SUBROUTINES FCODE,PCODE,SUBZ,AND SUBEND TO LINK WITH PGM MARQRT.    00000080
C L.SQ.FITTING FUNCTIONS FOR Z/Z0 MUTUAL COUPLING RATIO FOR           00000090
C UP TO FIVE DIFFERENT LOOP-LOOP ORIENTATIONS AND SCHLUMBERGER       00000100
C APPARENT RESISTIVITY DATA.                                         00000110
C                                                               00000120
C
C     EXTERNAL FCODE,PCODE,SUBZ,SUBEND                                00000130
C     CALL MARQRT(FCODE,PCODE,SUBZ,SUBEND)                            00000140
C     STOP                                                               00000150
C     END                                                               00000160
C
C     SUBROUTINE MARQRT(FCODE,PCODE,SUBZ,SUBEND)                      00000170
C--(MARQRT)-- GENERAL MARQUARDT NONLINEAR LEAST SQUARES-- 7/11/78.      00000180
C** HONEYWELL MULTICS VERSION **                                         00000190
C
C     SUBPROGRAM MARQRT IS TO BE LINKED/LOADED WITH USER WRITTEN        00000200
C     SUBROUTINES (FCODE,PCODE,SUBZ, AND SUBEND) FOR                      00000210
C     SPECIFIC NONLINEAR PROBLEM TO BE SOLVED.                         00000220
C                                                               00000230
C--THE USER MUST DECLARE THE CALLING PARAMETERS FCODE,PCODE,            00000240
C     SUBZ,SUBEND (ANY DESIRED NAMES MAY BE USED) AS EXTERNAL IN         00000250
C     MAIN CALLING PROGRAM; E.G.,                                         00000260
C                                                               00000270
C
C     EXTERNAL FCODE,PCODE,SUBZ,SUBEND                                00000280
C     CALL MARQRT(FCODE,PCODE,SUBZ,SUBEND)                            00000290
C     STOP                                                               00000300
C     END                                                               00000310
C                                                               00000320
C--THIS IS A MODIFIED VERSION OF 'IBM SHARE PROGRAM NO. 1428'.        00000330
C *** MODIFIED BY W.L.ANDERSON, U.S. GEOLOGICAL SURVEY, DENVER, COLORADO 00000340
C     FOR NAMELIST INPUT, IMPROVED ESTIMATED DERIVATIVES,                00000350
C     MODIFIED MARQUARDT LAMBDA DETERMINATION,                          00000360
C     DATA AND PARAMETER SCALING, WEIGHTED OBSERVATIONS, AND             00000370
C     OTHER CHANGES--ALL DONE IN SINGLE-PRECISION FOR THE               00000380
C *** HONEYWELL MULTICS SYSTEM ***                                         00000390
C                                                               00000400
C--SEE SHARE PROGRAM NO. 1428 AND/OR DOCUMENTATION OF 'MARQHZ',        00000410
C     N.T.I.S REPORT PB-263-924, P33-39, FOR DETAILS ON CODING THE       00000420
C     REQUIRED SUBROUTINES FCODE,PCODE,SUBZ, AND SUBEND.                  00000430
C                                                               00000440
C--OPERATING NOTE FOR HONEYWELL MULTICS SYSTEM: $$$$$$$$$$$$$$$$$$      00000450
C     (UNIT 5 USED INSTEAD OF UNIT 1 AS IN DOCUMENTATION OF 'MARQHZ')   00000460
C     TO OBTAIN ON-LINE (INTERACTIVE) PRINTING ON UNIT 6 AND              00000470
C     DEFERRED PRINTING ON UNIT 16, USE MULTICS RUN.EC, I.E.,             00000480
C     'RUN &1' OR 'RUN_EO &1' AND DPRINT '&1.FILE16.LIST' AFTER RUN.   00000490
C                                                               00000500
C--FOLLOWING CHARACTER STATEMENTS ONLY FOR MULTICS SYSTEM:            00000510

```

CHARACTER*5 TITLE	00000520
CHARACTER*4 FMT	00000530
INTEGER SCALEP,SCALEY, SP,SY	00000540
DIMENSION FMT(18),PRNT(5),SPRNT(5),TITLE(16)	00000550
DIMENSION BS(20),DB(20),BA(20),G(20),IB(19),SA(20),P(20)	00000560
DIMENSION A(20,20),B(20), BINV(20)	00000570
DIMENSION X(200,5),Y(200),WT(200)	00000580
DIMENSION XNU(5),SS(4)	00000590
EQUIVALENCE (X(1,5),WT(1)),(IOUT,IFSS1),(IDER,IWS2),	00000600
1 (IPRT,IWS3),(NITER,IWS4),(INON,IWS6),(SP,SCALEP),(SY,SCALEY)	00000610
C=====	00000620
NAMELIST/PARMS/N,K,IP,M,IALT,IDER,IPRT,NITER,INON,NPRNT,	00000630
1 IB,FF,T,E,TAU,XL,GAMCR,DEL,ZETA,B,IOUT,IWT,ISTOP,	00000640
2 SCALEP,SCALEY,MODLAM, SP,SY	00000650
C=====	00000660
DATA XNU/1.33,1.78,3.16,10.,100./	00000670
C	00000680
C MAX NO OF PARAMETERS IS K=20 (NOTE: K=N IS ALLOWED)	00000690
C MAX NO OF IND VARS IS M=4	00000700
C MAX NO OF OBSERVATIONS IS N=200	00000710
C INTERNAL #IWHER# SWITCH USAGE--	00000720
C IWHER ==1 MEANS INITIALIZE VIA SUBROUTINE SUBZ.	00000730
C IWHER = 0 MEANS START NEW PROBLEM OR END RUN	00000740
C IWHER = 1 MEANS GET P(S) AND F	00000750
C IWHER GREATER THAN 1 MEANS GET F ONLY	00000760
C--FOLLOWING CALL TO SUPPRESS EXP-UNDERFLOW MESSAGES	00000770
C FOR THE DEC-10 AND OTHER SYSTEMS: \$	00000780
C// CALL ERRSET(0)	00000790
C** FOR THE HONEYWELL MULTICS SYSTEM, USE (INSTEAD) THE FOLLOWING:	00000800
C IO DETACH ERROR_OUTPUT	00000810
C IO ATTACH ERROR_OUTPUT DISCARD	00000820
C (OR-- ON USGS SYS, USE SET_UFL -OFF)	00000830
C**	00000840
C--PRESET GLOBAL PARMS (SOME MAY BE OVERRIDDEN BY \$PARMS READ-IN)	00000850
IP=0	00000860
N=0	00000870
K=0	00000880
M=0	00000890
NPRNT=0	00000900
MODLAM=1	00000910
ISTOP=1	00000920
IWT=0	00000930
IALT=10	00000940
IOUT=1	00000950
IDER=0	00000960
IPRT=0	00000970
MITER=10	00000980
INON=1	00000990
LSCALP=0	00001000
LSCALY=0	00001010
FF=4.0E0	00001020
E=.00005E0	00001030

```

TAU=.001E0          00001040
T=2.0E0            00001050
DEL=.00001E0        00001060
ZETA=.1E-30         00001070
GAMCR=45.0E0        00001080
C
10 GAMMA=0.E0       00001090
SCALEP=LSCALP      00001100
SCALEY=LSCALY      00001110
XLL=0.E0            00001120
SE=0.0              00001130
NITER=MITER        00001140
20 IWHER=0           00001150
ISS=1               00001160
INU=4               00001170
XNUFAC=10.0          00001180
GO TO 150           00001190
30 CONTINUE          00001200
IF (IWHER.GT.0) GO TO 100 00001210
IF (IWHER.EQ.0) GO TO 240 00001220
=====
C INITIALIZATION (IWHER=-1, IFSS1=IOUT) 00001230
CALL SUBZ (Y,X,BINV,PRNT,N,TITLE,IFSS1) 00001240
C *****
IPRNT=NPRNT-1          00001250
IF(NPRNT.LT.0) IPRNT=IABS(NPRNT)-2 00001260
C
C--NOTE: IPRNT IS A SPECIAL INDEX USED IN SCALEY=2 CASES 00001270
C TO MIX LOG OR ASINH TYPE SCALING WHEN ABS(X(I,IPRNT))=1. OR NOT 1. 00001280
C RESPECTIVELY, AND ONLY WHEN IPRNT.GT.1 00001290
NPRNT=IABS(NPRNT) 00001300
IF(SCALEY.EQ.0) GO TO 90 00001310
DO 80 I=1,N 00001320
IF(SCALEY-1) 90,40,60 00001330
40 IF(Y(I).LE.0.)CALL ERRMSG(30HSOME Y(I).LE.0 AND SCALEY=1..., 00001340
   1 6,6,16) 00001350
50 Y(I)= ALOG(Y(I)) 00001360
GO TO 80 00001370
60 IF(IPRNT.LE.1) GO TO 70 00001380
IF(ABS(X(I,IPRNT)).NE.1.0) GO TO 70 00001390
IF(Y(I).LE.0.) 00001400
1CALL ERRMSG(50HSOME Y(I).LE.0 WHEN ABS(X(I,IPRNT))=1 AND SCALEY=2, 00001410
   2 10,6,16) 00001420
GO TO 50 00001430
70 Y(I)=ASINH(Y(I)) 00001440
80 CONTINUE 00001450
90 CONTINUE 00001460
IF (IBOUT.EQ.0) GO TO -150 00001470
GO TO 20 00001480
100 CONTINUE 00001490
=====
C COMPUTE F VIA SUBR. FCODE 00001500

```

```

C           NPRNT IS THE NO OF OTHER WORDS TO BE PRINTED          00001560
C           THE WORDS TO BE PRINTED ARE IN PRNT(1)...PRNT(5)      00001570
C--CALL FCODE FOR CURRENT BINV AND I-TH OBSERVATION (IFSS2=IDER) 00001580
    CALL FCODE(Y,X,BINV,PRNT,F,I,IFSS2)                         00001590
C   ****
C   FINV=F
    IF(SCALEY-1) 140,110,120                                     00001620
110  F=ALOG(F)
    GO TO 140                                                 00001640
120  IF(IPRNT.LE.1) GO TO 130                                     00001650
    IF(ABS(X(I,IPRNT)).EQ.1.0) GO TO 110                         00001660
130  F=ASINH(F)
140  CONTINUE
    IF (IWHER.NE.1) GO TO 150                                     00001690
    IF (IFSS2.NE.0) GO TO 150                         00001700
C=====
C           COMPUTE P(J)=DF/DB VIA SUBR PCODE FOR J=1,K.        00001710
C           USING X(I,L) AND B(J)                                00001720
C--CALL PCODE FOR CURRENT BINV,FINV AND I-TH OBSERVATION     00001730
    CALL PCODE(P,X,BINV,PRNT,FINV,I,IP,IB)                      00001740
C   ****
C   THIS IS GENERAL #IWHER# SWITCH                           00001760
150  CONTINUE
    IF (IWHER.LT.0) GO TO 320                                     00001780
    IF (IWHER.EQ.0) GO TO 160                                     00001790
C   1 2 3 4 5
    GO TO (490,1560,530,580,590), IWHER                         00001810
C   READ FIRST CARD OF NEXT CASE                            00001820
160  ITCT=0
    IBOUT=0
C=====
C   READ $P parms --$                                         00001860
C--ALWAYS PRESET XL=.01 (MAY BE OVERRIDDEN BY $$P PARM READ-IN) 00001870
C   AND CLEAR B(I), I=1,20 TO FORCE INITIALIZATION...
    XL=.01
    DO 170 I=1,20
170  B(I)=0.E0
    READ(5,180) TITLE
180  FORMAT(16A5)
    READ(5,PARMS)
C--TEST SPARMS
    IF(N.GT.200.OR.K.GT.20.OR.M.GT.4.OR.IWT.GT.1.OR.IP.GT.19.OR.
1  IALT.EQ.6.OR.IALT.EQ.13.OR.IALT.EQ.16.OR.
2  N.LT.1.OR.K.LT.1.OR.M.LT.1.OR.IWT.LT.0.OR.IP.LT.0.OR.
3  SCALEY.LT.0.OR.SCALEY.GT.2.OR.SCALEP.LT.0.OR.SCALEP.GT.2.OR..
4  N.LT.K) CALL ERRMSG(30HSOME $P ARMS OUT OF RANGE.. ,6,6,16) 00001980
    DO 210 I=1,K
    IF(B(I).EQ.0.E0) CALL ERRMSG(20HSOME B(I) = 0.0 ,4,6,16) 00001990
    BINV(I)=B(I)
    IF(SCALEP-1) 210,190,200
190  IF(B(I).LT.0.0)CALL ERRMSG(30HSOME B(I).LT.0. AND SCALEP=1..,
1 6,6,16) 00002000

```

```

B(I)=ALOG(B(I))          00002080
GO TO 210                00002090
200 B(I)=ASINH(B(I))      00002100
210 CONTINUE              00002110
    MAXITR=IWS4           00002120
    MITER=NITER            00002130
    ITER=1                 00002140
    WRITE (6,2730)          00002150
    IF (IFSS1.NE.1) GO TO 250 00002160
    WRITE (16,2730)          00002170
    GO TO 250                00002180
C=====
C           END OF LAST PROBLEM          00002190
C   220 CALL SUBEND(Y,X,BINV,K,N,TITLE,IOUT) 00002200
C   ****
C   240 IF(ISTOP.EQ.1.OR.IALT.EQ.5) GO TO 241 00002230
C--INITIALIZE FOR NEXT PROB (SAME IALT DATA), SINCE ISTOP=0 00002240
    GO TO 10                  00002250
C--FOLLOWING CLOSE Stmt ONLY FOR HONEYWELL MULTICS: 00002260
    241 CALL CLOSE_FILE(''-ALL') 00002270
C   STOP                      00002280
    RETURN                     00002290
250 CONTINUE                00002300
    IF (IP.LE.0) GO TO 280      00002310
    DO 270 I=1,IP               00002320
    IF (IB(I).GT.0) GO TO 270      00002330
    CALL ERRMSG(30HIP.GT.1 BUT SOME IB(I).LE.0...,6,6,16) 00002340
270 CONTINUE                00002350
280 CONTINUE                00002360
    IF (K.GT.10) GO TO 290      00002370
C--IBKT=1 MEANS USE UPPER A MATRIX FOR SCRATCH STORAGE 00002380
C   =2 MEANS USE FILE 13 FOR SCRATCH STORAGE          00002390
    IBKT=1                   00002400
    GO TO 300                  00002410
290 IBKT=2                  00002420
300 XKDB=1.E0                00002430
C--READ OBJECT TIME FORMAT FOR DATA ON FILE IALT. 00002440
    READ(5,2480) (FMT(I),I=1,18) 00002450
    M1=M+IWT                  00002460
    DO 310 I=1,N                00002470
    READ(IALT,FMT) Y(I),(X(I,L),L=1,M1) 00002480
C--SET UP WTS VIA IWT PARM          00002490
    WT(I)=1.0E0                  00002500
    IF(IWT.EQ.1.AND.X(I,M1).NE.0.0) WT(I)=1.0E0/X(I,M1)**2 00002510
310 CONTINUE                00002520
    IF(IALT.NE.5) REWIND IALT      00002530
    IWHER=-1                   00002540
    GO TO 30                  00002550
320 IBKA=1                  00002560
C
C   .....                    00002570
C   START THE CALCULATION OF THE PTP MATRIX          00002580
C

```

```

        WRITE(6,2520) TITLE          00002600
        WRITE(6,2530) N,K,IP,M,GAMCR,DEL,MODLAM,FF,T,E,TAU,XL,ZETA, 00002610
        1 IALT,ISTOP,IWT,IWS2,IWS3,IWS4,IWS6,IFSSI,NPRNT,SCALEP,SCALEY 00002620
        IF(IP.GT.0) WRITE(6,330) (IB(J),J=1,IP) 00002630
330 FORMAT(4H IB=,19I3) 00002640
        WRITE(6,340) FMT 00002650
340 FORMAT(5H FMT=,18A4) 00002660
        IF(SCALEP.GT.0.AND.IPRT.GE.0) WRITE(6,350) (BINV(J),J=1,K) 00002670
350 FORMAT(/30H -INITIAL UNSCALED PARAMETERS-(12X,4E17.8)) 00002680
        IF(IFSSI.NE.1) GO TO 360 00002690
        WRITE(16,2520) TITLE 00002700
        WRITE(16,2530) N,K,IP,M,GAMCR,DEL,MODLAM,FF,T,E,TAU,XL,ZETA, 00002710
        1 IALT,ISTOP,IWT,IWS2,IWS3,IWS4,IWS6,IFSSI,NPRNT,SCALEP,SCALEY 00002720
        IF(IP.GT.0) WRITE(16,330) (IB(J),J=1,IP) 00002730
        WRITE(16,340) FMT 00002740
        IF(SCALEP.GT.0.AND.IPRT.GE.0) WRITE(16,350) (BINV(J),J=1,K) 00002750
360 CONTINUE 00002760
370 CONTINUE 00002770
        DO 380 I=1,K 00002780
        G(I)=0.E0 00002790
        DO 380 J=1,K 00002800
380 A(I,J)=0.E0 00002810
        IF(IBKA-2) 390,400,400 00002820
390 IFSS3=IWS3 00002830
        IFSS2=IWS2 00002840
        GO TO 410 00002850
400 IFSS3=1 00002860
        GO TO 420 00002870
410 IF(IPRT.GE.0) WRITE(6,2540) (B(J),J=1,K) 00002880
        IF(IFSSI.NE.1) GO TO 420 00002890
        IF(IPRT.GE.0) WRITE(16,2540) (B(J),J=1,K) 00002900
420 CONTINUE 00002910
430 FORMAT(/11H -UNSCALED-) 00002920
C--THIS IS I=1 TO N SPECIAL NON-DO LOOP 00002930
450 I=1 00002940
        DO 460 J=1,K 00002950
460 CALL UNSCAL(B(J),BINV(J),SCALEP) 00002960
        IF(IPRT.LT.0) WRITE(6,2540) (BINV(J),J=1,K) 00002970
        IF(IFSSI.EQ.1.AND.IPRT.LT.0) WRITE(16,2540) (BINV(J),J=1,K) 00002980
        PHI=0.E0 00002990
        IF(IFSS2.EQ.0) GO TO 480 00003000
        GO TO 510 00003010
470 IF(IFSS2.EQ.1) GO TO 520 00003020
C      ..... 00003030
C      THIS IS THE ANALYTICAL P(J) ROUTINE 00003040
480 IWHER=1 00003050
C      GET P(J) AND F 00003060
        GO TO 30 00003070
490 IF(IP.LE.0) GO TO 640 00003080
        DO 500 II=1,IP 00003090
        IWS=IB(II) 00003100
500 P(IWS)=0.E0 00003110

```

```

GO TO 640                               00003120
C   .....                                00003130
C   THIS IS THE ESTIMATED P(J) ROUTINE    00003140
C   (VIA K.M. BROWN S METHOD)            00003150
510 CONTINUE                            00003160
  ISW=1                                 00003170
  IF(XL.LT.0.1E-3) ISW=2                00003180
520 IWHER=3                             00003190
  GO TO 30                             00003200
530 FWS=FINV                           00003210
  FSAV=F                               00003220
  DO 540 II=1,NPRNT                     00003230
540 SPRNT(II)=PRNT(II)                  00003240
  J=1                                  00003250
550 IF (IP.LE.0) GO TO 570             00003260
  DO 560 II=1,IP                         00003270
  IF ((J-IB(II)).EQ.0) GO TO 610       00003280
560 CONTINUE                            00003290
570 HH=DEL*ABS(BINV(J))                00003300
  IF(ISW.EQ.2) HH=1.E3*HH              00003310
  IF(HH.LE.5.E-5) HH=5.E-5            00003320
  TWS=B(J)                             00003330
  TWS1=BINV(J)                          00003340
  BINV(J)=TWS1+HH                      00003350
  IWHER=4                             00003360
  GO TO 30                             00003370
580 B(J)=TWS                           00003380
  BINV(J)=TWS1                         00003390
  IF(ISW.EQ.1) GO TO 600               00003400
C--CENTRAL DIFFERENCES (ISW=2--WHEN XL.LT..1E-3) 00003410
  FHH=FINV                            00003420
  BINV(J)=TWS1-HH                      00003430
  IWHER=5                             00003440
  GO TO 30                             00003450
590 B(J)=TWS                           00003460
  BINV(J)=TWS1                         00003470
  P(J)=.5E0*(FHH-FINV)/HH             00003480
  GO TO 620                           00003490
C--FORWARD DIFFERENCES (ISW=1--WHEN XL.GE..1E-3) 00003500
  600 P(J)=(FINV-FWS)/HH              00003510
  GO TO 620                           00003520
  610 P(J)=0.E0                         00003530
  620 J=J+1                           00003540
  IF ((J-K).LE.0) GO TO 550           00003550
  FINV=FWS                           00003560
  F=FSAV                            00003570
  DO 630 II=1,NPRNT                   00003580
  630 PRNT(II)=SPRNT(II)              00003590
C   END OF ESTIMATED P S ROUTINE      00003600
C   .....                                00003610
C   NOW, USE THE P(J) TO MAKE PARTIALS MATRIX 00003620
C--SET UP FOR SCALING PARTIAL DERIVATIVES AS SELECTED 00003630

```

```

640 IF(SCALEP-1) 650,710,730          00003640
650 IF(SCALEY-1) 750,660,690          00003650
660 DEN=1.0E0/FINV                   00003660
670 DO 680 JJ=1,K                     00003670
680 P(JJ)=P(JJ)*DEN                 00003680
    GO TO 750                         00003690
690 IF(IPRNT.LE.1) GO TO 700           00003700
    IF(ABS(X(I,IPRNT)).EQ.1.0) GO TO 660 00003710
700 DEN=1.0E0/SQRT(FINV*FINV+1.0E0) 00003720
    GO TO 670                         00003730
710 DO 720 JJ=1,K                     00003740
720 P(JJ)=BINV(JJ)*P(JJ)             00003750
    GO TO 650                         00003760
730 DO 740 JJ=1,K                     00003770
    DEN=BINV(JJ)+SQRT(BINV(JJ)**2+1.0E0) 00003780
740 P(JJ)=0.5E0*(DEN+1.0E0/DEN)*P(JJ) 00003790
    GO TO 650                         00003800
750 IF(IBKA.EQ.2) WRITE(13) (P(JJ),JJ=1,K) 00003810
    DO 760 JJ=1,K                     00003820
    G(JJ)=G(JJ)+WT(I)*(Y(I)-F)*P(JJ) 00003830
    DO 760 II=JJ,K                   00003840
    A(II,JJ)=A(II,JJ)+WT(I)*P(II)*P(JJ) 00003850
760 A(JJ,II)=A(II,JJ)                00003860
770 WS=Y(I)-F                       00003870
    IF (IFSS3.LE.0) GO TO 810          00003880
C--LAST ITERATION RESULTS AND DATA MATRIX FOR PRINTING 00003890
    IF(I.GT.1) GO TO 771             00003900
    IF(IOUT.EQ.0) GO TO 773           00003910
    WRITE(16,430)                    00003920
    WRITE(16,2550)                  00003930
773 IF(IPRT.LT.-1) WRITE(6,772)        00003940
772 FORMAT(/11H -UNSCALED-/3X,1HI,4X,3HOBS,11X,3HCAL,11X,3HRES, 00003950
    1 8X,6HX(I,1))                  00003960
771 IF(IPRT.LT.-1) WRITE(6,2700) I,Y(I),F,WS,PRNT(1) 00003970
    IF(NPRNT.GT.0) GO TO 790         00003980
    IF(IFSSI.NE.1) GO TO 780         00003990
    WRITE(16,2700) I,Y(I),F,WS       00004000
780 CONTINUE                          00004010
    GO TO 810                         00004020
790 CONTINUE                          00004030
    IF(IFSSI.NE.1) GO TO 800         00004040
    PERR=0.0                           00004050
    IF(F.NE.0.0) PERR=100.0*WS/ABS(F) 00004060
    WRITE(16,2700) I,Y(I),F,WS,PERR,(PRNT(JJ),JJ=1,NPRNT) 00004070
800 CONTINUE                          00004080
810 WS=Y(I)-F                       00004090
    PHI=PHI+WT(I)*WS*WS              00004100
    I=I+1                            00004110
    IF (I.LE.N) GO TO 470             00004120
C--THIS IS END OF I=1 TO N NON-DO LOOP 00004130
    IF(IBKA.NE.2) GO TO 860           00004140
C--PRINT UNSCALED PARTIALS SAVED ON FILE 13 (WHEN IBKA=2) 00004150

```

```

820 FORMAT(/20H -UNSCALED PARTIALS-)
  IF(IOUT.EQ.1) WRITE(16,820)
  REWIND 13
  DO 850 II=1,N
    READ(13) (SA(JJ),JJ=1,K)
830 FORMAT(2X,I3,5E18.8)
840 FORMAT(2X,I3,5E18.8/(5X,5E18.8))
  IF(IOUT.EQ.1.AND.K.NE.5) WRITE(16,840) II,(SA(JJ),JJ=1,K)
  IF(IOUT.EQ.1.AND.K.EQ.5) WRITE(16,830) II,(SA(JJ),JJ=1,K)
850 CONTINUE
  REWIND 13
  WRITE(6,430)
  IF(IOUT.EQ.1) WRITE(16,430)
860 CONTINUE
  IF (IP.LE.0) GO TO 890
  DO 880 JJ=1,IP
    IWS=IB(JJ)
    DO 870 II=1,K
      A(IWS,II)=0.E0
870 A(II,IWS)=0.E0
880 A(IWS,IWS)=1.E0
890 IF(IBKA-2) 900,1770,1780
C           SAVE SQUARE ROOTS OF DIAGONAL ELEMENTS          00004380
900 DO 910 I=1,K                                     00004390
910 SA(I)=SQRT(A(I,I))                           00004400
  DO 950 I=1,K                                     00004410
  DO 930 J=1,K                                     00004420
    WS=SA(I)*SA(J)
    IF (WS.GT.0.E0) GO TO 920
    A(I,J)=0.E0
    GO TO 930
920 A(I,J)=A(I,J)/WS                            00004470
930 CONTINUE
  IF (SA(I).GT.0.E0) GO TO 940                00004480
  G(I)=0.E0
  GO TO 950
940 G(I)=G(I)/SA(I)                            00004520
950 CONTINUE
  DO 960 I=1,K                                     00004530
960 A(I,I)=1.E0                                 00004550
  PHI2=PHI                                00004560
C           WE NOW HAVE PHI ZERO                  00004570
  IF(IBKT-1) 970,980,970                         00004580
970 WRITE (13) A
  REWIND 13
  GO TO 1000
980 DO 990 II=1,K
  III=II+10
  DO 990 JJ=1,K
990 A(III,JJ)=A(II,JJ)
C           .....                               00004660
1000 CONTINUE                                     00004670

```

```

IF (ITCT.GT.0) GO TO 1030          00004680
C           FIRST ITERATION        00004690
IF (XL.GT.0.E0) GO TO 1010        00004700
XL=0.01E0                          00004710
1010 ITCT=1                         00004720
DO 1020 J=1,K                      00004730
1020 BS(J)=B(J)                    00004740
C           BS(J) CORRESPONDS TO PHIZ 00004750
1030 IBKI=1                         00004760
WS=N-K+IP                          00004770
IF(N.GT.K) SE=SQRT(PHIZ/WS)        00004780
IF (IFSS3.GT.0) GO TO 1040        00004790
WRITE (6,2560) ITER,PHIZ,SE,XLL,GAMMA,XL 00004800
IF (IFSS1.NE.1) GO TO 1320        00004810
WRITE (16,2560) ITER,PHIZ,SE,XLL,GAMMA,XL 00004820
GO TO 1320                          00004830
1040   WRITE(6,2490) PHIZ,SE,XL      00004840
IF (IFSS1.NE.1) GO TO 1320        00004850
WRITE (16,2490) PHIZ,SE,XL        00004860
GO TO 1320                          00004870
1050 PHIL=PHI                      00004880
C           WE NOW HAVE PHI(LAMBDA) 00004890
DO 1060 J=1,K                      00004900
IF(ABS(DB(J)/(ABS(B(J))+TAU)).GE.E) GO TO 1080 00004910
1060 CONTINUE                        00004920
WRITE (6,2680)                      00004930
IF (IFSS1.NE.1) GO TO 1070        00004940
WRITE (16,2680)                      00004950
1070 CONTINUE                        00004960
GO TO 1670                          00004970
1080 IF (IWS4.EQ.0) GO TO 1110      00004980
IF (IWS4.EQ.1) GO TO 1090        00004990
IWS4=IWS4-1                         00005000
ITER=ITER+1                         00005010
GO TO 1110                          00005020
1090 WRITE (6,2690)                  00005030
IF (IFSS1.NE.1) GO TO 1100        00005040
WRITE (16,2690)                      00005050
1100 CONTINUE                        00005060
GO TO 1670                          00005070
1110 XKDB=1.E0                      00005080
IF (PHIL.GT.PHIZ) GO TO 1190      00005090
XLS=XL                            00005100
DO 1120 J=1,K                      00005110
BA(J)=B(J)                          00005120
1120 B(J)=BS(J)                    00005130
IF (XL.GT..00000001E0) GO TO 1140  00005140
DO 1130 J=1,K                      00005150
B(J)=BA(J)                          00005160
1130 BS(J)=B(J)                    00005170
GO TO 370                           00005180
1140 XL=XL/XNUFAC                 00005190

```

```

IBK1=2          00005200
GO TO 1320    00005210
1150 PHL4=PHI  00005220
C               WE NOW HAVE PHI(LAMBDA/XNUFAC)  00005230
IF (PHL4.GT.PHIZ) GO TO 1170  00005240
DO 1160 J=1,K  00005250
1160 BS(J)=B(J)  00005260
GO TO 370     00005270
1170 XL=XLS    00005280
C1170 CONTINUE 00005290
DO 1180 J=1,K  00005300
BS(J)=BA(J)   00005310
1180 B(J)=BA(J) 00005320
GO TO 370     00005330
1190 IBK1=4    00005340
XLS=XL        00005350
XL=XL/XNUFAC 00005360
DO 1200 J=1,K  00005370
1200 B(J)=BS(J) 00005380
GO TO 1320    00005390
1210 IF (PHI.LE.PHIZ) GO TO 1260  00005400
XL=XLS        00005410
IBK1=3        00005420
1220 XL=XL*XNUFAC 00005430
1230 DO 1240 J=1,K  00005440
1240 B(J)=BS(J)  00005450
GO TO 1320    00005460
1250 PHIT4=PHI  00005470
C               WE NOW HAVE PHI(XNUFAC*LAMBDA)  00005480
IF (PHIT4.GT.PHIZ) GO TO 1280  00005490
1260 DO 1270 J=1,K  00005500
1270 BS(J)=B(J)  00005510
GO TO 370     00005520
1280 IF (GAMMA.GE.GAMCR) GO TO 1220  00005530
XKDB=XKDB/2.E0 00005540
DO 1290 J=1,K  00005550
IF(ABS(DB(J))/(ABS(B(J))+TAU)).GE.E) GO TO 1230  00005560
1290 CONTINUE   00005570
DO 1300 J=1,K  00005580
1300 B(J)=BS(J) 00005590
MAXITR=MAXITR-1 00005600
WRITE (6,2740) 00005610
IF (IFSS1.NE.1) GO TO 1310  00005620
WRITE (16,2740) 00005630
1310 CONTINUE   00005640
GO TO 1670     00005650
C               ..... 00005660
C               ..... 00005670
C               SET UP FOR MATRIX INVERSION 00005680
1320 IF(IBKT-1) 1330,1340,1330  00005690
1330 READ (13) A  00005700
REWIND 13      00005710

```

```

GO TO 1360                               00005720
1340 DO 1350 II=1,K                      00005730
      III=II+10                         00005740
      DO 1350 JJ=1,K                      00005750
1350 A(II,JJ)=A(III,JJ)                  00005760
1360 DO 1370 I=1,K                      00005770
1370 A(I,I)=A(I,I)+XL                  00005780
C           GET INVERSE OF A AND SOLVE FOR DB(J)S 00005790
  IBKM=1                                00005800
C   .....                                     00005810
C           THIS IS THE MATRIX INVERSION ROUTINE 00005820
C           K IS THE SIZE OF THE MATRIX        00005830
1380 IF(K.EQ.1) GO TO 1390                00005840
      CALL GJR (A,K,ZETA,MSING)            00005850
      IF(MSING-1) 1400,1400,1381          00005860
1381 CALL ERRMSG(20HSINGULAR MATRIX.....,4,6,16) 00005870
C--SPECIAL CASE, K=1                    00005880
  1390 A(1,1)=1.0/A(1,1)                  00005890
  1400 IF(IBKM-1) 1410,1410,1840          00005900
C           END OF MATRIX INVERSION, SOLVE FOR DB(J) 00005910
  1410 DO 1430 I=1,K                      00005920
      DB(I)=0.E0                          00005930
      DO 1420 J=1,K                      00005940
  1420 DB(I)=A(I,J)*G(J)+DB(I)          00005950
  1430 DB(I)=XKDB*DB(I)                 00005960
      XLL=0.E0                           00005970
      DTG=0.E0                           00005980
      GTG=0.E0                           00005990
      DO 1440 J=1,K                      00006000
      DB(J)=DB(J)/SA(J)                 00006010
      DTG=DTG+DB(J)*G(J)                00006020
      GTG=GTG+G(J)**2                  00006030
      B(J)=B(J)+DB(J)                  00006040
  1440 XLL=XLL+DB(J)*DB(J)              00006050
      KIP=K-IP                           00006060
      IF (KIP.EQ.1) GO TO 1480          00006070
      CGAM=DTG/SQRT(XLL*GTG)            00006080
      JGAM=1                             00006090
      IF (CGAM.GT.0.E0) GO TO 1450          00006100
      CGAM=ABS(CGAM)                   00006110
      JGAM=2                             00006120
  1450 GAMMA=57.2957795E0*(1.5707288E0+CGAM*(-0.2121144E0 00006130
      1+CGAM*(0.074261E0-CGAM* 00006140
      2.0187293E0)))*SQRT(1.0E0-CGAM) 00006150
      IF(JGAM-1) 1460,1490,1460          00006160
  1460 GAMMA=180.E0-GAMMA               00006170
      IF (XL.LT.1.0E0) GO TO 1490          00006180
      WRITE (6,2670) XL,GAMMA             00006190
      IF (IFSSI.NE.1) GO TO 1470          00006200
      WRITE (16,2670) XL,GAMMA            00006210
  1470 CONTINUE                         00006220
      GO TO 1670                         00006230

```

```

1480 GAMMA=0.E0          00006240
1490 XLL=SQRT(XLL)       00006250
  IBK2=1                 00006260
  GO TO 1540             00006270
1500 IF (IFSS3.LE.0) GO TO 1530 00006280
  WRITE (6,2500) (DB(J),J=1,K) 00006290
  IF (IFSS1.NE.1) GO TO 1510 00006300
  WRITE (16,2500) (DB(J),J=1,K) 00006310
1510 CONTINUE             00006320
  WRITE (6,2510) PHI,XL,GAMMA,XLL 00006330
  IF (IFSS1.NE.1) GO TO 1520 00006340
  WRITE (16,2510) PHI,XL,GAMMA,XLL 00006350
1520 CONTINUE             00006360
C--PRESET XNUFAC--(IF MODLAM='1) 00006370
  1530 GO TO (1570,1150,1250,1210),IBK1 00006380
C
C   ..... 00006390
C   CALCULATE PHI 00006400
C   00006410
1540 I=1                  00006420
  DO 1550 JJ=1,K           00006430
1550 CALL UNSCAL(B(JJ),BINV(JJ),SCALEP) 00006440
  PHI=0.E0                00006450
  IWHER=2                 00006460
  GO TO 30                00006470
1560 PHI=PHI+WT(I)*(Y(I)-F)**2 00006480
  I=I+1                  00006490
  IF (I.LE.N) GO TO 30    00006500
  GO TO (1500,2290,1770,2200,2220,2240),IBK2 00006510
C=====
C--DETERMINE AN EFFECTIVE MARQUARDT LAMBDA FACTOR (XNUFAC) 00006520
C BASED ON HISTORY OF SUM OF SQUARES STORED IN LATEST SS(4)-- 00006530
1570 IF(MODLAM.EQ.0) GO TO 1050 00006550
  SS(ISS)=PHI            00006560
  INU0=INU               00006570
  GO TO (1590,1580,1600,1610),ISS            00006580
C--MACHINE FAILURE IF ISS.GT.4 OR ISS.LT.1 00006590
C-- STOP 4               00006600
1580 IS1=0                 00006610
  IF(SS(2).GT.SS(1)) IS1=1 00006620
1590 ISS=ISS+1              00006630
  GO TO 1660              00006640
1600 IS2=0                 00006650
  IF(SS(3).GT.SS(2)) IS2=1 00006660
  IF(IS1.EQ.IS2) GO TO 1590 00006670
  INU=INU0-1              00006680
  GO TO 1590              00006690
1610 IS3=0                 00006700
  IF(SS(4).GT.SS(3)) IS3=1 00006710
  IF(IS1.EQ.IS2.AND.IS3.EQ.IS2) GO TO 1620 00006720
  IF(IS1.EQ.0.AND.IS2.EQ.0.AND.IS3.EQ.1) GO TO 1640 00006730
  IF(IS1.EQ.1.AND.IS2.EQ.0.AND.IS3.EQ.1) GO TO 1640 00006740
  IF(IS1.EQ.1.AND.IS2.EQ.1.AND.IS3.EQ.0) GO TO 1640 00006750

```

```

GO TO 1650                               00006760
1620 IF(IS1.EQ.0) GO TO 1630             00006770
    IF(INU0.GE.3) GO TO 1650             00006780
    INU=3                                00006790
    GO TO 1650                           00006800
1630 IF(INU0.GE.5) GO TO 1650             00006810
    INU=INU0+1                          00006820
    GO TO 1650                           00006830
1640 IF(INU0.LE.1) GO TO 1650             00006840
    INU=INU0-1                          00006850
1650 IS1=IS2                            00006860
    IS2=IS3                            00006870
    SS(3)=SS(4)                         00006880
1660 XNUFAC=XNU(INU)                   00006890
    GO TO 1050                           00006900
C                                         00006910
C                                         00006920
C                                         00006930
C ..... THIS IS THE CONFIDENCE LIMIT CALCULATION 00006940
1670 ITR=MAXITR-IWS4+1                  00006950
    WRITE(6,1680) ITR                   00006960
1680 FORMAT(1X,I4,11H ITERATIONS)        00006970
    IF(IFSS1.EQ.1) WRITE(16,1680) ITR   00006980
    DO 1690 J=1,K                      00006990
    CALL UNSCAL(BS(J),BINV(J),SCALEP)   00007000
    BS(J)=BINV(J)                      00007010
1690 B(J)=BS(J)                        00007020
    WRITE(6,2520) TITLE                 00007030
    IF (IFSS1.NE.1) GO TO 1700          00007040
    WRITE(16,2520) TITLE                 00007050
1700 CONTINUE                           00007060
    IBKA=2                             00007070
C--UNSCALE BOTH PARAMETER AND OBSERVATION SPACES PRIOR 00007080
C TO FINAL STATISTICS ON LAST INTERATION--AND WHERE      00007090
C IBKA=2, IFSS3=0..                           00007100
C ..... THIS WILL PRINT OBS,CAL,RES,ETC.           00007110
C AND SAVE UNSCALED PARTIALS ON FILE FILE13..       00007120
    IF(IPRT.GE.0) WRITE(6,1710) (BINV(J),J=1,K)     00007130
1710 FORMAT(/28H -FINAL UNSCALED PARAMETERS-/(12X,4E17.8)) 00007140
    IF(IFSS1.EQ.1.AND.IPRNT.GE.0) WRITE(16,1710) (BINV(J),J=1,K)
    IF(SCALEY.EQ.0) GO TO 1760               00007150
    DO 1750 I=1,N                           00007160
    IF(SCALEY.NE.1) GO TO 1730               00007170
1720 Y(I)=EXP(Y(I))                     00007180
    GO TO 1750                           00007190
1730 IF(IPRNT.LE.1) GO TO 1740           00007210
    IF(ABS(X(I,IPRNT)).EQ.1.0) GO TO 1720   00007220
1740 Y(I)=SINH(Y(I))                   00007230
1750 CONTINUE                           00007240
1760 LSCALP=SCALEP                      00007250
    LSCALY=SCALEY                      00007260
    SCALEP=0                            00007270

```

```

SCALEY=0          00007280
GO TO 370        00007290
1770 CONTINUE    00007300
1780 WS=N-K+IP   00007310
IF(N.GT.K) SE=SQRT(PHI/WS) 00007320
PHIZ=PHI         00007330
WRITE (6,2490) PHIZ,SE,XL 00007340
IF (IFSSI.NE.1) GO TO 1790 00007350
WRITE (16,2490) PHIZ,SE,XL 00007360
C
C           WE NOW HAVE MATRIX A
1790 IF(IBKT-1) 1800,1810,1800 00007370
1800 WRITE (13) A               00007380
REWIND 13         00007390
GO TO 1830       00007400
1810 DO 1820 II=1,K            00007410
III=II+10        00007420
DO 1820 JJ=1,K            00007430
1820 A(III,JJ)=A(II,JJ)      00007440
1830 IBKM=2           00007450
GO TO 1380       00007460
C
C           WE NOW HAVE C = A INVERSE
1840 DO 1850 J=1,K            00007470
IF (A(J,J).LT.0.E0) GO TO 1860 00007480
1850 SA(J)=SQRT(A(J,J))     00007490
GO TO 1870       00007500
1860 IBOUT=1          00007510
1870 KST=-4           00007520
IF (IFSSI.NE.1) GO TO 1880 00007530
WRITE (16,2600)      00007540
1880 KST=KST+5          00007550
KEND=KST+4          00007560
IF (KEND.LT.K) GO TO 1890 00007570
KEND=K             00007580
1890 DO 1910 I=1,K          00007590
IF (IFSSI.NE.1) GO TO 1900 00007600
WRITE (16,2620) I,(A(I,J),J=KST,KEND) 00007610
1900 CONTINUE          00007620
1910 CONTINUE          00007630
IF (KEND.LT.K) GO TO 1880 00007640
IF (IBOUT.EQ.0) GO TO 1920 00007650
WRITE (6,2760)      00007660
IF (IFSSI.NE.1) GO TO 220 00007670
WRITE (16,2760)      00007680
GO TO 220          00007690
1920 DO 1940 I=1,K          00007700
DO 1940 J=1,K          00007710
WS=SA(I)*SA(J)        00007720
IF (WS.GT.0.E0) GO TO 1930 00007730
A(I,J)=0.E0          00007740
GO TO 1940          00007750
                                         00007760
                                         00007770
                                         00007780
                                         00007790

```

```

1930 A(I,J)=A(I,J)/WS          00007800
1940 CONTINUE                   00007810
      DO 1950 J=1,K             00007820
1950 A(J,J)=1.E0               00007830
      IF (IFSS1.NE.1) GO TO 1960 00007840
      WRITE (16,2610)            00007850
1960 CONTINUE                   00007860
      KST=-9                   00007870
1970 KST=KST+10                00007880
      KEND=KST+9               00007890
      IF (KEND.LT.K) GO TO 1980 00007900
      KEND=K                   00007910
1980 DO 2000 I=1,K             00007920
      IF (IFSS1.NE.1) GO TO 1990 00007930
      WRITE (16,2750) I,(A(I,J),J=KST,KEND) 00007940
1990 CONTINUE                   00007950
2000 CONTINUE                   00007960
      IF (KEND.LT.K) GO TO 1970 00007970
C           GET T*SE*SQRT(C(I,I)) 00007980
      DO 2010 J=1,K             00007990
2010 SA(J)=SE*SA(J)           00008000
      IF (IBKT-1) 2020,2030,2020 00008010
2020 READ (13) A              00008020
      REWIND 13                 00008030
      GO TO 2050                00008040
2030 DO 2040 II=1,K           00008050
      III=II+10                00008060
      DO 2040 JJ=1,K             00008070
2040 A(II,JJ)=A(III,JJ)       00008080
2050 CONTINUE                   00008090
      WRITE (6,2640)             00008100
      IF (IFSS1.NE.1) GO TO 2060 00008110
      WRITE (16,2630)             00008120
2060 CONTINUE                   00008130
      WS=K-IP                  00008140
      DO 2120 J=1,K             00008150
      IF (IP.LE.0) GO TO 2080    00008160
      DO 2070 I=1,IP             00008170
      IF (J.EQ.IB(I)) GO TO 2100 00008180
2070 CONTINUE                   00008190
C
C--COMPUTE STD.ERR, CONF. LIMITS, AND STD.ERR/PARM. 00008200
C
2080 HJTD=SQRT(WS*FF)*SA(J)   00008210
      STE=SA(J)                 00008220
      TWS=STE*T                  00008230
      OPL=BINV(J)-TWS           00008240
      OPU=BINV(J)+TWS           00008250
      SPL=BINV(J)-HJTD          00008260
      SPU=BINV(J)+HJTD          00008270
      HJTD=0.0                   00008280
      IF (BINV(J).NE.0.0) HJTD=STE/BINV(J) 00008290
                                         00008300
                                         00008310

```

```

        WRITE (6,2720) J,STE,OPL,OPU,HJTD          00008320
        IF (IFSS1.NE.1) GO TO 2090              00008330
        WRITE (16,2720) J,STE,OPL,OPU,SPL,SPU,HJTD 00008340
2090 CONTINUE                                00008350
        GO TO 2120                                00008360
2100 WRITE (6,2570) J                         00008370
        IF (IFSS1.NE.1) GO TO 2110              00008380
        WRITE (16,2570) J                         00008390
2110 CONTINUE                                00008400
2120 CONTINUE                                00008410
C           NONLINEAR CONFIDENCE LIMIT          00008420
        IF (IWS6.EQ.1.OR.N.EQ.K) GO TO 220      00008430
        WS=K-IP                                00008440
        WS1=N-K+IP                            00008450
        PKN=WS/WS1                            00008460
        PC=PHIZ*(1.E0+FF*PKN)                  00008470
        WRITE (6,2650) PC                      00008480
        IF (IFSS1.NE.1) GO TO 2130              00008490
        WRITE (16,2650) PC                      00008500
2130 CONTINUE                                00008510
        WRITE (6,2660)                          00008520
        IF (IFSS1.NE.1) GO TO 2140              00008530
        WRITE (16,2660)                          00008540
2140 CONTINUE                                00008550
        IFSS3=1                                00008560
C--       NON- DO LOOP J=1,K                  00008570
C (SINCE CONTROL JUMPS OUT AND BACK INSIDE LOOP) 00008580
        J=1                                    00008590
2150 IBKP=1                                00008600
        DO 2160 JJ=1,K                        00008610
2160 B(JJ)=BS(JJ)                          00008620
        IF (IP.LE.0) GO TO 2180              00008630
        DO 2170 JJ=1,IP                      00008640
        IF (J.EQ.IB(JJ)) GO TO 2380          00008650
2170 CONTINUE                                00008660
2180 DD=-1.E0                                00008670
        IBKN=1                                00008680
2190 D=DD                                  00008690
        B(J)=BS(J)+D*SA(J)                00008700
        IBK2=4                                00008710
        GO TO 1540                            00008720
2200 PHI1=PHI                             00008730
        IF (PHI1.GE.PC) GO TO 2230          00008740
2210 D=D+DD                                00008750
        IF (D/DD.GE.5.E0) GO TO 2420          00008760
        B(J)=BS(J)+D*SA(J)                00008770
        IBK2=5                                00008780
        GO TO 1540                            00008790
2220 PHID=PHI                             00008800
        IF (PHID.LT.PC) GO TO 2210          00008810
        IF (PHID.GE.PC) GO TO 2250          00008820
2230 D=D/2.E0                                00008830

```

IF (D/DD.LE..001E0) GO TO 2420	00008840
B(J)=BS(J)+D*SA(J)	00008850
IBK2=6	00008860
GO TO 1540	00008870
2240 PHID=PHI	00008880
IF (PHID.GT.PC) GO TO 2230	00008890
2250 XK1=PHIZ/D+PHI1/(1.E0-D)+PHID/(D*(D-1.E0))	00008900
XK2=-(PHIZ*(1.E0+D)/D+D/(1.E0-D)*PHI1+PHID/(D*(D-1.E0)))	00008910
XK3=PHIZ-PC	00008920
BC=(SQRT(XK2*XK2-4.E0*XK1*XK3)-XK2)/(2.E0*XK1)	00008930
IF(IBKN-1) 2260,2260,2270	00008940
2260 B(J)=BS(J)-SA(J)*BC	00008950
GO TO 2280	00008960
2270 B(J)=BS(J)+SA(J)*BC	00008970
2280 IBK2=2	00008980
GO TO 1540	00008990
2290 IF(IBKN-1) 2300,2300,2310	00009000
2300 IBKN=2	00009010
DD=1.E0	00009020
BL=B(J)	00009030
PL=PHI	00009040
GO TO 2190	00009050
2310 BU=B(J)	00009060
PU=PHI	00009070
GO TO (2320,2340,2360,2400), IBKP	00009080
2320 WRITE (6,2620) J,BL,PL,BU,PU	00009090
IF (IFSS1.NE.1) GO TO 2330	00009100
WRITE (16,2620) J,BL,PL,BU,PU	00009110
2330 CONTINUE	00009120
GO TO 2470	00009130
2340 WRITE (6,2590) J,BU,PU	00009140
IF (IFSS1.NE.1) GO TO 2350	00009150
WRITE (16,2590) J,BU,PU	00009160
2350 CONTINUE	00009170
GO TO 2470	00009180
2360 WRITE (6,2620) J,BL,PL	00009190
IF (IFSS1.NE.1) GO TO 2370	00009200
WRITE (16,2620) J,BL,PL	00009210
2370 CONTINUE	00009220
GO TO 2470	00009230
2380 WRITE (6,2570) J	00009240
IF (IFSS1.NE.1) GO TO 2390	00009250
WRITE (16,2570) J	00009260
2390 CONTINUE	00009270
GO TO 2470	00009280
2400 WRITE (6,2580) J	00009290
IF (IFSS1.NE.1) GO TO 2410	00009300
WRITE (16,2580) J	00009310
2410 CONTINUE	00009320
GO TO 2470	00009330
2420 IF(IBKN-1) 2430,2430,2440	00009340
C DELETE LOWER PRINT	00009350

2430 IBKP=2	00009360
GO TO 2290	00009370
2440 IF(IBKP-1) 2450,2450,2460	00009380
C DELETE UPPER PRINT	00009390
2450 IBKP=3	00009400
GO TO 2290	00009410
C LOWER IS ALREADY DELETED, SO DELETE BOTH	00009420
2460 IBKP=4	00009430
GO TO 2290	00009440
C--END OF NON- DO LOOP J=1,K	00009450
2470 J=J+1	00009460
IF(J.LE.K) GO TO 2150	00009470
GO TO 220	00009480
C.....	00009490
2480 FORMAT(18A4)	00009500
2490 FORMAT(/13X,4H PHI,14X,4H S E,9X,7H LAMBDA/5X,2E18.8,E13.3)	00009510
2500 FORMAT (/12H INCREMENTS ,4E17.8/(12X,4E17.8))	00009520
2510 FORMAT (13X,4H PHI10X,7H LAMBDA6X,7H GAMMA .6X,7H LENGTH/5X,E18.8,300009530 1E13.3)	00009540
2520 FORMAT(16H1M A R Q R T --,5X,16A5)	00009550
2530 FORMAT(/5H N = ,I4,8X,4HK = ,I3,9X,5HIP = ,I3,8X,4HM = ,I2,10X, 1 6HGAMCR=E9.3/5H DEL=E10.3,2X,9HMODLAM = ,I1,6X,3HFF=E10.3,3X, 2 2HT=E10.3,4X,2HE=E10.3/5H TAU=E10.3,2X,3HXL=E10.3,3X, 3 5HZETA=E10.3,8H IALT = ,I2,7X,8HISTOP = ,I1/7H IWT = ,I1,9X, 4 7HIDER = ,I1,8X,7HIPRT = ,I2,7X,8HNITER = ,I4,4X,7HINON = ,I1/ 5 8H IOUT = ,I2,7X, 6 8HNPRNT = ,I1,7X,9HSCALEP = ,I1,6X,9HSCALEY = ,I1/)	00009560
2540 FORMAT (/12H PARAMETERS ,4E17.8/(12X,4E17.8))	00009630
2550 FORMAT(3X,1HI,4X,8HOBS.Y(I),6X,3HCAL,11X,3HRES,8X,8HZRES.ERR,6X, 1 6HX(I,1),8X,6HX(I,2),8X,6HX(I,3),8X,6HX(I,4),8X,6HX(I,5))	00009640
2560 FORMAT(/1X,4HITER,8X,4H PHI,14X,4H S E,11X,7H LENGTH,6X, 1 7H GAMMA ,6X,7H LAMBDA/1X,I4,2E18.8,3E13.3)	00009660
2570 FORMAT (2X,I3,20H PARAMETER NOT USED)	00009680
2580 FORMAT (2X,I3,12H NONE FOUND)	00009690
2590 FORMAT (2X,I3,36X,2E18.8)	00009700
2600 FORMAT (1H /13H PTP INVERSE)	00009710
2610 FORMAT (1H /30H PARAMETER CORRELATION MATRIX)	00009720
2620 FORMAT (2X,I3,5E18.8)	00009730
2630 FORMAT(/4X,13HPARAMETER STD,17X,15HONE - PARAMETER,21X, 1 14H SUPPORT PLANE/11X,6H ERROR,12X,6H LOWER,12X,6H UPPER,12X, 2 6H LOWER,12X,6H UPPER,10X,14HSTD.ERROR/PARM)	00009740
2640 FORMAT(/4X,13HPARAMETER STD,17X,15HONE - PARAMETER/11X, 1 6H ERROR,12X,6H LOWER,12X,6H UPPER,10X,14HSTD.ERROR/PARM)	00009770
2650 FORMAT (/30H NONLINEAR CONFIDENCE LIMITS //13H PHI CRITICAL, 1 E15.8)	00009780
2660 FORMAT (1H /6H PARA6X,8H LOWER B8X,10H LOWER PHI10X,8H UPPER B8X, 110H UPPER PHI)	00009810
2670 FORMAT (/19H -GAMMA LAMBDA TEST,5X,2E13.3)	00009820
2680 FORMAT (/15H -EPSILON TEST)	00009830
2690 FORMAT (/12H -FORCE OFF)	00009840
2700 FORMAT(1X,I3,2E14.6,E11.3,6E14.6)	00009850
2720 FORMAT (2X,I3,6E18.8)	00009860

```

2730 FORMAT (1H ) 00009880
2740 FORMAT (/20H -GAMMA EPSILON TEST) 00009890
2750 FORMAT (3X,I5,2X,10F10.4) 00009900
2760 FORMAT (/27H NEGATIVE DIAGONAL ELEMENT) 00009910
END 00009920

C SUBROUTINE CJR (A,N,EPS,MSING) 00009930
GAUSS-JORDAN-RUTISHAUSER MATRIX INVERSION WITH DOUBLE PIVOTING. 00009940
DIMENSION A(20,20),B(20),C(20),P(20),Q(20) 00009950
INTEGER P,Q 00009960
MSING=1 00009970
DO 140 K=1,N 00009980
C DETERMINATION OF THE PIVOT ELEMENT 00009990
PIVOT=0.E0 00010000
DO 20 I=K,N 00010010
DO 20 J=K,N 00010020
IF(ABS(A(I,J))-ABS(PIVOT)) 20,20,10 00010030
10 PIVOT=A(I,J) 00010040
P(K)=I 00010050
Q(K)=J 00010060
20 CONTINUE 00010070
IF(ABS(PIVOT)-EPS) 220,220,30 00010080
C EXCHANGE OF THE PIVOTAL ROW WITH THE KTH ROW 00010090
30 IF (P(K)-K) 40,60,40 00010100
40 DO 50 J=1,N 00010110
L=P(K) 00010120
Z=A(L,J) 00010130
A(L,J)=A(K,J) 00010140
50 A(K,J)=Z 00010150
C EXCHANGE OF THE PIVOTAL COLUMN WITH THE KTH COLUMN 00010160
60 IF (Q(K)-K) 70,90,70 00010170
70 DO 80 I=1,N 00010180
L=Q(K) 00010190
Z=A(I,L) 00010200
A(I,L)=A(I,K) 00010210
80 A(I,K)=Z 00010220
90 CONTINUE 00010230
C JORDAN STEP 00010240
DO 130 J=1,N 00010250
IF (J-K) 110,100,110 00010260
100 B(J)=1.0E0/PIVOT 00010270
C(J)=1.0E0 00010280
GO TO 120 00010290
110 B(J)=-A(K,J)/PIVOT 00010300
C(J)=A(J,K) 00010310
120 A(K,J)=0.0E0 00010320
130 A(J,K)=0.0E0 00010330
DO 140 I=1,N 00010340
DO 140 J=1,N 00010350
140 A(I,J)=A(I,J)+C(I)*B(J) 00010360
C REORDERING THE MATRIX 00010370
DO 200 M=1,N 00010380

```

```

K=N-M+1                                00010390
IF (P(K)-K) 150,170,150                00010400
150 DO 160 I=1,N                         00010410
    L=P(K)
    Z=A(I,L)
    A(I,L)=A(I,K)
160 A(I,K)=Z                            00010420
170 IF (Q(K)-K) 180,200,180             00010430
180 DO 190 J=1,N                         00010440
    L=Q(K)
    Z=A(L,J)
    A(L,J)=A(K,J)
190 A(K,J)=Z                            00010450
200 CONTINUE                           00010460
210 RETURN                               00010470
220 PRINT 230, P(K),Q(K),PIVOT          00010480
230 FORMAT (/16H SINGULAR MATRIX3H I=I3,3H J=I3,7H PIVOT=E16.8/) 00010490
MSING=2                                 00010500
GO TO 210                               00010510
END                                     00010520
                                         00010530
                                         00010540
                                         00010550
                                         00010560
                                         00010570
                                         00010580

SUBROUTINE UNSCAL(BIN,BOUT,SCALEP)        00010590
C// MODIFIED TO TRAP ERRORS >10**38 ON MULTICS 00010600
C--UNSCALE PARmeter BIN TO BOUT VIA SCALEP 00010610
    INTEGER SCALEP                      00010620
    IF(SCALEP-1) 10,20,30                00010630
10  BOUT=BIN                           00010640
    GO TO 40                            00010650
20  IF(BIN.GT.88.028) GO TO 99          00010660
    BOUT= EXP_(BIN)                     00010670
    GO TO 40                            00010680
30  BOUT= SINH(BIN)                   00010690
40  RETURN                               00010700
99  WRITE(6,699) BIN                  00010710
    WRITE(16,699) BIN                 00010720
699  FORMAT('0"UNSCAL" ARG=','E16.8,'>88.028 FOR EXP_() ON MULTICS') 00010730
&   '--CHECK ALL SPARMS AND DATA --IF OK, THEN--' / 00010740
&   '--TRY RESTARTING WITH DIFFERENT SCALING OPTION(S) --OR--' / 00010750
&   '--RESTART WITH BETTER "GUESSED" STARTING PARAMETERS.') 00010760
    CALL CLOSE_FILE('-ALL')            00010770
    STOP                                 00010780
    END                                  00010790

REAL FUNCTION ASINH(X)                  00010800
C--INVERSE HYPERBOLIC SIN FUNCTION    00010810
C
    REAL*8 X2                          00010820
    X2=X                            00010830
    ASINH=DLOG(X2+DSQRT(X2*X2+1.0D0)) 00010840
    RETURN                           00010850
    END                                00010860
                                         00010870

```

```

SUBROUTINE ERRMSG(MSG,M5,I6,I9)          00010880
C--ERROR MESSAGE WRITE ROUTINE AND STOP, WHERE-- 00010890
C                                         00010900
C     MSG= ANY MULTIPLE OF 5 CHARACTERS--MAX. OF 120 00010910
C             (USE NH----- FORM FOR ANSI COMPATABILITY) 00010920
C     M5= NO.CHARS IN MSG/5 (REMAINDER MUST BE 0) 1.LE.M5.LE.24 00010930
C     I6= 1ST UNIT FOR WRITE(I6, ) MSG -- USUALLY I6=6 FOR LPT. 00010940
C             IF I6.LE.0 UNIT I6 IGNORED. 00010950
C     I9= 2ND UNIT FOR WRITE(I9, ) MSG -- 00010960
C             IF I9.LE.0, UNIT I9 IGNORED. 00010970
C--MESSAGE WRITTEN IN FORM-- 00010980
C     /ERROR--MSG HERE 00010990
C                                         00011000
C     DIMENSION MSG(30) 00011010
C     J=5*M5 00011020
C     K=J/4+MOD(J,4) 00011030
C     IF(I6.GT.0) WRITE(I6,10) (MSG(I),I=1,K) 00011040
10 FORMAT(/8H ERROR--,30A4) 00011050
C     IF(I9.GT.0) WRITE(I9,10) (MSG(I),I=1,K) 00011060
C     CALL CLOSE_FILE('-ALL') 00011070
C                                         00011080
C     STOP 00011090
C     END 00011100
C
SUBROUTINE POLAR2(Z,AMP,PHZ180)          00011110
C     PARMs Z = GIVEN COMPLEX COORDS Z=(X,Y) 00011120
C             AMP= COMPUTED AMPLITUDE. 00011130
C             PHZ180 = COMPUTED PHASE IN (-180.0,180.0) DEGREES. 00011140
C                                         00011150
C     COMPLEX Z 00011160
DATA PI,PI2/3.1415927,6.2831853/ 00011170
ZR=REAL(Z) 00011180
ZI=AIMAG(Z) 00011190
IF(ZR.EQ.0.AND.ZI.EQ.0) GO TO 9 00011200
PV=ATAN2(ABS(ZI),ABS(ZR)) 00011210
IF(ZI.GE.0.AND.ZR.GE.0) GO TO 10 00011220
IF(ZI.GE.0.AND.ZR.LT.0) GO TO 20 00011230
IF(ZI.LT.0.AND.ZR.LE.0) GO TO 30 00011240
RAD=PI2-PV 00011250
GO TO 40 00011260
9 PHZ180=0. 00011270
AMP=0. 00011280
RETURN 00011290
10 RAD=PV 00011300
GO TO 40 00011310
20 RAD=PI-PV 00011320
GO TO 40 00011330
30 RAD=PI+PV 00011340
40 AMP=SQRT(ZR*ZR+ZI*ZI) 00011350
PHZ180=57.29577951*RAD 00011360
IF(PHZ180.GT.180.0) PHZ180=PHZ180-360.0 00011370
RETURN 00011380

```

```

END                                00011390

SUBROUTINE RECUR1(G,V1,F1)          00011400
--BACKWARD RECURRENCE FOR COMPLEX V1,F1 GIVEN REAL*4 ARGUMENT G AND: 00011410
COMMON/MODEL/ PARAMETERS:          00011420
C      K(10) = NORMALIZED CONDUCTIVITY ARRAY (M VALUES, WHERE K(1)=1.0). 00011430
C      D(9)   = LAYER THICKNESS ARRAY (M-1 VALUES) D=2*THICKNESS/DEL. 00011440
C      M      = NUMBER LAYERS (M.GE.1.AND.M.LE.10)                   00011450
C                  SPECIAL CASE WHEN M=1 (HOMOGENEOUS--D IGNORED)        00011460
C
--NOTE: G,K,D ARE REAL*4           00011470
C
C
COMMON/MODEL/K,D,M                00011510
REAL*4 K(10),D(9)                 00011520
COMPLEX C,VM,V1,F1,EVD,ONE       00011530
DATA ONE/(1.0,0.0)/               00011540
F1=ONE                            00011550
G2=G*G                            00011560
VM=CSQRT(CMPLX(G2,2.0*K(M)))    00011570
IF(M.EQ.1) GO TO 2               00011580
J=M-1                            00011590
1 V1=CSQRT(CMPLX(G2,2.0*K(J)))  00011600
EVD=CEXP(-V1*D(J))              00011610
C=(ONE-EVD)/(ONE+EVD)            00011620
F1=(VM*F1+V1*C)/(V1+VM*F1*C)   00011630
IF(J.EQ.1) GO TO 3               00011640
J=J-1                            00011650
VM=V1                            00011660
GO TO 1                           00011670
2 V1=VM                          00011680
3 RETURN                         00011690
END                               00011700

SUBROUTINE RECURF(G,DEL,SIG1,V1,F1,PF1,JJ) 00011710
--GET PF1=PARTIAL OF F1 W/R PARM. JJ, EVALUATED AT 00011720
C THE GIVEN G,DEL, AND SIG1 (OTHER MODEL PARMS IN COMMON/MODEL/) 00011730
C ALSO GIVEN ARE V1,F1 AS IN RECUR1.          00011740
C
IMPLICIT COMPLEX (A-H,O-Z)         00011750
REAL K,D,G,G2,DEL,SIG1            00011760
COMMON/MODEL/K,D,M                00011770
DIMENSION K(10),D(9)              00011780
DATA ONE,ZERO,CI/(1.0,0.0),(0.0,0.0),(0.0,1.0)/ 00011790
TWODEL=CMPLX(2.0/DEL,0.0)         00011800
JJM=JJ-M                          00011810
FM=ONE                            00011820
PF1=ZERO                          00011830
30 G2=G*G                          00011840
VM=CSQRT(CMPLX(G2,2.0*K(M)))    00011850
50 IF(M.EQ.1) GO TO 150           00011860
--INITIALIZE PARTIAL INDEX J=M-1 (NUM. INDEX) 00011870
                                         00011880

```

```

J=M-1          00011890
C--LOOP ON J INDEX 00011900
    70 V1=CSQRT(CMPLX(C2,2.0*K(J))) 00011910
        EVD=CEXP(-V1*D(J)) 00011920
    90 EVD1=ONE+EVD 00011930
        E1=(ONE-EVD)/EVD1 00011940
        E11=ONE+E1 00011950
        T=VM*FM 00011960
        DEN=V1+T*E1 00011970
        F1=(T+V1*E1)/DEN 00011980
        IF(JJ.LE.M) GO TO 100 00011990
C--RECUR FOR PF1 W/R DIST 00012000
    EMD1=ZERO 00012010
    IF(JJM.EQ.J) EMD1=(TWODEL*V1*EVD*E11)/EVD1 00012020
    PF1=((VM*PF1+V1*EMD1)-F1*VM*(FM*EMD1+E1*PF1))/DEN 00012030
    GO TO 140 00012040
C--RECUR FOR PF1 W/R SIGMA 00012050
    100 VMS=ZERO 00012060
        VMS1=ZERO 00012070
        EMS1=ZERO 00012080
        IF(JJ.EQ.1) GO TO 110 00012090
        IF(J+1.EQ.JJ) VMS=CI/(SIG1*VM) 00012100
        IF(J.EQ.JJ) VMS1=CI/(SIG1*V1) 00012110
        GO TO 120 00012120
    110 IF(M.GT.1) VMS=-CI*K(J+1)/(SIG1*VM) 00012130
        IF(J.GT.1) VMS1=-CI*K(J)/(SIG1*V1) 00012140
    120 IF(JJ.NE.J) GO TO 130 00012150
        IF(J.EQ.1) EMS1=(EVD*V1*D(1)*E11)/(2.0*SIG1*EVD1) 00012160
        IF(J.GT.1) EMS1=(D(J)*EVD*VMS1*E11)/EVD1 00012170
    130 PF1=((FM*VMS+VM*PF1+V1*EMS1+E1*VMS1)-F1* 00012180
        1(VMS1+VM*(FM*EMS1+E1*PF1)+FM*E1*VMS))/DEN 00012190
    140 IF(J.EQ.1) GO TO 180 00012200
        J=J-1 00012210
        VM=V1 00012220
        FM=F1 00012230
        GO TO 70 00012240
C--SPECIAL CASE M=1 (HOMOGENEOUS EARTH) 00012250
    150 F1=FM 00012260
        V1=VM 00012270
        J=1 00012280
        EVD=ZERO 00012290
        GO TO 90 00012300
    180 RETURN 00012310
    END 00012320

    SUBROUTINE KELVIN(X,M,B) 00012330
C--COMPUTES M(.LE.8) KELVIN FUNCTIONS (ORDERS 0,1) CONSECUTIVELY STORED 00012340
C IN ARRAY B(M) WHERE: 00012350
C 00012360
C     X      = DP-ARGUMENT .GT. 0.0D0 (ASYMPTOTIC FORM USED IF X.GE.8.0) 00012370
C     M      = NUMBER OF B'S TO COMPUTE AS DEFINED BELOW (1.GE.M.LE.8) 00012380
C     B(M)   = COMPUTED DP-FUNCTIONS WHERE B IS DEFINED: 00012390

```

```

C      B(1) = BER(X) -- ORDER 0          00012400
C      B(2) = BEI(X) -- ORDER 0          00012410
C      B(3) = KER(X) -- ORDER 0          00012420
C      B(4) = KEI(X) -- ORDER 0          00012430
C      B(5) = BER1(X) -- ORDER 1        00012440
C      B(6) = BEI1(X) -- ORDER 1        00012450
C      B(7) = KER1(X) -- ORDER 1        00012460
C      B(8) = KEI1(X) -- ORDER 1        00012470
C ** ACCURACY GOOD TO AT LEAST 14 FIGURES FOR ALL X ** 00012480
C NOTE: THIS METHOD OF GENERATING MULTIPLE KELVIN FUNCTIONS WAS CHOSEN 00012490
C       TO REDUCE TOTAL CPU-TIME SINCE MOST APPLICATIONS REQUIRE 00012500
C       MULTIPLE FUNCTION USE AND IS THEREFORE ACCOMPLISHED BY ONE CALL. 00012510
C E.G: TO OBTAIN BER(X),BEI(X),KER(X), AND KEI(X): CALL KELVIN(X,4,B) 00012520
C IF X OR M OUT OF RANGE, ROUTINE EXITS WITHOUT ACTION. 00012530
C                                         00012540
C
IMPLICIT REAL*8 (A-H,O-Z)          00012550
REAL*8 B(8),CN(8),SN(8)            00012560
DATA CN   / .7071067811865475D0,0.D0,-.7071067811865475D0, 00012570
* -1.D0,-.7071067811865475D0,0.D0,.7071067811865475D0,1.D0/, 00012580
* SN   / .7071067811865475D0,1.D0,.7071067811865475D0,0.D0, 00012590
* -.7071067811865475D0,-1.D0,-.7071067811865475D0,0.D0/ 00012600
DATA PI4/.7853981633974483D0/,R22/.7071067811865475D0/, 00012610
* E/0.5D-14/, 00012620
* PI1/.3183098861837907D0/ 00012630
IF(M.LT.1.OR.M.GT.8.OR.X.LE.0.0D0) GO TO 9 00012640
IF(X.GE.8.0D0) GO TO 3 00012650
C--SERIES METHODS (X.GT.0.0.AND.X.LT.8.0D0) 00012660
X2=0.5D0*X 00012670
X4=X2**4 00012680
T1=-0.25D0*X4 00012690
S1=T1 00012700
T2=0.0D0 00012710
T3=0.0D0 00012720
T4=0.0D0 00012730
T15=0.0D0 00012740
T26=0.0D0 00012750
T75=0.0D0 00012760
T86=0.0D0 00012770
IF(M.EQ.1) GO TO 100 00012780
T2=X2**2 00012790
S2=T2 00012800
IF(M.EQ.2) GO TO 100 00012810
T5=1.5D0 00012820
S5=T1*T5 00012830
IF(M.EQ.3) GO TO 100 00012840
T6=1.0D0 00012850
S6=T2 00012860
IF(M.EQ.4) GO TO 100 00012870
T3=-0.5D0*X2**3 00012880
S3=T3 00012890
T4=X2 00012900
S4=T4 00012910

```

```

IF (M.LE.6) GO TO 100          00012920
T7=-0.25D0*X2**3            00012930
S7=2.0D0*T7*T5              00012940
T8=X2                        00012950
S8=T8                        00012960
100 TK=2.0D0                  00012970
101 TK2=TK+TK                00012980
TK21=TK2-1.0D0               00012990
TK22=TK2-2.0D0               00013000
RK2=1.0D0/TK2                00013010
RK21=1.0D0/TK21              00013020
RK22=1.0D0/TK22              00013030
R1=-X4*(RK21*RK2)**2        00013040
T1=T1*R1                     00013050
S1=S1+T1                     00013060
IF (M.EQ.1) GO TO 200         00013070
R2=-X4*(RK22*RK21)**2        00013080
T2=T2*R2                     00013090
S2=S2+T2                     00013100
IF (M.EQ.2) GO TO 200         00013110
T5=T5+RK21+RK2               00013120
T15=T1*T5                    00013130
S5=S5+T15                    00013140
IF (M.EQ.3) GO TO 200         00013150
T6=T6+RK22+RK21              00013160
T26=T2*T6                    00013170
S6=S6+T26                    00013180
IF (M.EQ.4) GO TO 200         00013190
T3=T3*(-X4*(RK22*RK21**2*RK2)) 00013200
S3=S3+T3                     00013210
T4=T4*(-X4*RK22**2*RK21/(TK2-3.0D0)) 00013220
S4=S4+T4                     00013230
IF (M.LE.6) GO TO 200         00013240
T7=T7*R1                     00013250
T75=TK2*T7*T5               00013260
S7=S7+T75                    00013270
T8=T8*R2                     00013280
T86=TK21*T8*T6               00013290
S8=S8+T86                    00013300
200 TK=TK+1.0D0               00013310
IF (DABS(T1).GT.E.OR.DABS(T2).GT.E.OR.DABS(T15).GT.E.OR.
*DABS(T26).GT.E.OR.DABS(T3).GT.E.OR.DABS(T4).GT.E.OR. 00013320
*DABS(T75).GT.E.OR.DABS(T86).GT.E) GO TO 101          00013330
B(1)=1.0D0+S1                00013340
IF (M.EQ.1) GO TO 9           00013350
B(2)=S2                     00013360
IF (M.EQ.2) GO TO 9           00013370
C=0.1159315156584124D0-DLOG(X) 00013380
B(3)=C*B(1)+PI4*B(2)+S5      00013390
IF (M.EQ.3) GO TO 9           00013400
B(4)=C*B(2)-PI4*B(1)+S6      00013410
IF (M.EQ.4) GO TO 9           00013420
                                         00013430

```

```

B(5)=R22*(S3-S4)          00013440
IF(M.EQ.5) GO TO 9        00013450
B(6)=R22*(S3+S4)          00013460
IF(M.EQ.6) GO TO 9        00013470
S7=C*S3-B(1)/X+PI4*S4+S7 00013480
S8=C*S4-B(2)/X-PI4*S3+S8 00013490
B(7)=R22*(S7-S8)          00013500
IF(M.EQ.7) GO TO 9        00013510
B(8)=R22*(S7+S8)          00013520
9 RETURN                   00013530
C--GENERAL ASYMPTOTIC FORM FOR NU=0,1:
8 NU=0                      00013540
X2=R22*X                   00013550
X8=8.0D0*X                  00013560
SX=DSQRT(X)                 00013570
EX2=DEXP_(-X2)              00013580
C1=1.253314137315500D0*EX2/SX 00013600
C2=1.0D0/(2.506628274631001D0*SX*EX2+1.0D-38) 00013610
MAXK=30                     00013620
IF(X.LT.15.0D0) MAXK=X+X   00013630
1 XNU=NU                    00013640
XMU=4.0D0*XNU              00013650
ALP=X2+PI4*(XNU+XNU-0.5D0) 00013660
BETA=ALP+PI4                00013670
CB=DCOS(BETA)               00013680
CA=DCOS(ALP)                00013690
SB=DSIN(BETA)               00013700
SA=DSIN(ALP)                00013710
N4=4*NU                     00013720
FM=0.0D0                     00013730
FP=0.0D0                     00013740
GM=0.0D0                     00013750
GP=0.0D0                     00013760
TM=1.0D0                     00013770
TP=1.0D0                     00013780
K=1                          00013790
2 TK=K                      00013800
T=(XMU-(TK+TK-1.0D0)**2)/(TK*X8) 00013810
TPL=DABS(TP)                 00013820
TP=-TP*T                     00013830
IF(DABS(TP).GT.TPL) GO TO 21 00013840
TM=TM*T                     00013850
N=MOD(K,8)                   00013860
IF(N.EQ.0) N=8               00013870
T1=TP*CN(N)                 00013880
FP=FP+T1                     00013890
T2=TM*CN(N)                 00013900
FM=FM+T2                     00013910
T3=TP*SN(N)                 00013920
GP=GP+T3                     00013930
T4=TM*SN(N)                 00013940
GM=GM+T4                     00013950

```

```

K=K+1                                00013960
IF(K.GT.MAXK) GO TO 3                00013970
GO TO 2                                00013980
21 FP=FP-T1                            00013990
FM=FM-T2                            00014000
GP=GP-T3                            00014010
GM=GM-T4                            00014020
3  FP=FP+1.0D0                          00014030
FM=FM+1.0D0                          00014040
B(N4+4)=C1*(-FM*SB-GM*CB)          00014050
B(N4+3)=C1*(FM*CB-GM*SB)          00014060
B(N4+2)=C2*(FP*SA-GP*CA)+PI1*B(N4+3) 00014070
B(N4+1)=C2*(FP*CA+GP*SA)-PI1*B(N4+4) 00014080
IF(NU.EQ.1.OR.M.LE.4) GO TO 9        00014090
NU=1                                    00014100
GO TO 1                                00014110
END                                     00014120

COMPLEX FUNCTION FVP(X)                00014130
C--RESISTIVITY KERNEL USED IN INTEGRAL OF PARTIAL RHOA W/R B(JJ). 00014140
C   JJ=1,2*MM-1 GIVEN IN COMMON/RESIST/. 00014150
C   (FVP BY RECURRENCE METHOD). 00014160
C                                         00014170
REAL RHO(10),H(9),K1                  00014180
COMMON/RESIST/RHO,H,EPS,R,R2,ALOG,MM,M1,M21,JJ 00014190
X2=-2.0*X                            00014200
JJMM=JJ-MM                           00014210
VM=1.0                                00014220
PV1=0.0                                00014230
IF(MM.EQ.1) GO TO 40                 00014240
C--INITIALIZE PARTIAL INDEX J1=MM-1 (NUM. INDEX) 00014250
J=MM                                    00014260
C--LOOP ON J1 INDEX                   00014270
10 J1=J-1                            00014280
E=X2*X(H(J1))                        00014290
E1=0.0                                00014300
C--HONEYWELL MULTICS TEST   $$$$$$$$$$$$$$$$$ 00014310
IF(E.GT.-88.028) E1=EXP(E)           00014320
DENK1=1.0/(RHO(J1)+RHO(J)*VM)       00014330
K1=DENK1*(RHO(J1)-RHO(J)*VM)       00014340
DENV1=1.0/(1.0+K1*E1)                00014350
V1=DENV1*(1.0-K1*E1)                00014360
IF(JJ.LE.MM) GO TO 20                 00014370
C--RECUR FOR PARTIAL W/R H(JJ)       00014380
PEH=0.0                                00014390
IF(JJMM.EQ.J1) PEH=X2*E1             00014400
PKH=-DENK1*RHO(J)*PV1*(1.0+K1)      00014410
PV1=-DENV1*(K1*PEH+E1*PKH)*(1.0+V1) 00014420
GO TO 30                                00014430
C--RECUR FOR PARTIAL W/R RHO(JJ)     00014440
20 PR1=0.0                              00014450
IF(JJ.EQ.J1) PR1=1.0                  00014460

```

```

PRM=0.0          00014470
IF(JJ.EQ.J) PRM=1.0 00014480
PKR=DENK1*(PR1*(1.0-K1)-(1.0+K1)*(RHO(J)*PV1+VM*PRM)) 00014490
PV1=-DENV1*E1*PKR*(1.0+V1) 00014500
30 IF(J.LE.2) GO TO 40 00014510
VM=V1           00014520
J=J1             00014530
GO TO 10         00014540
40 FVP=CMPLX(X*PV1,0.0) 00014550
RETURN          00014560
END             00014570

COMPLEX FUNCTION KERN(X)          00014580
C--KERNEL FUNCTION USED IN FCODE INTEGRAL 00014590
C FOR SCHLUMBERGER APPARENT RESISTIVITY 00014600
C                                         00014610
REAL RHO(10),H(9)          00014620
COMMON/RESIST/RHO,H,EPS,R,R2,ALOGR,MM,M1,M21,JJ 00014630
X2=-2.0*X           00014640
V=1.0               00014650
IF(MM.LE.1) GO TO 30 00014660
I=MM               00014670
10 I1=I-1           00014680
T=V/RHO(I1)         00014690
TR=T*RHO(I)        00014700
E=X2*H(I1)          00014710
C--HONEYWELL MULTICS TEST $$$$$$$$$$$$$$ 00014720
IF(E.LT.-88.028) GO TO 40 00014730
T=((1.0-TR)/(1.0+TR))*EXP(E) 00014740
V=(1.0-T)/(1.0+T) 00014750
20 IF(I.LE.2) GO TO 30 00014760
I=I-1              00014770
GO TO 10            00014780
30 KERN=CMPLX(X*(V-1.0),0.0) 00014790
RETURN             00014800
40 V=1.0            00014810
GO TO 20            00014820
END                00014830

COMPLEX FUNCTION FG2(G)          00014840
C-- F(G)*G KERNEL USED BY PROGRAM 'EMLOOP' FOR THE 00014850
C GROUND CASE (A=0). NOTE: FG2 IS USED IN T0,T1 INTEGRALS 00014860
C VIA SUBR 'ZHANKS'. 00014870
C                                         00014880
COMPLEX V1,F1,C,ONE,TWO        00014890
DATA ONE,TWO/(1.0,0.0),(2.0,0.0)/ 00014900
C=CMPLX(G,0.)                 00014910
CALL RECUR1(G,V1,F1)          00014920
C//      FG2=(TWO*V1*C*C*(F1-ONE))/((C+V1)*(C+V1*F1)) 00014930
C ON MULTICS, REWRITE AS:    00014940
FG2=TWO*V1*(C/(C+V1))*(C/(C+V1*F1))*(F1-ONE)*C 00014950
RETURN                         00014960

```

END	00014970
COMPLEX FUNCTION FG(G)	00014980
C-- F(G)*G KERNEL USED BY PROGRAM 'EMLOOP'S FOR THE	00014990
C GROUND CASE (A=0). FG IS USED IN T2 INTEGRAL VIA SUBR 'ZHANKS'.	00015000
C	00015010
COMPLEX FG2	00015020
FG=FG2(G)/G	00015030
RETURN	00015040
END	00015050
COMPLEX FUNCTION FG3(G)	00015060
C-- F(G)*G**3 KERNEL USED IN PGM 'MARQLOOPS'	00015070
C	00015080
COMPLEX FG2	00015090
FG3=G*FG2(G)	00015100
RETURN	00015110
END	00015120
COMPLEX FUNCTION RG2(G)	00015130
C-- R(G)*G*C*EXP(-G*A) KERNEL USED BY PROGRAM 'EMLOOP'S FOR THE	00015140
C AIRBORNE CASE (A>0). NOTE: RG2 IS USED IN T0,T1 INTEGRALS	00015150
C VIA SUBR 'ZHANKS'.	00015160
C	00015170
COMPLEX V1,F1,C,V1F1	00015180
COMMON/AIR/A	00015190
C=G	00015200
CALL RECUR1(G,V1,F1)	00015210
V1F1=V1*F1	00015220
RG2=C*C*(V1F1-C)*CEXP (-C*CMPLX(A,0.))/(V1F1+C)	00015230
RETURN	00015240
END	00015250
COMPLEX FUNCTION RG(G)	00015260
C-- R(G)*G*EXP(-G*A) KERNEL USED BY PROGRAM 'EMLOOP'S FOR THE	00015270
C AIRBORNE CASE (A>0). RG IS USED IN T2 INTEGRAL VIA SUBR 'ZHANKS'.	00015280
C	00015290
COMPLEX RG2	00015300
RG=RG2(G)/G	00015310
RETURN	00015320
END	00015330
COMPLEX FUNCTION RG3(G)	00015340
C-- R(G)*G**3*EXP(-G*A) KERNEL USED BY PGM 'MARQLOOPS'	00015350
C	00015360
COMPLEX RG2	00015370
RG3=G*RG2(G)	00015380
RETURN	00015390
END	00015400
SUBROUTINE IKS2(B8,IOK0,I1K1,IKDIF)	00015410
C-- COMPUTE MODIFIED BESSEL FUNCTION (I & K) PRODUCT COMBINATIONS FOR	00015420

```

C PARAMETERS 00015430
C B8 = DOUBLE PRECISION ARGUMENT (=B/DSQRT(2.D0) HERE) 00015440
C IOKO = I0*K0 COMPLEX RESULT 00015450
C I1K1 = I1*K1 COMPLEX RESULT 00015460
C IKDIF = 4*I1*K1-(B8*DSQRT(I))*(I0*K1-I1*K0) COMPLEX RESULT DONE IN 00015470
C DOUBLE PRECISION BEFORE USING CMPLX. 00015480
C--SUBROUTINE KELVIN CALLED 00015490
C 00015500
C
C DOUBLE PRECISION B8,BB(8),BETA,P1,P2,Q1,Q2,R1,R2 00015510
C COMPLEX IOKO,I1K1,IKDIF 00015520
C COMPLEX CAMBDA,DENOM,DENOM1,TERMO,TERM1,TERM11,TERM00 00015530
C COMPLEX SO0,S11,S10,S11,SK0,SK1,ONE 00015540
C DATA ONE/(1.0,0.0)/ 00015550
C IF(B8.GT.2D0) GO TO 10 00015560
C CALL KELVIN(B8,8,BB) 00015570
C P1=-BB(6)*BB(8)+BB(5)*BB(7) 00015580
C P2= BB(5)*BB(8)+BB(6)*BB(7) 00015590
C I1K1=CMPLX(SNGL(P1),SNGL(P2)) 00015600
C Q1=-BB(1)*BB(8)-BB(2)*BB(7) 00015610
C Q2=BB(1)*BB(7)-BB(2)*BB(8) 00015620
C R1=BB(1)*BB(3)-BB(2)*BB(4) 00015630
C R2=BB(2)*BB(3)+BB(1)*BB(4) 00015640
C IOKO=CMPLX(SNGL(R1),SNGL(R2)) 00015650
C R1=BB(6)*BB(3)+BB(5)*BB(4) 00015660
C R2=BB(6)*BB(4)-BB(5)*BB(3) 00015670
C R1=Q1-R1 00015680
C R2=Q2-R2 00015690
C BETA=.7071067811865475D0*B8 00015700
C Q1=4.0D0*P1-BETA*(R1-R2) 00015710
C Q2=4.0D0*P2-BETA*(R1+R2) 00015720
C IKDIF=CMPLX(SNGL(Q1),SNGL(Q2)) 00015730
C RETURN 00015740
10 B=SNGL(B8/0.7071067811865475D0) 00015750
TOL=1.E-6 00015760
C--FOR LARGE ARGUMENTS, USE ABRAMOWITZ AND STEGUN 00015770
C ASYMPTOTIC FORMULAS FOR LARGE ARGUMENTS 00015780
C 9.7.1 THROUGH 9.7.5, P. 377-378. 00015790
C CAMBDA=B*CMPLX(1.0,1.0)/2. 00015800
C IKDIF=CMPLX(100.,0.) 00015810
C ISIGN=1 00015820
C DENOM=8.*CAMBDA 00015830
C DENOM1=(2.*CAMBDA)**2 00015840
C NODD=1 00015850
C TERMO=ONE 00015860
C TERM1=ONE 00015870
C TERM11=ONE 00015880
C TERM00=ONE 00015890
C SO0=ONE 00015900
C S11=ONE 00015910
C S10=ONE 00015920
C S11=ONE 00015930
C SK0=ONE 00015940

```

```

SK1=ONE                                00015950
1 NODD2=NODD*NODD                      00015960
OIKDIF=CABS(IKDIF)                     00015970
TERM1=TERM1*CMPLX(4.-NODD2,0.)/DENOM   00015980
TERMO=TERMO*CMPLX(-FLOAT(NODD2),0.)/DENOM 00015990
TERM11=TERM11*CMPLX(NODD*(4.-NODD2)/(NODD+1.),0.)/DENOM1 00016000
TERMO0=TERMO0*CMPLX(-FLOAT(NODD*NODD2)/(NODD+1.),0.)/DENOM1 00016010
ISIGN=-ISIGN                           00016020
S11=S11+ISIGN*TERM11                   00016030
S00=S00+ISIGN*TERMO0                   00016040
S10=S10+ISIGN*TERMO                   00016050
S11=S11+ISIGN*TERM1                   00016060
SK0=SK0+TERMO                         00016070
SK1=SK1+TERM1                         00016080
IKDIF=S10*SK1-SK0*S11                 00016090
NODD=NODD+2                           00016100
IF (ABS(OIKDIF-CABS(IKDIF)).GT.TOL) GO TO 1 00016110
DENOM1=ONE/(CAMBDA*CMPLX(2.0,0.0))    00016120
IOKO=S00*DENOM1                       00016130
I1K1=S11*DENOM1                       00016140
IKDIF=CMPLX(4.,0.)*I1K1-IKDIF/CMPLX(2.,0.) 00016150
RETURN                                 00016160
END                                    00016170

COMPLEX FUNCTION PFBJG(G)                00016180
C-- PARTIAL OF (F W/R B(J), J>=1)*G.      00016190
C J IS GIVEN IN COMMON/PART/J, ISEP ALONG WITH OTHER 00016200
C COMMON PARAMETERS.                    00016210
C                                         00016220
COMPLEX V1,F1,C,T0,T1,T2,CB,CB2,CB3,CA,ONESG1,TWOSG1, 00016230
& ZZO,PF1,TWO,IOKO,I1K1,IKDIF             00016240
COMMON/SHARE/FILL(4),XX,YY,YY2,RHO,RHO2,FILL2,BB,FILL3, 00016250
& DEL,DEL2,IREST(3)                      00016260
COMMON/CTL/T0,T1,T2,CB,CB2,CB3,CA,ONESG1,TWOSG1,IOKO,I1K1,IKDIF, 00016270
& ZZO,AMP,FREQ,SIG1,H,EPS,IOB,M1,M21,ILOOPS,IMM 00016280
COMMON/PART/J,ISEP                      00016290
DATA TWO/(2.0,0.0)/                     00016300
CALL RECURF(G,DEL,SIG1,V1,F1,PF1,J)     00016310
C=G                                     00016320
PFBJG=TWO*C*V1*PF1*C/(C+V1*F1)**2    00016330
RETURN                                 00016340
END                                    00016350

COMPLEX FUNCTION PFBJG2(G)                00016360
C-- PARTIAL OF (F W/R B(J), J>=1)*G**2.  00016370
C                                         00016380
COMPLEX PFBJG                          00016390
PFBJG2=G*PFBJG(G)                     00016400
RETURN                                 00016410
END                                    00016420

```

```

COMPLEX FUNCTION PRBJG(G) 00016430
C-- PARTIAL OF (R W/R B(J),J>=1)*G. 00016440
C 00016450
    COMPLEX PFBJG 00016460
    COMMON/AIR/A 00016470
    PRBJG=PFBJG(G)*CEXP(CMPLX(-G*A,0.0)) 00016480
    RETURN 00016490
    END 00016500

COMPLEX FUNCTION PRBJG2(G) 00016510
C-- PARTIAL OF (R W/R B(J),J>=1)*G**2. 00016520
C 00016530
    COMPLEX PRBJG 00016540
    PRBJG2=G*PRBJG(G) 00016550
    RETURN 00016560
    END 00016570

SUBROUTINE MODIFY(N) 00016580
C--UTILITY TO MODIFY COMMON/SAVE/ AS FOLLOWS: 00016590
C N >0 TO REPLACE FSAVE(I)=FSAVE(I)*(GSAVE(I)**N), I=1,NSAVE. 00016600
C N <0 TO REPLACE FSAVE(I)=FSAVE(I)/(GSAVE(I)**IABS(N)), I=1,NSAVE. 00016610
C--THIS MAY BE USED IN CONJUNCTION WITH SUBPROGRAM 'ZHANKS' TO 00016620
C MODIFY SAVED KERNELS WHEN USING NEW=0 (SEE ZHANKS). 00016630
C 00016640
    COMPLEX FSAVE 00016650
    COMMON/SAVE/FSAVE(283),GSAVE(283),NSAVE 00016660
    IF(N) 5,9,1 00016670
1   IF(N.GT.1) GO TO 3 00016680
    DO 2 I=1,NSAVE 00016690
2   FSAVE(I)=FSAVE(I)*CMPLX(GSAVE(I),0.0) 00016700
    GO TO 9 00016710
3   DO 4 I=1,NSAVE 00016720
4   FSAVE(I)=FSAVE(I)*CMPLX(GSAVE(I)**N,0.0) 00016730
    GO TO 9 00016740
5   IF(N.LT.-1) GO TO 3 00016750
    DO 6 I=1,NSAVE 00016760
6   FSAVE(I)=FSAVE(I)/CMPLX(GSAVE(I),0.0) 00016770
    RETURN 00016780
9   END 00016790

SUBROUTINE SWAP(ICODE) 00016800
C--UTILITY TO SWAP COMMON/SAVE/ AS FOLLOWS: 00016810
C ICODE = 1 TO SWAP COMMON/SAVE/ TO INTERNAL TEMP STORAGE. 00016820
C      --1 TO RESWAP INTERNAL TEMP STORAGE TO COMMON/SAVE/. 00016830
C 00016840
C--THIS MAY BE USED IN CONJUNCTION WITH SUBPROGRAM 'ZHANKS' TO USE 00016850
C DIFFERENT CLASSES OF INTEGRALS. ALSO, SEE THE UTILITY 00016860
C SUBROUTINE 'MODIFY'. 00016870
C 00016880
    COMPLEX FSAVE,FSWAP 00016890
    DIMENSION FSWAP(283),GSWAP(283) 00016900
    COMMON/SAVE/FSAVE(283),GSAVE(283),NSAVE 00016910

```

```

1 IF(ICODE) 3,1,1          00016920
1 DO 2 I=1,NSAVE           00016930
2   FSWAP(I)=FSAVE(I)      00016940
2   GSWAP(I)=GSAVE(I)      00016950
2   NSWAP=NSAVE            00016960
2   RETURN                 00016970
3   DO 4 I=1,NSWAP          00016980
3   FSAVE(I)=FSWAP(I)      00016990
4   GSAVE(I)=GSWAP(I)      00017000
4   NSWAP=NSWAP            00017010
4   RETURN                 00017020
4   END                    00017030

      COMPLEX FUNCTION ZHANKS(N,B,FUN,TOL,NF,NEW)          00017040
C=====00017050
C  COMPLEX HANKEL TRANSFORMS OF ORDER 0 OR 1 FOR RELATED (SAVED) KERNELS 00017060
C  AND FIXED TRANSFORM ARGUMENT B.GT.0.                      00017070
C                                         00017080
C--REF: ANDERSON, W.L., 1979 (IN PRESS), GEOPHYSICS, V. , NO. , P. - . 00017090
C                                         00017100
C--SUBPROGRAM ZHANKS EVALUATES THE INTEGRAL FROM 0 TO INFINITY OF 00017110
C  FUN(G)*JN(G*B)*DG, DEFINED AS THE COMPLEX HANKEL TRANSFORM OF 00017120
C  ORDER N (=0 OR 1) AND TRANSFORM ARGUMENT B.GT.0. THE METHOD IS BY 00017130
C  ADAPTIVE DIGITAL FILTERING OF THE COMPLEX KERNEL FUNCTION FUN, 00017140
C  USING DIRECT AND/OR PREVIOUSLY SAVED KERNEL FUNCTION VALUES. 00017150
C                                         00017160
C--PARAMETERS (ALL INPUT, EXCEPT NF)                      00017170
C                                         00017180
C      N      = ORDER (=0 OR 1) OF THE HANKEL TRANSFORM TO BE EVALUATED. 00017190
C      B      = REAL TRANSFORM ARGUMENT B.GT.0.0 OF THE HANKEL TRANSFORM. 00017200
C      IF NEW=0, B IS ASSUMED EQUAL TO THE LAST B USED WHEN NEW=1 00017210
C      (SEE PARAMETER NEW AND SUBPROGRAM USAGE BELOW).        00017220
C      FUN(G)= EXTERNAL DECLARED COMPLEX FUNCTION NAME (USER SUPPLIED) 00017230
C      OF A REAL ARGUMENT G.GT.0. THIS REFERENCE MUST BE SUPPLIED 00017240
C      EVEN WHEN NEW=0, SINCE THE ADAPTIVE CONVOLUTION          00017250
C      MAY NEED SOME DIRECT FUNCTION CALLS (E.G. IF TOL REDUCED). 00017260
C      IF PARAMETERS OTHER THAN G ARE REQUIRED IN FUN, USE COMMON 00017270
C      IN THE CALLING PROGRAM AND IN SUBPROGRAM FUN. BOTH       00017280
C      REAL AND IMAGINARY PARTS OF THE COMPLEX FUNCTION FUN(G) 00017290
C      MUST BE CONTINUOUS BOUNDED FUNCTIONS FOR G.GT.0.0. FOR A 00017300
C      REAL FUNCTION F1(G), FUN=CMPLX(F1(G),0.0) MAY BE USED. 00017310
C      TWO INDEPENDENT REAL-FUNCTIONS F1(G), F2(G) MAY BE        00017320
C      INTEGRATED IN PARALLEL BY WRITING FUN=CMPLX(F1(G),F2(G)). 00017330
C      TOL    = REQUESTED REAL TRUNCATION TOLERANCE ACCEPTED AT THE FILTER 00017340
C      TAILS FOR ADAPTIVE FILTERING. A TRUNCATION CRITERION IS 00017350
C      DEFINED DURING CONVOLUTION IN A FIXED ABSCISSA RANGE AS 00017360
C      THE MAX. ABSOLUTE CONVOLVED PRODUCT TIMES TOL. TYPICALLY, 00017370
C      TOL.LE.0.00001 WOULD GIVE ABOUT .01 PER CENT ACCURACY 00017380
C      FOR WELL-BEHAVED KERNELS AND MODERATE VALUES OF B. FOR 00017390
C      VERY LARGE OR SMALL B, A VERY SMALL TOL SHOULD BE USED. 00017400
C      IN GENERAL, DECREASING THE TOLERANCE WOULD PRODUCE HIGHER 00017410
C      ACCURACY IN THE CONVOLUTION SINCE MORE FILTER WEIGHTS ARE 00017420

```

```

C      USED (UNLESS EXPONENT UNDERFLOWS OCCUR IN THE KERNEL      00017430
C      EVALUATION -- SEE NOTE (1) BELOW).                      00017440
C      FOR MAXIMUM ACCURACY POSSIBLE, TOL=0.0 MAY BE USED.      00017450
C      NF = TOTAL NUMBER OF DIRECT FUN CALLS USED DURING CONVOLUTION 00017460
C      FOR ANY VALUE OF NEW (NF IS AN OUTPUT PARAMETER).        00017470
C      NF IS IN THE RANGE 21.LE.NF.LE.283 WHEN NEW=1. USUALLY,    00017480
C      NF IS MUCH LESS THAN 283 (OR 0) WHEN NEW=0.              00017490
C      NEW =1 IS REQUIRED FOR THE VERY FIRST CALL TO ZHANKS, OR IF 00017500
C      FORCING DIRECT FUNCTION FUN(G) CALLS, E.G., IF USING      00017510
C      ZHANKS FOR UNRELATED KERNELS.                          00017520
C      NEW=1 INITIALIZES COMMON/SAVE/FSAVE(283),GSAVE(283),NSAVE 00017530
C      FOR NSAVE COMPLEX KERNEL VALUES IN FSAVE AND CORRESPONDING 00017540
C      REAL ARGUMENTS IN GSAVE FOR THE GIVEN PARAMETER B.       00017550
C      NEW =0 TO USE RELATED KERNELS (MODIFIED BY USER) CURRENTLY STORED 00017560
C      IN COMMON/SAVE/. FUN IS CALLED ONLY IF REQUIRED          00017570
C      DURING THE CONVOLUTION. ADDITIONAL FUNCTION VALUES WHEN 00017580
C      NEEDED ARE AUTOMATICALLY ADDED TO THE COMMON/SAVE/ BLOCK. 00017590
C      00017600
C ***** NOTE THAT IT IS THE USERS RESPONSIBILITY TO MODIFY THE 00017610
C      COMMON FSAVE() VALUES FOR NEW=0 CALLS, EXTERNALLY IN      00017620
C      THE USERS CALLING PROGRAM (SEE SUBPROGRAM USAGE BELOW). 00017630
C      00017640
C ===== 00017650
C--SUBPROGRAM USAGE-- ZHANKS IS CALLED AS FOLLOWS            00017660
C      ...
C      COMPLEX Z1,Z2,ZHANKS,FSAVE                            00017670
C      COMMON/SAVE/FSAVE(283),GSAVE(283),NSAVE                00017680
C      EXTERNAL ZF1,ZF2                                     00017690
C      ...
C      Z1=ZHANKS(N1,B,ZF1,TOL,NF1,1)                         00017700
C      DO 1 I=1,NSAVE                                       00017710
C      00017720
C      C--MODIFY FSAVE IN COMMON/SAVE/ TO OBTAIN RELATED ZF2 FROM ZF1. 00017730
C      C--E.G. FSAVE(I)=GSAVE(I)*FSAVE(I) -- FOR RELATION ZF2(G)=G*ZF1(G) 00017740
C      1 CONTINUE                                         00017750
C      Z2=ZHANKS(N2,B,ZF2,TOL,NF2,0)                         00017760
C      ...
C      END                                              00017770
C      00017780
C      COMPLEX FUNCTION ZF1(G)                                00017790
C      ...USER SUPPLIED CODE FOR DIRECT EVALUATION OF ZF1(G), G.GT.0. 00017800
C      END                                              00017810
C      00017820
C      COMPLEX FUNCTION ZF2(G)                                00017830
C      ...USER SUPPLIED CODE FOR DIRECT EVALUATION OF ZF2(G), G.GT.0. 00017840
C      END                                              00017850
C ===== 00017860
C--NOTES           00017870
C      (1). EXP-UNDERFLOW MAY OCCUR IN EXECUTING THIS SUBPROGRAM. 00017880
C      THIS IS OK PROVIDED THE MACHINE SYSTEM CONDITIONALLY SETS 00017890
C      EXP-UNDERFLOW TO 0.0.                                  00017900
C      (2). ANSI FORTRAN (AMERICAN STANDARD X3.9-1966) IS USED, EXCEPT 00017910
C      DATA STATEMENTS MAY NEED TO BE CHANGED FOR SOME COMPILERS. 00017920
C      TO CONVERT ZHANKS TO THE NEW AMERICAN STANDARD FORTRAN 00017930
C      (X3.9-1978), ADD THE FOLLOWING DECLARATION TO THIS ROUTINE 00017940

```

```

C      SAVE Y1,ISAVE          00017950
C      (3). THE FILTER ABSCISSA CORRESPONDING TO EACH FILTER WEIGHT 00017960
C           IS GENERATED IN DOUBLE-PRECISION (TO REDUCE ROUND-OFF), 00017970
C           BUT IS USED IN SINGLE-PRECISION IN FUNCTION FUN.        00017980
C      (4). NO CHECKS ARE MADE ON CALLING PARAMETERS (TO SAVE TIME), 00017990
C           HENCE UNPREDICTABLE RESULTS COULD OCCUR IF ZHANKS        00018000
C           IS CALLED INCORRECTLY (OR IF FUN OR COMMON IS IN ERROR). 00018010
C=====
C      COMPLEX FUN,C,CMAX,FSAVE          00018020
C      COMMON/SAVE/FSAVE(283),GSAVE(283),NSAVE          00018030
C      DOUBLE PRECISION E,ER,Y1,Y          00018040
C      DIMENSION T(2),TMAX(2)          00018050
C      DIMENSION WTO(283),WA0(76),WBO(76),WC0(76),WD0(55), 00018060
C      * WT1(283),WAI(76),WB1(76),WC1(76),WD1(55)          00018070
C      EQUIVALENCE (WT0(1),WA0(1)),(WT0(77),WBO(1)),(WT0(153),WC0(1)), 00018080
C      * (WT0(229),WD0(1)),(WT1(1),WAI(1)),(WT1(77),WB1(1)), 00018090
C      * (WT1(153),WC1(1)),(WT1(229),WD1(1))          00018100
C      EQUIVALENCE (C,T(1)),(CMAX,TMAX(1))          00018110
C      -----E=DEXP(.2D0), ER=1.0D0/E          00018120
C      DATA E/1.221402758160169834 D0/,ER/.818730753077981859 D0/ 00018130
C--JO-TRANSFORM FILTER WEIGHT ARRAYS (EQUIVALENT TO WTO ARRAY) 00018140
C      DATA WA0/
C      * 2.1969101E-11, 4.1201161E-09,-6.1322980E-09, 7.2479291E-09, 00018150
C      *-7.9821627E-09, 8.5778983E-09,-9.1157294E-09, 9.6615250E-09, 00018160
C      *-1.0207546E-08, 1.0796633E-08,-1.1393033E-08, 1.2049873E-08, 00018170
C      *-1.2708789E-08, 1.3446466E-08,-1.4174300E-08, 1.5005577E-08, 00018180
C      *-1.5807160E-08, 1.6747136E-08,-1.7625961E-08, 1.8693427E-08, 00018190
C      *-1.9650840E-08, 2.0869789E-08,-2.1903555E-08, 2.3305308E-08, 00018200
C      *-2.4407377E-08, 2.6033678E-08,-2.7186773E-08, 2.9094334E-08, 00018210
C      *-3.0266804E-08, 3.2534013E-08,-3.3672072E-08, 3.6408936E-08, 00018220
C      *-3.7425022E-08, 4.0787921E-08,-4.1543242E-08, 4.5756842E-08, 00018230
C      *-4.6035233E-08, 5.1425075E-08,-5.0893896E-08, 5.7934897E-08, 00018240
C      *-5.6086570E-08, 6.5475248E-08,-6.1539913E-08, 7.4301996E-08, 00018250
C      *-6.7117043E-08, 8.4767837E-08,-7.2583120E-08, 9.7366568E-08, 00018260
C      *-7.7553611E-08, 1.1279873E-07,-8.1416723E-08, 1.3206914E-07, 00018270
C      *-8.3217217E-08, 1.5663185E-07,-8.1482581E-08, 1.8860593E-07, 00018280
C      *-7.3963141E-08, 2.3109673E-07,-5.7243707E-08, 2.8867452E-07, 00018290
C      *-2.6163525E-08, 3.6808773E-07, 2.7049871E-08, 4.7932617E-07, 00018300
C      * 1.1407365E-07, 6.3720626E-07, 2.5241961E-07, 8.6373487E-07, 00018310
C      * 4.6831433E-07, 1.1916346E-06, 8.0099716E-07, 1.6696015E-06, 00018320
C      * 1.3091334E-06, 2.3701475E-06, 2.0803829E-06, 3.4012978E-06/ 00018330
C      DATA WBO/
C      * 3.2456774E-06, 4.9240402E-06, 5.0005198E-06, 7.1783540E-06, 00018340
C      * 7.6367633E-06, 1.0522038E-05, 1.1590021E-05, 1.5488635E-05, 00018350
C      * 1.7510398E-05, 2.2873836E-05, 2.6368006E-05, 3.3864387E-05, 00018360
C      * 3.9610390E-05, 5.0230379E-05, 5.9397373E-05, 7.4612122E-05, 00018370
C      * 8.8951409E-05, 1.1094809E-04, 1.3308026E-04, 1.6511335E-04, 00018380
C      * 1.9895671E-04, 2.4587195E-04, 2.9728181E-04, 3.6629770E-04, 00018390
C      * 4.4402013E-04, 5.4589361E-04, 6.6298332E-04, 8.1375348E-04, 00018400
C      * 9.8971624E-04, 1.2132772E-03, 1.4772052E-03, 1.8092022E-03, 00018410
C      * 2.2045122E-03, 2.6980811E-03, 3.2895354E-03, 4.0238764E-03, 00018420

```

```

* 4.9080203E-03, 6.0010999E-03, 7.3216878E-03, 8.9489225E-03, 00018470
* 1.0919448E-02, 1.3340696E-02, 1.6276399E-02, 1.9873311E-02, 00018480
* 2.4233627E-02, 2.9555699E-02, 3.5990069E-02, 4.3791529E-02, 00018490
* 5.3150319E-02, 6.4341372E-02, 7.7506720E-02, 9.2749987E-02, 00018500
* 1.0980561E-01, 1.2791555E-01, 1.4525830E-01, 1.5820085E-01, 00018510
* 1.6058576E-01, 1.4196085E-01, 8.9781222E-02,-1.0238278E-02, 00018520
*-1.5083434E-01,-2.9059573E-01,-2.9105437E-01,-3.7973244E-02, 00018530
* 3.8273717E-01, 2.2014118E-01,-4.7342635E-01, 1.9331133E-01, 00018540
* 5.3839527E-02,-1.1909845E-01, 9.9317051E-02,-6.6152628E-02, 00018550
* 4.0703241E-02,-2.4358316E-02, 1.4476533E-02,-8.6198067E-03/ 00018560
    DATA WCO/
* 5.1597053E-03,-3.1074602E-03, 1.8822342E-03,-1.1456545E-03, 00018580
* 7.0004347E-04,-4.2904226E-04, 2.6354444E-04,-1.6215439E-04, 00018590
* 9.9891279E-05,-6.1589037E-05, 3.7996921E-05,-2.3452250E-05, 00018600
* 1.4479572E-05,-8.9417427E-06, 5.5227518E-06,-3.4114252E-06, 00018610
* 2.1074101E-06,-1.3019229E-06, 8.0433617E-07,-4.9693681E-07, 00018620
* 3.0702417E-07,-1.8969219E-07, 1.1720069E-07,-7.2412496E-08, 00018630
* 4.4740283E-08,-2.7643004E-08, 1.7079403E-08,-1.0552634E-08, 00018640
* 6.5200311E-09,-4.0284597E-09, 2.4890232E-09,-1.5378695E-09, 00018650
* 9.5019040E-10,-5.8708696E-10, 3.6273937E-10,-2.2412348E-10, 00018660
* 1.3847792E-10,-8.5560821E-11, 5.2865474E-11,-3.2664392E-11, 00018670
* 2.0182948E-11,-1.2470979E-11, 7.7057678E-12,-4.7611713E-12, 00018680
* 2.9415274E-12,-1.8170081E-12, 1.1221034E-12,-6.9271067E-13, 00018690
* 4.2739744E-13,-2.6344388E-13, 1.6197105E-13,-9.9147443E-14, 00018700
* 6.0487998E-14,-3.6973097E-14, 2.2817964E-14,-1.4315547E-14, 00018710
* 9.1574735E-15,-5.9567236E-15, 3.9209969E-15,-2.5911739E-15, 00018720
* 1.6406939E-15,-8.8248590E-16, 3.0195409E-16, 2.2622634E-17, 00018730
*-8.0942556E-17,-3.7172363E-17, 1.9299542E-16,-3.3388160E-16, 00018740
* 4.6174116E-16,-5.8627358E-16, 7.2227767E-16,-8.7972941E-16, 00018750
* 1.0211793E-15,-1.0940039E-15, 1.0789555E-15,-9.7089714E-16/ 00018760
    DATA WDO/
* 7.4110927E-16,-4.1700094E-16, 8.5977184E-17, 1.3396469E-16, 00018780
*-1.7838410E-16, 4.8975421E-17, 1.9398153E-16,-5.0046989E-16, 00018790
* 8.3280985E-16,-1.1544640E-15, 1.4401527E-15,-1.6637066E-15, 00018800
* 1.7777129E-15,-1.7322187E-15, 1.5247247E-15,-1.1771155E-15, 00018810
* 6.9747910E-16,-1.2088956E-16,-4.8382957E-16, 1.0408292E-15, 00018820
*-1.5220450E-15, 1.9541597E-15,-2.4107448E-15, 2.9241438E-15, 00018830
*-3.5176475E-15, 4.2276125E-15,-5.0977851E-15, 6.1428456E-15, 00018840
*-7.3949962E-15, 8.8597601E-15,-1.0515959E-14, 1.2264584E-14, 00018850
*-1.3949870E-14, 1.5332490E-14,-1.6146782E-14, 1.6084121E-14, 00018860
*-1.4962523E-14, 1.2794804E-14,-9.9286701E-15, 6.8825809E-15, 00018870
*-4.0056107E-15, 1.5965079E-15,-7.2732961E-18,-4.0433218E-16, 00018880
*-6.5679655E-16, 3.3011866E-15,-7.3545910E-15, 1.2394851E-14, 00018890
*-1.7947697E-14, 2.3774303E-14,-3.0279168E-14, 3.9252831E-14, 00018900
*-5.5510504E-14, 9.0505371E-14,-1.7064873E-13/ 00018910
C--END OF JO FILTER WEIGHTS 00018920
C 00018930
C--J1-TRANSFORM FILTER WEIGHT ARRAYS (EQUIVALENT TO WT1 ARRAY) 00018940
    DATA WA1/
*-4.2129715E-16, 5.3667031E-15,-7.1183962E-15, 8.9478500E-15, 00018950
*-1.0767891E-14, 1.2362265E-14,-1.3371129E-14, 1.3284178E-14, 00018970
*-1.1714302E-14, 8.4134738E-15,-3.7726725E-15,-1.4263879E-15, 00018980

```

* 6.1279163E-15,-9.1102765E-15,	9.9696405E-15,-9.3649955E-15,	00018990
* 8.6009018E-15,-8.9749846E-15,	1.1153987E-14,-1.4914821E-14,	00019000
* 1.9314024E-14,-2.3172388E-14,	2.5605477E-14,-2.6217555E-14,	00019010
* 2.5057768E-14,-2.2485539E-14,	1.9022752E-14,-1.5198084E-14,	00019020
* 1.1422464E-14,-7.9323958E-15,	4.8421406E-15,-2.1875032E-15,	00019030
*-3.2177842E-17, 1.8637565E-15,-3.3683643E-15,	4.6132219E-15,	00019040
*-5.6209538E-15, 6.4192841E-15,-6.8959928E-15,	6.9895792E-15,	00019050
*-6.5355935E-15, 5.6125163E-15,-4.1453931E-15,	2.6358827E-15,	00019060
*-9.5104370E-16, 1.4600474E-16,	5.6166519E-16, 8.2899246E-17,	00019070
* 5.0032100E-16, 4.3752205E-16,	2.1052293E-15,-9.5451973E-16,	00019080
* 6.4004437E-15,-2.1926177E-15,	1.1651003E-14, 5.8415433E-16,	00019090
* 1.8044664E-14, 1.0755745E-14,	3.0159022E-14, 3.3506138E-14,	00019100
* 5.8709354E-14, 8.1475200E-14,	1.2530006E-13, 1.8519112E-13,	00019110
* 2.7641786E-13, 4.1330823E-13,	6.1506209E-13, 9.1921659E-13,	00019120
* 1.3698462E-12, 2.0447427E-12,	3.0494477E-12, 4.5501001E-12,	00019130
* 6.7870250E-12, 1.0126237E-11,	1.5104976E-11, 2.2536053E-11/	00019140
DATA WB1/		00019150
* 3.3617368E-11, 5.0153839E-11,	7.4818173E-11, 1.1161804E-10,	00019160
* 1.6651222E-10, 2.4840923E-10,	3.7058109E-10, 5.5284353E-10,	00019170
* 8.2474468E-10, 1.2303750E-09,	1.8355034E-09, 2.7382502E-09,	00019180
* 4.0849867E-09, 6.0940898E-09,	9.0913020E-09, 1.3562651E-08,	00019190
* 2.0233058E-08, 3.0184244E-08,	4.5029477E-08, 6.7176304E-08,	00019200
* 1.0021488E-07, 1.4950371E-07,	2.2303208E-07, 3.3272689E-07,	00019210
* 4.9636623E-07, 7.4049804E-07,	1.1046805E-06, 1.6480103E-06,	00019220
* 2.4585014E-06, 3.6677163E-06,	5.4714550E-06, 8.1626422E-06,	00019230
* 1.2176782E-05, 1.8166179E-05,	2.7099223E-05, 4.0428804E-05,	00019240
* 6.0307294E-05, 8.9971508E-05,	1.3420195E-04, 2.0021123E-04,	00019250
* 2.9860417E-04, 4.4545291E-04,	6.6423156E-04, 9.9073275E-04,	00019260
* 1.4767050E-03, 2.2016806E-03,	3.2788147E-03, 4.8837292E-03,	00019270
* 7.2596811E-03, 1.0788355E-02,	1.5973323E-02, 2.3612041E-02,	00019280
* 3.4655327E-02, 5.0608141E-02,	7.2827752E-02, 1.0337889E-01,	00019290
* 1.4207357E-01, 1.8821315E-01,	2.2996815E-01, 2.5088500E-01,	00019300
* 2.0334626E-01, 6.0665451E-02,	-2.0275683E-01,-3.5772336E-01,	00019310
*-1.8280529E-01, 4.7014634E-01,	7.2991233E-03,-3.0614594E-01,	00019320
* 2.4781735E-01,-1.1149185E-01,	2.5985386E-02, 1.0850279E-02,	00019330
*-2.2830217E-02, 2.4644647E-02,	-2.2895284E-02, 2.0197032E-02/	00019340
DATA WC1/		00019350
*-1.7488968E-02, 1.5057670E-02,	-1.2953923E-02, 1.1153254E-02,	00019360
*-9.6138436E-03, 8.2952090E-03,	-7.1628361E-03, 6.1882910E-03,	00019370
*-5.3482055E-03, 4.6232056E-03,	-3.9970542E-03, 3.4560118E-03,	00019380
*-2.9883670E-03, 2.5840861E-03,	-2.2345428E-03, 1.9323046E-03,	00019390
*-1.6709583E-03, 1.4449655E-03,	-1.2495408E-03, 1.0805480E-03,	00019400
*-9.3441130E-04, 8.0803899E-04,	-6.9875784E-04, 6.0425624E-04,	00019410
*-5.2253532E-04, 4.5186652E-04,	-3.9075515E-04, 3.3790861E-04,	00019420
*-2.9220916E-04, 2.5269019E-04,	-2.1851585E-04, 1.8896332E-04,	00019430
*-1.6340753E-04, 1.4130796E-04,	-1.2219719E-04, 1.0567099E-04,	00019440
*-9.1379828E-05, 7.9021432E-05,	-6.8334412E-05, 5.9092726E-05,	00019450
*-5.1100905E-05, 4.4189914E-05,	-3.8213580E-05, 3.3045496E-05,	00019460
*-2.8576356E-05, 2.4711631E-05,	-2.1369580E-05, 1.8479514E-05,	00019470
*-1.5980307E-05, 1.3819097E-05,	-1.1950174E-05, 1.0334008E-05,	00019480
*-8.9364160E-06, 7.7278366E-06,	-6.6827083E-06, 5.7789251E-06,	00019490
*-4.9973715E-06, 4.3215167E-06,	-3.7370660E-06, 3.2316575E-06,	00019500

```

*-2.7946015E-06, 2.4166539E-06,-2.0898207E-06, 1.8071890E-06, 00019510
*-1.5627811E-06, 1.3514274E-06,-1.1686576E-06, 1.0106059E-06, 00019520
*-8.7392952E-07, 7.5573750E-07,-6.5353002E-07, 5.6514528E-07, 00019530
*-4.8871388E-07, 4.2261921E-07,-3.6546333E-07, 3.1603732E-07/ 00019540
    DATA WD1/
*-2.7329579E-07, 2.3633470E-07,-2.0437231E-07, 1.7673258E-07, 00019550
*-1.5283091E-07, 1.3216174E-07,-1.1428792E-07, 9.8831386E-08, 00019560
*-8.5465227E-08, 7.3906734E-08,-6.3911437E-08, 5.5267923E-08, 00019580
*-4.7793376E-08, 4.1329702E-08,-3.5740189E-08, 3.0906612E-08, 00019590
*-2.6726739E-08, 2.3112160E-08,-1.9986424E-08, 1.7283419E-08, 00019600
*-1.4945974E-08, 1.2924650E-08,-1.1176694E-08, 9.6651347E-09, 00019610
*-8.3580023E-09, 7.2276490E-09,-6.2501673E-09, 5.4048822E-09, 00019620
*-4.6739154E-09, 4.0418061E-09,-3.4951847E-09, 3.0224895E-09, 00019630
*-2.6137226E-09, 2.2602382E-09,-1.9545596E-09, 1.6902214E-09, 00019640
*-1.4616324E-09, 1.2639577E-09,-1.0930164E-09, 9.4519327E-10, 00019650
*-8.1736202E-10, 7.0681930E-10,-6.1122713E-10, 5.2856342E-10, 00019660
*-4.5707937E-10, 3.9526267E-10,-3.4180569E-10, 2.9557785E-10, 00019670
*-2.5560176E-10, 2.2103233E-10,-1.9113891E-10, 1.6528994E-10, 00019680
*-1.4294012E-10, 1.2361991E-10,-8.2740936E-11/ 00019690
C--END OF J1 FILTER WEIGHTS 00019700
C
    NONE=0 00019710
    IF(NEW.EQ.0) GO TO 100
    NSAVE=0
C----INITIALIZE KERNEL ABSCISSA GENERATION FOR GIVEN B 00019750
    Y1=0.7358852661479794460D0/DBLE(B) 00019760
100 ZHANKS=(0.0,0.0) 00019770
    CMAX=(0.0,0.0) 00019780
    NF=0 00019790
    Y=Y1 00019800
C----BEGIN RIGHT-SIDE CONVOLUTION AT WEIGHT 131 (EITHER NEW=1 OR 0) 00019810
    ASSIGN 110 TO M 00019820
    I=131 00019830
    Y=Y*E 00019840
    GO TO 200 00019850
110 TMAX(1)=AMAX1(ABS(T(1)),TMAX(1)) 00019860
    TMAX(2)=AMAX1(ABS(T(2)),TMAX(2)) 00019870
    I=I+1 00019880
    Y=Y*E 00019890
    IF(I.LE.149) GO TO 200 00019900
    IF(TMAX(1).EQ.0.0.AND.TMAX(2).EQ.0.0) NONE=1 00019910
C----ESTABLISH TRUNCATION CRITERION (CMAX=CMPLX(TMAX(1),TMAX(2))) 00019920
    CMAX=TOL*CMAX 00019930
    ASSIGN 120 TO M 00019940
    GO TO 200 00019950
C----CHECK FOR FILTER TRUNCATION AT RIGHT END 00019960
120 IF(ABS(T(1)).LE.TMAX(1).AND.ABS(T(2)).LE.TMAX(2)) GO TO 130 00019970
    I=I+1 00019980
    Y=Y*E 00019990
    IF(I.LE.283) GO TO 200 00020000
130 Y=Y1 00020010
C----CONTINUE WITH LEFT-SIDE CONVOLUTION AT WEIGHT 130 00020020

```

```

ASSIGN 140 TO M          00020030
I=130                   00020040
GO TO 200               00020050
C-----CHECK FOR FILTER TRUNCATION AT LEFT END 00020060
140 IF(ABS(T(1)).LE.TMAX(1).AND.ABS(T(2)).LE.TMAX(2).AND. 00020070
  * NONE.EQ.0) GO TO 190 00020080
    I=I-1                00020090
    Y=Y*ER               00020100
    IF(I.GT.0) GO TO 200  00020110
C-----RETURN WITH ISAVE=1 PRESET FOR POSSIBLE NEW=0 USE. 00020120
  190 ISAVE=1            00020130
C-----NORMALIZE BY B TO ACCOUNT FOR INTEGRATION RANGE CHANGE 00020140
  ZHANKS=ZHANKS/B       00020150
  RETURN                00020160
C-----SAVE/RETRIEVE PSEUDO-SUBROUTINE (CALL FUN ONLY WHEN NECESSARY). 00020170
  200 G=SNGL(Y)          00020180
    IF(NEW) 300,210,300   00020190
  210 IF(ISAVE.GT.NSAVE) GO TO 300   00020200
    ISAVE0=ISAVE          00020210
  220 IF(G.EQ.GSAVE(ISAVE)) GO TO 240  00020220
    ISAVE=ISAVE+1         00020230
    IF(ISAVE.LE.NSAVE) GO TO 220   00020240
    ISAVE=ISAVE0          00020250
C-----G NOT IN COMMON/SAVE/----- EVALUATE FUN. 00020260
  GO TO 300              00020270
C-----G FOUND IN COMMON/SAVE/----- USE FSAVE AS GIVEN. 00020280
  240 C=FSAVE(ISAVE)     00020290
    ISAVE=ISAVE+1         00020300
C-----SWITCH ON ORDER N 00020310
  250 IF(N) 270,260,270   00020320
  260 C=C*WT0(I)         00020330
  GO TO 280              00020340
  270 C=C*WT1(I)         00020350
  280 ZHANKS=ZHANKS+C   00020360
  GO TO M,(110,120,140)  00020370
C-----DIRECT FUN EVALUATION (AND ADD TO END OF COMMON/SAVE/) 00020380
  300 NSAVE=NSAVE+1      00020390
    C=FUN(G)             00020400
    NF=NF+1              00020410
    FSAVE(NSAVE)=C       00020420
    GSAVE(NSAVE)=G       00020430
    GO TO 250             00020440
    END                  00020450
SUBROUTINE FCODE(Y,X,B,PRNT,F,IN,IDER) 00020460
C--FUNCTION EVALUATION FOR 'MARQLOOPS' (ALL OPTIONS--SEE DOCUMENTATION). 00020470
C                                         00020480
C--PARAMETERS--                         00020490
C                                         00020500
C     Y=      OBSERVED DEPENDENT VARIABLE ARRAY (DIM. N) 00020510
C     X=      OBSERVED INDEPENDENT VARIABLE ARRAY (DIM. N,5) 00020520
C     B=      CURRENT PARAMETER ARRAY ESTIMATES (DIM. K)  00020530

```

```

C PRNT= WORK AND PRINT ARRAY (DIM. 5) 00020540
C F= OUTPUT FUNCTION VALUE EVAL. FOR GIVEN Y,X,B AT OBS. IN 00020550
C IN= OBSERVATION NO. TO EVAL. F (1<=IN<=N) 00020560
C IDER= 0 IF ANALYTIC DERIVATIVES ARE USED LATER (PCODE CALLED) 00020570
C 1 IF ESTIMATED DERIVATIVES USED ONLY (PCODE NOT CALLED) 00020580
C 00020590
C
C REAL*8 B8 00020600
C REAL Y(1),X(200,5),B(1),PRNT(5),F,K(10),D(9) 00020610
C COMPLEX ZHANKS,CA,ONESG1,TWOSG1, 00020620
C & T0,T1,T2,TERM1,TERM2,ZZ0,CB,CB2,CB3,I1K1,IOKO,IKDIF, 00020630
C & ZERO,ONE,ONEI,ONE1,TWO,TWOI,TWO2,THREE,THREEI,THREE3,FOUR, 00020640
C & EIGHT,EIGHTI,NINE,NINE9,TENI,TWELVE,TWELV2,SIXTEEN 00020650
C EXTERNAL FG2,FG,RG2,RG,KERN 00020660
C COMMON/SHARE/FILL(4),XX,YY,YY2,RHO,RHO2,FILL2,BB,FILL3,DEL,DEL2, 00020670
C & IREST(3) 00020680
C COMMON/MODEL/K,D,M 00020690
C COMMON/AIR/A 00020700
C COMMON/CTL/T0,T1,T2,CB,CB2,CB3,CA,ONESG1,TWOSG1,IOKO,I1K1,IKDIF, 00020710
C & ZZ0,AMP,FREQ,SIG1,H,EPS,IOB,M1,M21,ILOOPS,IMM 00020720
C COMMON/PART/JJ,ISEP 00020730
C COMMON/RESIST/RRHO(10),HH(9),EEPS,RR,RR2,XJUNK,MMMM(4) 00020740
C DATA ZERO/(0.,0.)/,ONE/(1.,0.)/,ONEI/(0.,1.)/,ONE1/(1.,1.)/, 00020750
C & TWO/(2.,0.)/,TWOI/(0.,2.)/,TWO2/(-2.,2.)/,THREE/(3.,0.)/, 00020760
C & FOUR/(4.,0.)/, 00020770
C & THREEI/(0.,3.)/,THREE3/(3.,3.)/,EIGHT/(8.,0.)/,EIGHTI/(0.,8.)/, 00020780
C & NINE/(9.,0.)/,NINE9/(9.,9.)/,TENI/(0.,10.)/,TWELVE/(12.,0.)/, 00020790
C & TWELV2/(12.,12.)/,SIXTEEN/(16.,0.)/ 00020800
C IF(IN.GT.1.OR.M.EQ.1) GO TO 20 00020810
C DO 10 J=2,M 00020820
C IF(B(J).EQ.B(J-1))CALL ERRMSG(20HSOME SIG(J)=SIG(J-1),4,6,16) 00020830
10 CONTINUE 00020840
20 DO 30 J=1,5 00020850
30 PRNT(J)=X(IN,J) 00020860
ISEP=0 00020870
IF(IOB.NE.6) GO TO 40 00020880
IF(YY.NE.PRNT(4).AND.PRNT(4).GT.0.0) ISEP=1 00020890
IF(H.NE.ABS(PRNT(4)).AND.PRNT(4).LE.0.0) ISEP=-1 00020900
40 FREQ=PRNT(1) 00020910
IF(IOB.GE.5.AND.PRNT(3).EQ.5.0) GO TO 300 00020920
LOOPS=IFIX(PRNT(2)) 00020930
ILOOPS=IABS(LOOPS) 00020940
NEW=1 00020950
IF(IN.EQ.1.OR.IDER.NE.0.OR.FREQ.NE.FREQL.OR.ISEP.NE.0) GO TO 50 00020960
NEW=0 00020970
IF(LOOPS.NE.LOOPSL) GO TO 100 00020980
IF(IOB.EQ.5) GO TO 190 00020990
IF(IOB.EQ.6.AND.ISEP.EQ.0) GO TO 190 00021000
50 SIG1=B(1) 00021010
ONESG1=CMPLX(SIG1,0.0) 00021020
TWOSG1=CMPLX(2.0*SIG1,0.0) 00021030
DEL2=1.0/(39.47841762E-7*SIG1*FREQ) 00021040
DEL=SQRT(DEL2) 00021050

```

```

IF(LOB.NE.6.OR.ISEP.EQ.0) GO TO 60          00021060
IF(ISEP.LT.0) H=ABS(PRNT(4))               00021070
IF(ISEP.GT.0) YY=PRNT(4)                   00021080
60 YY2=YY*YY                                00021090
RHO=YY                                     00021100
RHO2=RHO*RHO                               00021110
IF(M.EQ.1) GO TO 90                         00021120
DO 80 J=1,M1                                00021130
K(J)=B(J)/SIG1                             00021140
80 D(J)=2.0*B(J+M)/DEL                     00021150
90 K(M)=B(M)/SIG1                           00021160
BB=RHO/DEL                                 00021170
CB=CMPLX(BB,0.)                            00021180
CB2=CB*CB                                  00021190
CB3=CB*CB2                                 00021200
A=H/DEL                                    00021210
CA=CMPLX(A,0.0)                           00021220
T0=ZERO                                    00021230
T1=ZERO                                    00021240
T2=ZERO                                    00021250
C--SWITCH FOR GROUND (A=0) OR AIRBORNE (A>0) CASE. 00021260
100 IF(A.GT.0.0) GO TO 2000                 00021270
C--GROUND CASE (A=0), GET T0,T1,T2 INTEGRALS AS REQUIRED. 00021280
IF(M.EQ.1) GO TO 306                      00021290
GO TO (801,802,8029,804,803),ILOOPs        00021300
801 T0=ZHANKS(0,BB,FG2,EPS,NW0,NEW)       00021310
GO TO 806                                  00021320
802 T1=ZHANKS(1,BB,FG2,EPS,NW1,NEW)       00021330
GO TO 806                                  00021340
8029 IF(NEW.EQ.1) GO TO 803                00021350
8030 CALL MODIFY(-1)                      00021360
803 T2=ZHANKS(1,BB,FG,EPS,NW2,NEW)         00021370
CALL MODIFY(1)                            00021380
GO TO 806                                  00021390
804 T0=ZHANKS(0,BB,FG2,EPS,NW0,NEW)       00021400
NEW=0                                      00021410
GO TO 8030                                 00021420
C--GET Z/Z0 FOR GROUND CASE (A=0)          00021430
806 GO TO (1001,1002,1003,1004,1005),ILOOPs 00021440
1001 TERM1=-ONEI*(NINE-(NINE+NINE9*CB+EIGHTI*CB2+ 00021450
& TWO2*CB3)*CEXP(-CB*ONE1))/CB2           00021460
TERM2=CB3*T0                                00021470
GO TO 1006                                 00021480
1002 B8=.7071067811865475D0*DBLE(BB)      00021490
CALL IKS2(B8,10K0,I1K1,IKDIF)              00021500
TERM1=EIGHT*(IKDIF-FOUR*I1K1)              00021510
TERM1=(TWOI*CB2*(I1K1-I0K0)+TERM1+SIXTEEN*I1K1) 00021520
TERM2=CB3*T1                                00021530
GO TO 1006                                 00021540
1003 TERM1=(TWO*CB2+THREEI-ONEI*(THREE+THREE3*CB+TWOI*CB2)* 00021550
& CEXP(-CB*ONE1))/CB2                      00021560
TERM2=CB2*T2                                00021570

```

```

GO TO 1006                                00021580
1004 TERM1=-ONEI*(TWELVE+TWELV2*CB+TENI*CB2+TWO2*CB3)*CEXP(-CB*ONE1) / 00021590
     & (TWO*CB2)+TWO*(ONE+THREEI/CB2)          00021600
     TERM2=CB2*(T2-CB*T0)/TWO                  00021610
     GO TO 1006                                00021620
1005 TERM1=-ONEI*(THREE-(THREE+THREE3*CB+TWOI*CB2)* 00021630
     & CEXP(-CB*ONE1))/CB2                      00021640
     TERM2=-CB2*T2                            00021650
C--COMPUTE MUTUAL COUPLING (AIRBORNE OR GROUND CASE) 00021660
1006 ZZ0=TERM1+TERM2                        00021670
     IF(IMM.LT.0) ZZ0=B(M21+1)*ZZ0            00021680
     GO TO 3000                                00021690
C--AIRBORNE CASE (A>0), GET T0,T1,T2 INTEGRALS AS SELECTED 00021700
2000 GO TO (2001,2002,20029,2004,2003),ILOOPS        00021710
2001 T0=ZHANKS(0,BB,RG2,EPs,NW0,NEW)           00021720
     GO TO 2006                                00021730
2002 T1=ZHANKS(1,BB,RG2,EPs,NW1,NEW)           00021740
     GO TO 2006                                00021750
20029 IF(NEW.EQ.1) GO TO 2003                00021760
20030 CALL MODIFY(-1)                         00021770
2003 T2=ZHANKS(1,BB,RG,EPs,NW2,NEW)           00021780
     CALL MODIFY(1)                            00021790
     GO TO 2006                                00021800
2004 T0=ZHANKS(0,BB,RG2,EPs,NW0,NEW)           00021810
     NEW=0                                     00021820
     GO TO 20030                               00021830
C--GET Z/Z0 FOR AIRBORNE CASE (A>0)          00021840
2006 GO TO (2011,2012,2013,2014,2015),ILOOPS        00021850
2011 TERM1=ONE                                00021860
     TERM2=CB3*T0                            00021870
     GO TO 1006                                00021880
2012 TERM1=ZERO                               00021890
     TERM2=CB3*T1                            00021900
     GO TO 1006                                00021910
2013 TERM1=ONE                                00021920
     TERM2=CB2*T2                            00021930
     GO TO 1006                                00021940
2014 TERM1=ONE                                00021950
     TERM2=CB2*(T2-CB*T0)/TWO                 00021960
     GO TO 1006                                00021970
2015 TERM1=ONE                                00021980
     TERM2=-CB2*T2                           00021990
     GO TO 1006                                00022000
C//////////                                     00022010
3000 GO TO (140,150,160,170,190,190),IOB        00022020
140 F=CABS(ZZ0)                             00022030
     AMP=F                                 00022040
     GO TO 180                                00022050
150 CALL POLAR2(ZZ0,AMP,F)                   00022060
     GO TO 180                                00022070
160 F=REAL(ZZ0)                            00022080
     GO TO 180                                00022090

```

```

170   F=AIMAG(ZZ0)          00022100
180   LOOPSL=LOOPS          00022110
      FREQL=FREQ            00022120
      RETURN                 00022130
190   IOBS=PRNT(3)          00022140
200   GO TO (140,150,160,170),IOBS 00022150
C--COMPUTE APPARENT RESISTIVITY (IOB>=5, PRNT(3)=5.0) 00022160
300   RR=PRNT(1)            00022170
      CALL SWAP(1)           00022180
      RR2=RR*RR              00022190
      RRHO(M)=1.0/B(M)       00022200
      IF(M.EQ.1) GO TO 320    00022210
      DO 310 J=1,M1          00022220
      RRHO(J)=1.0/B(J)       00022230
310   HH(J)=B(J+M)          00022240
320   F=RRHO(1)*(RR2*REAL(ZHANKS(1,RR,KERN,EEPS,LL,1))+1.0) 00022250
      CALL SWAP(-1)           00022260
      RETURN                 00022270
      END                    00022280

      SUBROUTINE PCODE(P,X,B,PRNT,F,IN,IP,IB)          00022290
C--ANALYTIC PARTIALS W/R PARAMETERS IN B(K) AND IN COMMON 00022300
C FOR PROGRAM 'MARQLOOPS'.                                00022310
C                                                               00022320
C (PCODE ONLY CALLED BY MARQRT IF IDER=0--DEFAULT)        00022330
C                                                               00022340
C--PARAMETERS--                                         00022350
C                                                               00022360
C     P=          OUTPUT PARTIAL DERIVATIVE ARRAY (DIM. K) 00022370
C               EVALUATED FOR GIVEN X(IN,),B(K) AT OBS. IN 00022380
C     X=          OBSERVED INDEPENDENT VARIABLE ARRAY (DIM. N,5) 00022390
C     B=          CURRENT PARAMETER ARRAY ESTIMATES (DIM. K) 00022400
C     PRNT=        WORK AND PRINT ARRAY (DIM. 5)             00022410
C     F=          LAST FUNCTION VALUE FROM FCODE AT GIVEN IN. 00022420
C               F MAY OR MAY NOT BE NEEDED--BUT AVAILABLE ANYWAY. 00022430
C     IN=          OBSERVATION NO. TO EVAL. P ARRAY (1<=IN<=N) 00022440
C     IP=          NO. PARAMETERS HELD FIXED (IF ANY--IF NONE IP=0). 00022450
C     IB=          ARRAY OF PARAMETER INDICES HELD FIXED IF IP.GT.0 00022460
C               (DIM. 19).                                     00022470
C                                                               00022480

C LOGICAL SHIFT                                         00022490
C INTEGER IB(1)                                         00022500
C REAL P(1),X(200,5),B(1),PRNT(5)                      00022510
C COMPLEX Z(19),ZHANKS,ZZ0,T0,T1,T2,CB,CB2,CB3,CA,ONESG1, 00022520
& TWOSG1,ZERO,TWO,THREE,ZTEMP,ZSIGN,ONE,ONEI,NINE,NINE9,EIGHTI, 00022530
& SIXI,ONE1,LOKO,I1K1,IKDIF,SIX,THREEM,THREEI,THREE3,TWOI,SIX6, 00022540
& TWOM2,FOUR,ONEM1,TWO2,EIGHT,TWELVE,TWELV2,TENI,HALF2,ZZ0I 00022550
EXTERNAL RG3,PRBJG2,RG2,PRBJG,FG2,PFBJG2,FG3,PFBJG,FVP 00022560
COMMON/SHARE/FILL(4),XX,YY,YY2,RHO,RHO2,FILL2,BB,          00022570
1 FILL3,DEL,DEL2,IREST(3)                            00022580
COMMON/RESIST/RRHO(10),HH(9),EEPS,RR,RR2,XJUNK,MMMM(4) 00022590
COMMON/AIR/A                                         00022600

```

```

COMMON/CTL/T0,T1,T2,CB,CB2,CB3,CA,ONESG1,TWOSG1,IOK0,I1K1,IKDIF, 00022610
& ZZO,AMP,FREQ,SIG1,H,EPS,IOB,M1,M21,ILOOPS,IMM               00022620
COMMON/PART/JJ,ISEP                                         00022630
DATA ZERO/(0.0,0.0)/,TWO/(2.0,0.0)/,THREE/(3.0,0.0)/,ONE/(1.,0.)/,00022640
& ONEI/(0.0,1.0)/,NINE/(9.0,0.0)/,NINE9/(9.0,9.0)/,SIXI/(0.0,6.0)/,00022650
& EIGHTI/(0.,8.)/,TENI/(0.0,10.0)/,ONE1/(1.0,1.0)/,SIX/(6.0,0.0)/, 00022660
& THREEM/(-3.0,3.0)/,THREEI/(0.0,3.0)/,THREE3/(3.0,3.0)/,        00022670
& TWOI/(0.0,2.0)/,SIX6/(6.0,6.0)/,TWOM2/(2.0,-2.0)/,FOUR/(4.0,0.0)/00022680
&,ONEM1/(1.0,-1.0)/,TWO2/(-2.,2.)/,EIGHT/(8.0,0.0)/,           00022690
& TWELVE/(12.0,0.0)/,TWELV2/(12.,12.)/,HALF2/(.5,.5)/          00022700
C--GET PARTIALS W/R SIGMA(JJ), JJ IN (1,M), OR                  00022710
C W/R DIST(JJ-M), JJ IN (M+1,2*M-1), M=NO.LAYERS (M21=2*M-1 IN COMMON). 00022720
C (ANY PARM MAY BE HELD FIXED VIA IP,IB()).                   00022730
C                                         00022740
C--SWAP (SAVE) FSAVE() = FG2 OR RG2 FROM LAST FCODE CALL.      00022750
    CALL SWAP(1)                                              00022760
    M2=M21                                         00022770
    IF(IMM.LT.0) M2=M21+1                           00022780
    SHIFT=.FALSE.                                     00022790
    DO 2 J=1,M2                                         00022800
    IF(IMM.LT.0.AND.J.EQ.M2) SHIFT=.TRUE.          00022810
    JJ=J                                              00022820
    IF(IP.LE.0) GO TO 30                           00022830
    P(J)=0.0                                         00022840
    DO 20 I=1,IP                                     00022850
    IF(IB(I).EQ.J) GO TO 2                          00022860
20   CONTINUE                                         00022870
30   IF(IOB.GE.5.AND.PRNT(3).EQ.5.0) GO TO 300          00022880
    IF(IN.EQ.1.OR.FREQ.NE.FREQLL.OR.ILOOPS.NE.LOOPSL) GO TO 40 00022890
    IF(IOB.EQ.5) GO TO 2130                         00022900
    IF(IOB.EQ.6.AND.ISEP.EQ.0) GO TO 2130          00022910
C--SWITCH FOR GROUND (A=0) OR AIRBORNE (A>0) CASE.       00022920
40   IF(SHIFT) GO TO 2140                         00022930
    IF(A.GT.0.0) GO TO 2000                         00022940
C--GROUND CASE (A=0)                                         00022950
    ZTEMP=ZERO                                         00022960
    GO TO (101,102,103,104,105),ILOOPS             00022970
101  IF(J.GT.1) GO TO 1011                         00022980
    IF(M1.EQ.0) GO TO 1012                         00022990
    T1=ZHANKS(1,BB,FG2,EPS,NW1,0)                 00023000
    ZTEMP=CB3*(ZHANKS(0,BB,PFBJG2,EPS,NW0,1)-
    & (CB*T1-THREE*T0)/TWOSG1)                      00023010
1012 Z(J)=CEXP(-CB*ONE1)                         00023020
    Z(J)=ZTEMP-ONEI*(Z(J)*(ONEI-ONEM1*CB-TWO*CB2)-(NINE-
    & (NINE+NINE9*CB+EIGHTI*CB2+TWO2*CB3)*
    & Z(J))/CB2)/ONESG1                            00023040
    GO TO 2080                                         00023050
1011 Z(J)=CB3*ZHANKS(0,BB,PFBJG2,EPS,NW0,1)      00023060
    GO TO 2080                                         00023070
102   IF(J.GT.1) GO TO 1021                         00023080
    IF(M1.EQ.0) GO TO 1022                         00023090
    CALL MODIFY(1)                                    00023100
                                         00023110
                                         00023120

```

```

ZTEMP=T1/ONESG1+CB*ZHANKS(0,BB,FG3,EPS,NW0,0)/TWOSG1          00023130
ZTEMP=CB3*(ZHANKS(1,BB,PFBJG2,EPS,NW1,1)+ZTEMP)              00023140
1022 Z(J)=ZTEMP+TWO*(-I1K1*(EIGHT+ONEI*CB2)+                  00023150
& (FOUR*I1K1-IKDIF)*(ONEI*CB2+FOUR)+                      00023160
& ONEI*CB2*(IOKO-I1K1))/ONESG1                                00023170
GO TO 2080                                                 00023180
1021 Z(J)=CB3*ZHANKS(1,BB,PFBJG2,EPS,NW1,1)                  00023190
GO TO 2080                                                 00023200
103 ZSIGN=ONE                                         00023210
1030 IF(J.GT.1) GO TO 1031                               00023220
IF(M1.EQ.0) GO TO 1032                               00023230
ZTEMP=(T2+CB*ZHANKS(0,BB,FG2,EPS,NW0,0))/TWOSG1          00023240
ZTEMP=ZSIGN*CB2*(ZHANKS(1,BB,PFBJG,EPS,NW1,1)+ZTEMP)      00023250
1032 Z(J)=CEXP(-CB*ONEI)                                00023260
IF(ILOOP.EQ.3) Z(J)=(TWO-(ONE+ONEI*CB)*Z(J)-            00023270
& (TWO*CB2+THREEI-ONEI*(THREE+THREE3*CB+TWOI*CB2)*Z(J))/CB2)/
& ONESG1 +ZTEMP                                         00023280
IF(ILOOP.EQ.5) Z(J)=ONEI*(-CB2*Z(J)*(ONEI-ONEM1*CB)        00023290
& +THREE-(THREE+THREE3*CB+TWOI*CB2)*
& Z(J))/(CB2*ONESG1) +ZTEMP                           00023300
GO TO 2080                                                 00023310
1031 Z(J)=ZSIGN*CB2*ZHANKS(1,BB,PFBJG,EPS,NW1,1)          00023320
GO TO 2080                                                 00023330
104 IF(J.GT.1) GO TO 1041                               00023340
IF(M1.EQ.0) GO TO 1042                               00023350
T1=ZHANKS(1,BB,FG2,EPS,NW1,0)                            00023360
ZTEMP=ZHANKS(1,BB,PFBJG,EPS,NW1,1)                          00023370
CALL MODIFY(1)                                         00023380
ZTEMP=CB2*(TWOSG1*ZTEMP-TWOSG1*CB*
& ZHANKS(0,BB,PFBJG2,EPS,NW0,0)+CB2*T1+T2-TWO*CB*T0)/(FOUR*ONESG1) 00023390
1042 Z(J)=-ONEI*CEXP(-CB*ONEI)*(-(TWELVE+TWELV2*CB+TENI*CB2+TWO2*CB3)*
& (HALF2*CB+ONE)+CB*(SIX6+TENI*CB+THREEM*CB2))/(TWOSG1*CB2)-
& SIXI/(ONESG1*CB2)                                     00023400
GO TO 2080                                                 00023410
1041 ZTEMP=ZHANKS(1,BB,PFBJG,EPS,NW1,1)                  00023420
CALL MODIFY(1)                                         00023430
Z(J)=CB2*(ZTEMP-CB*ZHANKS(0,BB,PFBJG2,EPS,NW0,0))/TWO    00023440
GO TO 2080                                                 00023450
105 ZSIGN=-ONE                                         00023460
GO TO 1030                                                 00023470
C--AIRBORNE CASE (A>0)                                 00023480
2000 GO TO (2001,2002,2003,2004,2005),ILoops             00023490
2001 IF(J.GT.1) GO TO 20011                             00023500
CALL MODIFY(1)                                         00023510
ZTEMP=CA*ZHANKS(0,BB,RG3,EPS,NW0,0)+                  00023520
& CB*ZHANKS(1,BB,RG3,EPS,NW1,0)-THREE*T0               00023530
Z(J)=-CB3*(ZTEMP-TWOSG1*ZHANKS(0,BB,PRBJG2,EPS,NW0,1))/TWOSG1 00023540
GO TO 2080                                                 00023550
20011 Z(J)=CB3*ZHANKS(0,BB,PRBJG2,EPS,NW0,1)           00023560
GO TO 2080                                                 00023570
2002 IF(J.GT.1) GO TO 20021                             00023580
CALL MODIFY(1)                                         00023590
GO TO 2080                                                 00023600
20021 Z(J)=CB3*ZHANKS(0,BB,PRBJG2,EPS,NW0,1)           00023610
GO TO 2080                                                 00023620
20022 IF(J.GT.1) GO TO 20021                           00023630
CALL MODIFY(1)                                         00023640

```

```

ZTEMP=-CA*ZHANKS(1,BB,RG3,EPS,NW1,0)+          00023650
& CB*ZHANKS(0,BB,RG3,EPS,NW0,0)+TWO*T1        00023660
Z(J)=CB3*(ZTEMP+TWOSG1*ZHANKS(1,BB,PRBJG2,EPS,NW1,1))/TWOSG1 00023670
GO TO 2080                                         00023680
20021 Z(J)=CB3*ZHANKS(1,BB,PRBJG2,EPS,NW1,1)    00023690
GO TO 2080                                         00023700
2003 ZSIGN=ONE                                     00023710
20030 IF(J.GT.1) GO TO 20031                      00023720
ZTEMP=-CA*ZHANKS(1,BB,RG2,EPS,NW1,0)+CB*        00023730
& ZHANKS(0,BB,RG2,EPS,NW0,0)+T2                00023740
Z(J)=ZSIGN*CB2*(ZTEMP+TWOSG1*ZHANKS(1,BB,PRBJG,EPS,NW1,1))/TWOSG1 00023750
GO TO 2080                                         00023760
20031 Z(J)=ZSIGN*CB2*ZHANKS(1,BB,PRBJG,EPS,NW1,1) 00023770
GO TO 2080                                         00023780
2004 IF(J.GT.1) GO TO 20041                      00023790
T1=ZHANKS(1,BB,RG2,EPS,NW1,0)                   00023800
CALL MODIFY(1)                                    00023810
Z(J)=-CA*T1+CA*CB*ZHANKS(0,BB,RG3,EPS,NW0,0)+ 00023820
& CB2*ZHANKS(1,BB,RG3,EPS,NW1,0)+T2-TWO*CB*T0 00023830
ZTEMP=ZHANKS(1,BB,PRBJG,EPS,NW1,1)              00023840
CALL MODIFY(1)                                    00023850
ZTEMP=TWOSG1*(ZTEMP+CB*ZHANKS(0,BB,PRBJG2,EPS,NW0,0)) 00023860
Z(J)=CB2*(Z(J)+ZTEMP)/(TWO*TWOSG1)             00023870
GO TO 2080                                         00023880
20041 ZTEMP=ZHANKS(1,BB,PRBJG,EPS,NW1,1)         00023890
CALL MODIFY(1)                                    00023900
Z(J)=CB2*(ZTEMP-CB*ZHANKS(0,BB,PRBJG2,EPS,NW0,0))/TWO 00023910
GO TO 2080                                         00023920
2005 ZSIGN=-ONE                                    00023930
GO TO 20030                                       00023940
C--SWITCH ON IOB                                 00023950
2080 IF(IMM.LT.0.AND.J.LT.M2) Z(J)=Z(J)*B(M2) 00023960
GO TO (2090,2100,2110,2120,2130,2130),IOB      00023970
2090 PP=(REAL(ZZ0)*REAL(Z(J))+AIMAG(ZZ0)*AIMAG(Z(J)))/AMP 00023980
GO TO 2160                                         00023990
2100 PP=0.0                                         00024000
IF SHIFT GO TO 2160                             00024010
PP=57.29577951*(REAL(ZZ0)*AIMAG(Z(J))- 00024020
& AIMAG(ZZ0)*REAL(Z(J)))/(AMP*AMP)           00024030
GO TO 2160                                         00024040
2110 PP=REAL(Z(J))                                00024050
GO TO 2160                                         00024060
2120 PP=AIMAG(Z(J))                                00024070
GO TO 2160                                         00024080
2130 IOBS=PRNT(3)                                  00024090
GO TO (2090,2100,2110,2120),IOBS               00024100
C--ANALYTIC PARTIAL OF APP.RES. (IOB>=5, PRNT(3)=5.0) 00024110
300 PP=0.0                                         00024120
IF SHIFT GO TO 2160                             00024130
MMMI(4)=JJ                                         00024140
PP=RRHO(1)*RR2*REAL(ZHANKS(1,RR,FVP,EEPS,LL,1)) 00024150
IF(J.EQ.1) PP=PP+F/RRHO(1)                       00024160

```

```

IF(J.LE.MMMM(1)) PP=-PP*RRHO(J)**2          00024170
GO TO 2160                                     00024180
2140 Z(J)=ZZ0/B(J)                           00024190
      ZZ01=ZZ0                                00024200
      ZZ0=ZZ0/B(J)                           00024210
      GO TO 2080                           00024220
2160 P(J)=PP                                 00024230
      IF SHIFT) ZZ0=ZZ01                      00024240
2      CONTINUE                               00024250
C--RESTORE ORIG. FSAVE                      00024260
      CALL SWAP(-1)                          00024270
      FREQLL=FREQ                            00024280
      LOOPSL=ILOOPS                         00024290
      RETURN                                 00024300
      END                                    00024310

SUBROUTINE SUBZ(Y,X,B,PRNT,NPRNT,N,TITLE,IOUT) 00024320
C--'MARQLOOPS' INITIALIZATION ROUTINE (CALLED ONCE BY MARQRT) 00024330
C   SUBZ IS CALLED BY MARQRT AFTER THE DATA Y(I),X(I,5) ARE READ-- 00024340
C   SUBZ CHECKS FOR DATA ERRORS, READS ADDITIONAL $INIT 00024350
C   PARAMETERS, AND LOADS SOME CONSTANTS IN COMMON STORAGE... 00024360
C                                         00024370
C--PARAMETERS--                            00024380
C                                         00024390
C   Y,X,B,PRNT SAME AS IN SUBROUTINE FCODE. 00024400
C   NPRNT= CONTROL PARAMETERS TO USE PRNT(NPRNT) ARRAY 00024410
C       =-3 IF M=2 OR IOB.LT.5 00024420
C       =-4 IF M=3 OR IOB=5 00024430
C       =-5 IF M=4 OR IOB=6 00024440
C       NPRNT REPRESENTS THE NO. X(I,NPRNT) VALUES 00024450
C       PRINTED BY PGM MARQRT... 00024460
C   N= NO. OBSERVATIONS GIVEN IN Y(N),X(N,5) 00024470
C   TITLE= ALPHA TITLE ARRAY READ IN BY PGM MARQRT. 00024480
C   IOUT= 1 IF UNIT 6 AND 16 PRINT FILES USED 00024490
C         0 IF ONLY UNIT 6 PRINT FILE USED. 00024500
C                                         00024510
C--FOLLOWING CHARACTER STMT. ONLY FOR HONEYWELL MULTICS SYS: 00024520
CHARACTER*5 TITLE(16)                         00024530
COMPLEX TO,T1,T2,CB,CB2,CB3,CA,ONESG1,TWOSG1,IOKO,I1K1,IKDIF,ZZ0 00024540
REAL Y(1),X(200,5),B(1),PRNT(1),EPS           00024550
REAL K(10),D(9)                             00024560
COMMON/MODEL/K,D,MM                         00024570
COMMON/SHARE/FILL(4),X0,Y0,YY2,RHO,RHO2,FILL2,BB,FILL3,DEL,DEL2, 00024580
& IREST(3)                                  00024590
COMMON/CTL/TO,T1,T2,CB,CB2,CB3,CA,ONESG1,TWOSG1,IOKO,I1K1,IKDIF, 00024600
& ZZ0,AMP,FREQ,SIG1,H,EPS,IOB,M1,M21,ILOOPS,IMM 00024610
COMMON/RESIST/RRHO(10),HH(9),EEPS,RR,RR2,XJUNK,MMMM(4) 00024620
NAMELIST/INIT/MM,Y0,H,IOB,EPS                00024630
DATA ISUBZ/0/                                00024640
IF(ISUBZ.NE.0) GO TO 10                      00024650
C--PRESET                                     00024660
ISUBZ=1                                       00024670

```

```

MM=1          00024680
IOB=1          00024690
Y0=0.0          00024700
EPS=.1E-5        00024710
H=0.0          00024720
10 READ(5,INIT)      00024730
  WRITE(6,20) TITLE      00024740
20 FORMAT(21H1M A R Q L O O P S --,5X,16A5/)      00024750
  IF(IOUT.EQ.1) WRITE(16,20) TITLE      00024760
  WRITE(6,30) IOB,MM,Y0,H,EPS      00024770
  IF(IOUT.EQ.1)      00024780
    1 WRITE(16,30) IOB,MM,Y0,H,EPS      00024790
30 FORMAT(7H IOB = ,I1,9X,5HMM = ,I3,8X,3HY0=,E12.5,11H      H=Z+H"=, 00024800
  1 E12.5/5H EPS=,E11.5)      00024810
C--TEST $INIT PARMs      00024820
  IMM=MM      00024830
  MM=IABS(MM)      00024840
  IF(MM.LT.1.OR.MM.GT.10.OR.(Y0.EQ.0.0.AND.IOB.LT.6).OR. 00024850
  4IOB.LT.1.OR.IOB.GT.6.OR.H.LT.0.0)      00024860
  5CALL ERRMSG(30HSOME $INIT PARMs OUT OF RANGE ,6,6,16)      00024870
C--TEST X(I, ) DATA FOR GIVEN IOB BEFORE PROCEEDING--      00024880
  40 DO 70 I=1,N      00024890
    IF(X(I,1).LE.0.0) CALL ERRMSG( 00024900
    121HSOME FREQ=X(I,1).LE.0.5,6,16)      00024910
    IF(IFIX(X(I,2)).LT.1.OR.IFIX(X(I,2)).GT.5) CALL ERRMSG( 00024920
    & 30HSOME LOOPS=X(I,2) OUT OF RANGE,6,6,16)      00024930
    IF(IOB-5) 70,50,50      00024940
50 IF(IFIX(X(I,3)).LT.1.OR.IFIX(X(I,3)).GT.5) CALL ERRMSG( 00024950
  140HSOME IOBS=X(I,3) OUT OF RANGE WHEN IOB>4,8,6,16)      00024960
70 CONTINUE      00024970
  IF(IMM.LT.0.AND.B(2*MM).EQ.0.0)      00024980
  & CALL ERRMSG(25HMM<0 & B(2*IABS(MM))=0.0 ,5,6,16)      00024990
C--PRESET SOME GLOBAL CONSTANTS      00025000
  WRITE(6,90)      00025010
  IF(IOUT.EQ.1) WRITE(16,90)      00025020
90  FORMAT(///18H PARAMETER ORDER--)      00025030
100 M1=MM-1      00025040
  M21=2*MM-1      00025050
  WRITE(6,110) (I,I,I=1,MM)      00025060
  IF(IOUT.EQ.1) WRITE(16,110) (I,I,I=1,MM)      00025070
110 FORMAT(5X,I3,6X,6HSIGMA(,I3,1H))      00025080
  IF(MM.EQ.1) GO TO 132      00025090
  DO 120 I=1,M1      00025100
  J=MM+I      00025110
  IF(IOUT.EQ.1) WRITE(16,130) J,I      00025120
120 WRITE(6,130) J,I      00025130
130 FORMAT(5X,I3,6X,6HTHICK(,I3,1H))      00025140
132 IF(IMM.GT.0) GO TO 140      00025150
  J=M21+1      00025160
  WRITE(6,131) J,J      00025170
131 FORMAT(5X,I3,10X,  & 2HB(,I3,35H) SHIFT PARAMETER IN B(2*|MM|)*Z/Z0)      00025180
                                         00025190

```

```

IF(IOUT.EQ.1) WRITE(16,131) J,J 00025200
C--X(I,1)=FREQ, X(I,2)=LOOPS TYPE(IF IOB=5), X(I,3)=IOB TYPE(IF IOB>4), 00025210
C X(I,M+1)=STD.DEV. (IF IWT=1) 00025220
C NOTE-- M=2 REQUIRED IN PGM MARQRT WHEN IOB.LE.4, AND 00025230
C M=3 IS NECESSARY WHEN IOB=5... 00025240
C ALSO, M=4 IS NECESSARY WHEN IOB=6... 00025250
140 NPRNT=-3 00025260
    IF(IOB.EQ.5) NPRNT=4 00025270
    IF(IOB.EQ.6) NPRNT=-5 00025280
    IF(IOB.LT.5) GO TO 150 00025290
    MMMM(1)=MM 00025300
    MMMM(2)=M1 00025310
    MMMM(3)=M2 00025320
    EEPS=.001*EPS 00025330
150 RETURN 00025340
END 00025350

SUBROUTINE SUBEND(Y,X,B,K,N,TITLE,IOUT) 00025360
C-- 'MARQLOOPS' TERMINATION ROUTINE (CALLED ONCE BY MARQRT) 00025370
C (PARAMETERS SAME AS IN SUBROUTINE FCODE,PCODE, OR SUBZ) 00025380
C B = FINAL SOLUTION VECTOR OBTAINED BY PGM MARQRT. 00025390
C 00025400
C--FOLLOWING CHARACTER STMT. ONLY FOR HONEYWELL MULTICS SYS: 00025410
CHARACTER*5 TITLE(16) 00025420
REAL Y(1),X(200,5),B(1) 00025430
WRITE(6,10) TITLE 00025440
10 FORMAT(21H1M A R Q L O O P S --,5X,16A5// 00025450
   1 28H FINAL UNSCALED PARAMETERS--,10X,11HRESISTIVITY,11X,5HDEPTH/) 00025460
   IF(IOUT.EQ.1) WRITE(16,10) TITLE 00025470
   MM=(K+1)/2 00025480
   DO 30 I=1,MM 00025490
   R=1.0/B(I) 00025500
   WRITE(6,20) I,B(I),I,R 00025510
20 FORMAT(5X,I3,4X,E16.8,2X,I3,1X,E16.8) 00025520
   IF(IOUT.EQ.1) WRITE(16,20) I,B(I),I,R 00025530
30 CONTINUE 00025540
   IF(K.LE.2) GO TO 52 00025550
   M2=MM+1 00025560
   K1=K 00025570
   IF(MOD(K,2).EQ.0) K1=K-1 00025580
   D=0.0 00025590
   DO 50 I=M2,K1 00025600
   D=D+B(I) 00025610
   L=I-MM 00025620
   WRITE(6,40) I,B(I),L,D 00025630
40 FORMAT(5X,I3,4X,E16.8,24X,I3,1X,E16.8) 00025640
   IF(IOUT.EQ.1) WRITE(16,40) I,B(I),L,D 00025650
50 CONTINUE 00025660
52   IF(K1.EQ.K) GO TO 60 00025670
   WRITE(6,51) K,B(K) 00025680
51   FORMAT(5X,I3,4X,E16.8) 00025690
   IF(IOUT.EQ.1) WRITE(16,51) K,B(K) 00025700

```

60 RETURN
END

00025710
00025720

Appendix 2.-- Conversion to other systems

1. All lower-case letters used for parameters and Fortran names in this report should be changed to upper-case letters for most other systems.
2. Any of the following Multics statements and/or calls should be deleted or replaced if converting to another system:

character*n	(replace by logical*n or delete)
call open_	(delete)
call close_	(delete)
exp_	(replace by exp)
dexp_	(replace by dexp)
cexp_	(replace by cexp)

3. All Multics exp-underflow messages are suppressed and the result set to 0.0. An equivalent method should be used for other systems.
4. Subprogram ERRMSG should be changed according to the number of characters per word of the target machine (note that 4 char/word uses format A4 on the Honeywell Multics system; however, 5 char/word is assumed in the input parameter array MSG). Similar changes should be made, if necessary, to other character arrays and format statements (e.g., see subroutine MARQRT, arrays TITLE and FMT).

Appendix 3.-- Test problem input/output listing

The following input files (file05 and file10) were used to run a test problem on a Honeywell Multics system. The output listing (file16) follows beginning on the next page.

file05

```
test2_13_x2
$parms n=36,m=3,k=4,
      sp=1,sy=2,iprt=-1,e=.001,
      b=.03,3,300,3$  

(2e16.8,2f10.0)
$init mm=-2,y0=200,h=0,eps=.1e-5,iob=5$
```

file10

0.20320306e+01	0.10000000e+01	1.	3.
0.44297530e-01	0.10000000e+01	1.	4.
0.20168934e+01	0.10000000e+01	3.	3.
0.27006604e-01	0.10000000e+01	3.	4.
0.20766954e+01	0.31622777e+01	1.	3.
0.66449506e-01	0.31622777e+01	1.	4.
0.20423448e+01	0.31622777e+01	3.	3.
0.45585423e-01	0.31622777e+01	3.	4.
0.21370684e+01	0.10000000e+02	1.	3.
0.72628196e-01	0.10000000e+02	1.	4.
0.20809538e+01	0.10000000e+02	3.	3.
0.63852344e-01	0.10000000e+02	3.	4.
0.21911114e+01	0.31622777e+02	1.	3.
0.63235732e-01	0.31622777e+02	1.	4.
0.21218432e+01	0.31622777e+02	3.	3.
0.91763178e-01	0.31622777e+02	3.	4.
0.22395336e+01	0.99999999e+02	1.	3.
0.55342732e-01	0.99999999e+02	1.	4.
0.21657660e+01	0.99999999e+02	3.	3.
0.18011268e+00	0.99999999e+02	3.	4.
0.23523172e+01	0.31622776e+03	1.	3.
0.19828064e-01	0.31622776e+03	1.	4.
0.22930036e+01	0.31622776e+03	3.	3.
0.44294072e+00	0.31622776e+03	3.	4.
0.25638946e+01	0.99999998e+03	1.	3.
-0.48680944e+00	0.99999998e+03	1.	4.
0.28433346e+01	0.99999998e+03	3.	3.
0.85697380e+00	0.99999998e+03	3.	4.
0.14623892e+01	0.31622776e+04	1.	3.
-0.16139775e+01	0.31622776e+04	1.	4.
0.37544432e+01	0.31622776e+04	3.	3.
0.71218392e+00	0.31622776e+04	3.	4.
-0.77266146e-01	0.99999998e+04	1.	3.
-0.71643852e+00	0.99999998e+04	1.	4.
0.40172924e+01	0.99999998e+04	3.	3.
0.19771922e+00	0.99999998e+04	3.	4.

```
m a r q l o o p s -- test2_13_x2
iob = 5      mw = -2      y0= 0.20000e+03      h=z+h'= 0.00000e+00
eps=0.10000e-05

parameter order--
1      sigma( 1)
2      sigma( 2)
3      thick( 1)
4      b( 4) shift parameter in b(2*|mw|)*z/z0
```

```

m a r q r t -- test2_13_x2

n = 36      k = 4      ip = 0      m = 3      gamcr=0.450e+02
del= 0.100e-04 modiam = l    ff= 0.400e+01    t= 0.200e+01    e= 0.100e-02
tau= 0.100e-02 xl= 0.100e-01    zeta= 0.100e-30  ialt = 10    istop = 1
iwt = 0      ider = 0      iprt = -1     niter = 10    inon = 1
iout = 1      nprrnt = 4     scalep = 1     scaley = 2

fmt=(2e16.8,2f10.0)

parameters 0.30000000e-01  0.30000000e+01  0.30000001e+03  0.30000000e+01

iter      phi        se        length       gamma       lambda
1  0.33978403e+01  0.32585658e+00  0.000e+00  0.000e+00  0.100e-01

parameters 0.22252883e-01  0.19507815e+00  0.18799332e+03  0.20191569e+01

iter      phi        se        length       gamma       lambda
2  0.58069640e-01  0.42599017e-01  0.282e+01  0.685e+02  0.100e-02

parameters 0.20068671e-01  0.19664699e+01  0.23848450e+03  0.20070843e+01

iter      phi        se        length       gamma       lambda
3  0.65995735e-02  0.14360943e-01  0.233e+01  0.588e+02  0.100e-03

parameters 0.20013396e-01  0.17968894e+01  0.19435543e+03  0.20011275e+01

iter      phi        se        length       gamma       lambda
4  0.19964231e-03  0.24977634e-02  0.224e+00  0.464e+02  0.100e-04

parameters 0.20000287e-01  0.19849703e+01  0.19993730e+03  0.20000511e+01

iter      phi        se        length       gamma       lambda
5  0.15904880e-06  0.70500177e-04  0.103e+00  0.813e+02  0.100e-06

parameters 0.20000001e-01  0.19997391e+01  0.19999975e+03  0.20000013e+01

iter      phi        se        length       gamma       lambda
6  0.13717088e-09  0.20704082e-05  0.742e-02  0.107e+02  0.100e-08

-epsilon test
6 iterations

```

m a r q r t -- test2_13_x2

parameters 0.20000001e-01 0.19997391e+01 0.19999975e+03 0.2000013e+01

-unscaled-

i	obs.y(i)	cal	res	zres,err	x(1,1)	x(1,2)	x(1,3)	x(1,4)	x(i,5)
1	0.203203e+01	0.203203e+01	-0.274e-05	-0.134930e-03	0.100000e+01	0.100000e+01	0.300000e+01	0.000000e+00	
2	0.442975e-01	0.442950e-01	0.250e-05	0.564428e-02	0.100000e+01	0.100000e+01	0.400000e+01	0.000000e+00	
3	0.201689e+01	0.201689e+01	0.566e-05	0.280751e-04	0.100000e+01	0.300000e+01	0.300000e+01	0.000000e+00	
4	0.270056e-01	0.270142e-01	-0.762e-05	-0.282077e-01	0.100000e+01	0.300000e+01	0.400000e+01	0.000000e+00	
5	0.207670e+01	0.207669e+01	0.411e-05	0.198042e-03	0.316228e+01	0.100000e+01	0.300000e+01	0.000000e+00	
6	0.664495e-01	0.664482e-01	0.130e-05	0.196221e-02	0.316228e+01	0.100000e+01	0.400000e+01	0.000000e+00	
7	0.204234e+01	0.204234e+01	0.175e-05	0.860941e-04	0.316228e+01	0.300000e+01	0.300000e+01	0.000000e+00	
8	0.455854e-01	0.455907e-01	-0.530e-05	-0.116194e-01	0.316228e+01	0.300000e+01	0.400000e+01	0.000000e+00	
9	0.213707e+01	0.213706e+01	0.370e-05	0.172924e-03	0.100000e+02	0.100000e+01	0.300000e+01	0.000000e+00	
10	0.726382e-01	0.726296e-01	-0.141e-05	-0.194395e-02	0.100000e+02	0.100000e+01	0.400000e+01	0.000000e+00	
11	0.208095e+01	0.208095e+01	0.298e-05	0.143215e-03	0.100000e+02	0.300000e+01	0.300000e+01	0.000000e+00	
12	0.633853e-01	0.633853e-01	-0.956e-06	-0.149646e-02	0.100000e+02	0.300000e+01	0.400000e+01	0.000000e+00	
13	0.219111e+01	0.219111e+01	0.122e-05	0.557660e-04	0.316228e+02	0.100000e+01	0.300000e+01	0.000000e+00	
14	0.632357e-01	0.632385e-01	-0.151e-05	-0.444465e-02	0.316228e+02	0.100000e+01	0.400000e+01	0.000000e+00	
15	0.212184e+01	0.212184e+01	0.191e-05	0.898912e-04	0.316228e+02	0.300000e+01	0.300000e+01	0.000000e+00	
16	0.917631e-01	0.917631e-01	-0.196e-05	-0.214042e-02	0.316228e+02	0.300000e+01	0.400000e+01	0.000000e+00	
17	0.223395e+01	0.223395e+01	-0.387e-06	-0.172996e-04	0.100000e+03	0.100000e+01	0.300000e+01	0.000000e+00	
18	0.553427e-01	0.553454e-01	-0.264e-05	-0.476217e-02	0.100000e+03	0.100000e+01	0.400000e+01	0.000000e+00	
19	0.216577e+01	0.216577e+01	-0.298e-07	-0.137606e-05	0.100000e+03	0.300000e+01	0.300000e+01	0.000000e+00	
20	0.190113e+00	0.180115e+00	-0.192e-05	-0.106413e-02	0.100000e+03	0.300000e+01	0.400000e+01	0.000000e+00	
21	0.235232e+01	0.235232e+01	-0.197e-05	-0.836176e-04	0.316228e+03	0.100000e+01	0.300000e+01	0.000000e+00	
22	0.198281e-01	0.198292e-01	-0.113e-05	-0.571356e-02	0.316228e+03	0.100000e+01	0.400000e+01	0.000000e+00	
23	0.229300e+01	0.229301e+01	-0.191e-05	-0.831811e-04	0.316228e+03	0.300000e+01	0.300000e+01	0.000000e+00	
24	0.442941e+00	0.442942e+00	-0.137e-05	-0.309500e-03	0.316228e+03	0.300000e+01	0.400000e+01	0.000000e+00	
25	0.256389e+01	0.256390e+01	-0.235e-05	-0.918233e-04	0.100000e+04	0.100000e+01	0.300000e+01	0.000000e+00	
26	-0.4866309e+00	-0.486810e+00	0.663e-06	0.136214e-03	0.100000e+04	0.100000e+01	0.400000e+01	0.000000e+00	
27	0.284333e+01	0.284334e+01	-0.215e-05	-0.754665e-04	0.100000e+04	0.300000e+01	0.300000e+01	0.000000e+00	
28	0.8556974e+00	0.8556974e+00	-0.622e-06	-0.539031e-04	0.100000e+04	0.300000e+01	0.400000e+01	0.000000e+00	
29	0.146239e+01	0.146239e+01	-0.417e-06	-0.285309e-04	0.316228e+04	0.100000e+01	0.300000e+01	0.000000e+00	
30	-0.161393e+01	-0.161393e+01	0.715e-06	0.443163e-04	0.316228e+04	0.100000e+01	0.400000e+01	0.000000e+00	
31	0.375144e+01	0.375445e+01	-0.232e-05	-0.619154e-04	0.316228e+04	0.300000e+01	0.300000e+01	0.000000e+00	
32	0.712121e+00	0.712121e+00	-0.432e-06	-0.606772e-04	0.316228e+04	0.300000e+01	0.400000e+01	0.000000e+00	
33	-0.772661e-01	-0.772657e-01	-0.468e-06	-0.605086e-03	0.100000e+05	0.100000e+01	0.300000e+01	0.000000e+00	
34	-0.716434e+00	-0.716440e+00	0.404e-05	0.145592e-03	0.100000e+05	0.100000e+01	0.400000e+01	0.000000e+00	
35	0.401729e+01	0.401730e+01	-0.230e-05	-0.697334e-04	0.100000e+05	0.300000e+01	0.300000e+01	0.000000e+00	
36	0.197719e+00	0.197719e+00	-0.708e-07	-0.357985e-04	0.100000e+05	0.300000e+01	0.400000e+01	0.000000e+00	

-unscaled partials-

1	0.17262209e+00	0.13879137e-01	-0.16549475e-03	0.10160160e+01
2	0.60665254e+00	0.10006367e-01	-0.32389581e-03	0.22147500e-01
3	0.10490855e-01	0.75711063e-02	-0.91090482e-04	0.10084457e+01
4	0.10753983e+00	0.63502372e-02	-0.20836427e-03	0.13507110e-01
5	0.72469123e+00	0.23571716e-01	-0.51807294e-03	0.10383449e+01
6	0.13040773e+01	0.56634533e-02	-0.55442062e-03	0.332242079e-01
7	0.40176390e-01	0.14039399e-01	-0.30637547e-03	0.10211708e+01
8	0.31215058e+00	0.50891716e-02	-0.39616733e-03	0.22795347e-01
9	0.20274968e+01	0.24269018e-01	-0.10954997e-02	0.10685316e+01
10	0.19610915e+01	-0.47270534e-02	-0.59115513e-03	0.36314779e-01
11	0.12861678e+00	0.16844848e-01	-0.72749815e-03	0.10404747e+01
12	0.89718758e+00	-0.70120920e-03	-0.51899821e-03	0.31926628e-01
13	0.37032560e+01	0.15270643e-01	-0.15897797e-02	0.10955543e+01
14	0.17909158e+01	-0.10315294e-01	-0.26104449e-03	0.31619250e-01
15	0.41409716e+00	0.12984165e-01	-0.12222745e-02	0.10609199e+01

16	0.25462214e+01	-0.59076946e-02	-0.38391284e-03	0.45882540e-01
17	0.53083103e+01	0.57766199e-02	-0.17053233e-02	0.11197662e+01
18	0.48543589e+00	-0.96747704e-02	0.43902761e-03	0.27672665e-01
19	0.18793786e+01	0.635560304e-02	-0.15235095e-02	0.10823823e+01
20	0.72996356e+01	-0.73135944e-02	0.13637500e-03	0.90057240e-01
21	0.10295393e+02	-0.17405788e-02	-0.72366689e-03	0.11761588e+01
22	-0.61231194e+01	-0.54206447e-02	0.14125811e-02	0.99145918e-02
23	0.11141708e+02	-0.16404022e-03	-0.100115492e-02	0.11465020e+01
24	0.17496963e+02	-0.52561966e-02	0.10804311e-02	0.22147090e+00
25	-0.15922312e+01	-0.13174144e-02	0.80579026e-03	0.12819476e+01
26	-0.46830600e+02	0.97893559e-03	0.11729535e-03	-0.24340489e+00
27	0.35243128e+02	-0.16146865e-02	0.58018177e-03	0.14216674e+01
28	0.12034123e+02	0.29349094e-04	0.55659075e-03	0.42843684e+00
29	-0.93423745e+02	0.75368838e-04	-0.13913099e-03	0.73119432e+00
30	-0.17336390e+02	-0.14711669e-03	0.44808414e-04	-0.80698859e+00
31	0.30047072e+02	0.13970887e-03	-0.71954482e-04	0.18772215e+01
32	-0.23061813e+02	0.24896946e-04	-0.10289584e-03	0.35609194e+00
33	-0.96192133e+01	0.17227282e-05	-0.39792033e-05	-0.38632815e-01
34	0.56936467e+02	-0.17008476e-05	-0.73628934e-07	-0.35821955e+00
35	-0.14965304e+01	0.562257342e-06	0.57040427e-06	0.20086462e+01
36	-0.12977272e+02	0.10812326e-05	-0.18312836e-05	0.98859582e-01

-unscaled-

phi	s e	lambda
0.21193404e-09	0.25735071e-05	0.100e-08

ptp inverse			
1	0.55358493e-04	0.11264848e-01	-0.52153011e-01
2	0.11264848e-01	0.59016637e+03	0.33212466e+04
3	-0.52153010e-01	0.33232466e+04	0.83191006e+05
4	-0.25057514e-03	-0.19048575e+01	0.12955757e+02

parameter correlation matrix			
1	1.0000	0.0623	-0.0243
2	0.0623	1.0000	0.4742
3	-0.0243	0.4742	1.0000
4	-0.1468	-0.3416	0.1958

parameter std.	one - parameter		support plane		std.error/parm	
	error	lower	upper	lower		upper
1	0.19147739e-07	0.1999963e-01	0.2000039e-01	0.1999925e-01	0.2000078e-01	0.95738687e-06
2	0.62534997e-04	0.19996141e+01	0.19998642e+01	0.19994890e+01	0.19999893e+01	0.31271577e-04
3	0.74227281e-03	0.19999826e+03	0.20000123e+03	0.19999678e+03	0.20000272e+03	0.37113687e-05
4	0.59050002e-06	0.20000001e+01	0.20000025e+01	0.19999989e+01	0.20000037e+01	0.29524981e-06

marqoops -- test2_13_x2

final unscaled parameters--		resistivity	depth
1	0.20000001e-01	1	0.49999997e+02
2	0.19997391e+01	2	0.50006522e+00
3	0.19999975e+03		1 0.19999975e+03
4	0.20000013e+01		