

GL00178

PC
USGS

Open File 79-277

Open File 79-277

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Mail Stop 964, Federal Center, Box 25046
Denver, Colorado 80225

A slingram survey on the Nevada Test site - Part of an integrated
geologic-geophysical study of site evaluation for nuclear waste disposal.

by

Vincent J. Flanigan

Open-File Report 79-277

1979

UNIVERSITY OF UTAH
RESEARCH INSTITUTE
EARTH SCIENCE LAB.

This report is preliminary and has not been
edited or reviewed for conformity with U.S.
Geological Survey standards.

Prepared by the U.S. Geological Survey

for

Nevada Operations Office
U.S. Department of Energy
(Memorandum of Understanding EW-78-A-08-1543)

*Copies of this Open-file Report
may be purchased from*

*Open-File Services Section
Branch of Distribution
U.S. Geological Survey
Box 25425, Federal Center
Denver, Colorado 80225*

PREPAYMENT IS REQUIRED

*Price information will be published
in the monthly listing
"New Publications of the Geological Survey"*

FOR ADDITIONAL INFORMATION
CALL: Commercial: (303) 234-5888
FTS: 234-5888

Table of Contents

	Page
Abstract-----	1
Introduction-----	2
Instrumentation and calibration procedures-----	2
Data handling and interpretation procedures-----	9
Discussion of results-----	10
Conclusions-----	19
Selected references-----	20
Appendix--Slingram field data--Nevada Test Site Survey-----	21

Figures

Figure 1. Index map of south-central Nevada, showing location of geophysical survey on the Nevada Test Site.-----	3
Figure 2. Part of the Tippipah Spring Quadrangle, showing the location of slingram traverses.-----	4
Figure 3. Diagram showing the theoretical slingram response computed over a layered-earth model at 122-, 183-, 244-m coil separation.-----	6
Figure 4. Diagram showing the theoretical slingram response computed at 244-m coil separation and varying the depth to a conductive layer.-----	7
Figure 5. Contour map showing the slingram response in area A at 444 Hz. The upper map is the real component, the lower is the imaginary component. Contour values are in percent of the primary field.-----	11

Page

- Figure 6. Contour map showing the slingram response in area A at 1777 Hz. The upper map is the real component, the lower is the imaginary component. Contour values are in percent of the primary field.----- 12
- Figure 7. Contour map showing the real-component slingram response in area B at 444 Hz. Contour values are in percent of the primary field.----- 13
- Figure 8. Contour map showing the imaginary-component slingram response area B at 444 Hz. Contour values are in percent of the primary field.----- 14
- Figure 9. Contour map showing the real-component slingram response in area B at 1777 Hz. Contour values are in percent of the primary field.----- 15
- Figure 10. Contour map showing the imaginary-component slingram response in area B at 1777 Hz. Contour values are in percent of the primary field.----- 16
- Figure 11. Geoelectric sections showing the results of inverting data along survey lines 3 and 21. ----- 18

Abstract

A slingram geophysical survey was made in early 1978 as part of the integrated geological-geophysical study aimed at evaluating the Eleana Formation as a possible repository for nuclear waste. The slingram data were taken over an alluvial fan and pediments along the eastern flank of Syncline Ridge about 45 km north of Mercury, Nevada, on the Nevada Test Site. The data show that the more conductive argillaceous Eleana Formation varies in depth from 40 to 85 m from west to east along traverse lines. Northeast-trending linear anomalies suggest rather abrupt changes in subsurface geology that may be associated with faults and fractures. The results of the slingram survey will, when interpreted in the light of other geologic and geophysical evidence, assist in understanding the shallow parts of the geologic setting of the Eleana Formation.

Introduction

The purpose of this report is to present the electromagnetic data taken by the U.S. Geological Survey in an integrated geologic-geophysical study aimed at evaluating the Devonian and Mississippian Eleana Formation as a possible repository for nuclear wastes. The survey area is located about 97 km northwest of Las Vegas, Nevada, on the Nevada Test Site (Fig. 1). Data contained in this report were taken along the eastern pediment of Syncline Ridge. Thirty-three east-west traverses were made and each traverse averaged 1.6 km in length for a total of 54.3 km. The location of the traverse lines are shown in Figure 2. The data were referenced to a surveyed grid, where stations had been established previous to this survey at 152.4-m intervals along east-west lines 304.8 m apart.

Instrumentation and calibration procedures

The equipment used in this survey is a commercially made slingram unit. The slingram method and interpretation are described in detail by Keller and Frischknecht (1966) and Frischknecht (1967). Briefly, the slingram technique is an electromagnetic (E.M.) method using a moving source and receiver. Electromagnetic fields are transmitted into the ground through a transmitting coil, and components of the induced EM field are measured at some fixed distance from the transmitting coil. The slingram unit used in this survey had the capability of measuring the real and imaginary components at five frequencies: 222, 444, 888, 1777, and 3555 Hz. The measured components are referenced to the primary field by an interconnecting cable between the receiving and transmitting coils. Measurement may be made at six coil spacings: 30.4, 61, 91.4, 122, 183 and 244 m. In order to determine the






Fig. 1.--Index map of south-central Nevada, showing location of geophysical survey on the Nevada Test Site.




2.--Part of the Tippipah Spring Quadrangle, showing the location of the slingram traverses.

optimum coil spacing for this survey, the response from a layered-earth model was determined from data obtained from a previous dc resistivity sounding made by R. Carroll (U.S. Geological Survey, written commun., 1978). A forward solution was computed to determine the slingram response at the five frequencies and at 122-, 183-, and 244-m coil separations. The results of this computation are illustrated in 3. The slingram response differs significantly for curves at the 122-m and 244-m coil spacings. The response parameter or conductivity parameter (B) at the 244-m coil separation is 0.2887 at 222 Hz and 1.155 at 3555 Hz. At the 122-m coil separation, B is 0.144 at 222 Hz and 0.578 at 3555 Hz. The EM response parameter, a measure of EM coupling, is discussed in detail by Telford and others (1976). From the results of this analysis, a coil separation of 244 m was selected for this survey, because it seemed more likely that changes in the geoelectric section might be better recognized at the widest coil separation. A second series of model computations were made in which the depth to the conductive Eleana Formation was successively increased and the response computed at 244-m coil separation (fig. 4). The response curves are very similar to those shown in figure 3, with the greatest changes in response occurring at frequencies above 888 Hz. It is seen that as the Eleana is deepened (ρ_5 in models of figure 4), the imaginary becomes less negative at frequencies above 888 Hz.

In order to make inversion sounding models from the slingram data, the zero calibration of the equipment must be determined. The following method was used prior to making field measurements. A calibration test site was established over a highly resistive, homogeneous granitic outcrop southwest of Denver. Vertical electric soundings (VES) and electromagnetic traverses were made over the test site area to determine the depth of weathering and



3.--Diagram showing theoretical slingram response computed over a layered-earth model at 122-, 183-, and 244-m coil separation. The geoelectric model is shown on the right hand side.



4.--Theoretical slingram responses computed at 244-m coil separation and varying the depth to a conductive layer--(ρ_5) in model shown.

homogeneity of the test area. The VES data were inverted to determine a geoelectric section. A forward-solution computation was made to ascertain the theoretical slingram response over the VES computed model. Comparison of the observed slingram data with the theoretical response established the slingram zero at the various frequencies. Table 1 summarizes the results of the slingram zero-calibration procedures.

Table 1.--Comparison of theoretical and observed slingram response using horizontal coplanar coils and a 244-m coil separation

Frequency(Hz)	<u>222</u>		<u>444</u>		<u>888</u>		<u>1777</u>		<u>3555</u>	
	Real	Imag	Real	Imag	Real	Imag	Real	Imag	Real	Imag
Observed	97.0	-2.0	95.5	3.0	96.0	7.5	99.5	14.0	100.0	25.0
Computed	100.7	2.0	101.6	3.6	103.4	5.6	106.6	7.7	111.5	9.0
Zero	96.2	-3.9	94.0	-0.4	93.0	2.2	93.8	6.4	90.9	15.1

The observed field data presented in this report have been corrected to the instrument zero at each frequency by the following formulas:

$$R_c = (R_f + 100)(s_d/h_d)^3$$

$$\text{Corrected real and imaginary response} = \frac{R_c + iI_f}{R_o + iI_o} \times 100 \text{ in percent}$$

where R_c and I_f are the real and imaginary field values, in which the real has been corrected for changes in slope distance; R_o and I_o are the real and imaginary zero values; s_d is the slope distance; and h_d is the horizontal distance (coil spacing). The terrain in the Nevada Test Site survey area was rather flat (less than 3 percent slope), and so there was no need to correct for the difference in slope and horizontal distances.

Data handling and interpretation procedures



The observed field data were compiled using the assistance of a digital computer. The complete data set is shown in the appendix to this report. Each observation is referenced to the map grid, as shown on figure 2, with an x, y position. Traverse lines 4 through 10 were compiled into contour maps (area A), and lines 2-3 and 11 through 34 were compiled into a second area (B). Contour maps of the slingram response at two frequencies (444 and 1777 Hz) from the areas A and B are shown in figures 5 through 10.

In addition to the contour maps, selected data were treated by quantitative interpretation procedures, whereby a layered-earth model is computed that satisfies the observed data within certain limits. The loop-loop inversion program used in this technique was written by Walter Anderson (unpublished data, 1978). During the process of quantitative analysis, it was found that a satisfactory model which fit the real and imaginary parts of the observations simultaneously could not be derived. The lack of a reasonable fit of both components to the same model probably results from detectable lateral changes in conductivity of the geoelectric section that are not accounted for by the one-dimensional models. Also, a possibility exists that the real component, which is most susceptible to coil orientation and spacing errors, contains uncorrected and unrecognized errors. Further, some of the many surface wire conductors lying across the survey area could not be avoided. These factors no doubt contributed to the data noise. It seems most likely, however, that the subsurface geology and structure are more complex than the assumed simple isotropic, layered-earth model.



Discussion of results

The slingram response at 444 and 1777 Hz in area A (survey lines 4-10) is shown as contour maps in figures 5 and 6. The survey lines began at the west end over unconsolidated fan and stream alluvium and ended at or near outcrops of the Belted Range Tuff (nonwelded ash-flow and ash-fall tuffs) on the east end. The slingram data indicate a general deepening of the alluvium over the central part of the mapped area, which is in accord with gravity data that indicate a small graben in this area. Toward the eastern and western edges, conductive rocks are at shallow depths. Gradients in the contoured EM responses form contour linears trending northeast and suggest rather abrupt changes in the conductivity at shallow depths. These changes in conductivity are most likely due to varying depths of conductivity in the vertical section rather than to lateral changes of conductivity in the alluvium. Whether or not these assumed abrupt changes are related to bedrock topography or faulting cannot be ascertained by these data alone.


In area B, the slingram data (figs. 7-10) indicate trends similar to those in area A. Steeper gradients in the contoured values form northeast trending contour linears. These are most pronounced in the real components at both 444 and 1777 Hz (figs. 7, 9); they are particularly prominent in the southern half of the maps south of grid line 836,000. Here again, it is not possible to say that these contour linears indicate northeastern structures, but it is clear that conductive rocks are nearer the surface of the alluvial fan west of these linears than they are to the east. This is borne out by the higher negative response in the imaginary component at both frequencies 444 and 1777 Hz (figs. 8, 10).




5.--Contour map showing the slingram response in area A at 444 Hz. The upper map is the real-component, the lower is the imaginary. Contour values are in percent of the primary field.




6.--Contour maps of the slingram responses in area A at 1777 Hz. The upper map is the real-component, the lower is the imaginary-component. Contour values are in percent of the primary field.




7.--Contour map of the real-component slingram response in area B at 444 Hz.
Contour values are in percent of the primary field.



8.--Contour map of the imaginary-component response in area B at 444 Hz. Contour values are in percent of the primary field.



9.--Contour map of the real-component slingram response in area B at 1777 Hz.
Contour values are in percent of the primary field.




10.--Contour map of the imaginary-component slingram response in area B at 1777 Hz.
Contour values are in percent of the primary field.

The data shown on the contour maps (figs. 7-10) are somewhat more uniform north of grid line 837,000 than south of this point. There is some suggestion of a continuation of the northeast trend but it is not nearly as pronounced, suggesting a more uniform section from west to east than is present south of grid line 837,000.

One area of high slingram response is seen near the intersection of grid lines 837,000 and 656,000 (figs. 8, 9). The high response probably results from a surface conductor (a twisted pair of wires) that was crossed along this portion of a traverse.

Data along traverse lines 3 and 21 were inverted and the resultant geo-electric sections are shown in figure 11. In both sections the depth to what appears to be the argillaceous Eleana Formation (20-40 $\Omega\text{-m}$) increases from west to east. The overlying high-resistivity material, (300-500 $\Omega\text{-m}$), tentatively identified as unsaturated gravel thickens in section to the east. The upper alluvium along line 3 seems to be rather uniform in thickness ($> 5\text{m}$) and apparent resistivity (10 $\Omega\text{-m}$). Along line 21 the first layer is somewhat different (58-127 $\Omega\text{-m}$), indicating perhaps the presence of a more resistive gravel or coarser alluvial debris. It is interesting to note that the second layer west of station 650,000 on line 3 and west of station 653,000 on line 21 is significantly more conductive than to the east of these stations. How this relates to the subsurface geology is unclear, but a line connecting this break in the second-layer conductivity between traverse lines 3 and 21 corresponds to the contour line formed by the data on the contour maps mentioned earlier. Hence, a inferred fault is drawn on the sections at this location. The upper two layers, however, are believed to represent differences in lithology of the unsaturated alluvium.



11.--Geoelectric sections along lines 3 and 21 derived from inverting the slingram data.

Conclusions

The slingram data presented in this report indicate a possible northeastern-trending structure crossing the surveyed area. The feature is characterized by steep gradients in the contoured maps and as a possible break in the second-layer conductivities, as seen by the inverted data sections. Conductive rocks west of this feature are nearer the surface than those to the east. The data indicate a more uniform geologic section north of grid line 837,000 than to the south, although data trend lines do continue northeast through the area north of grid 837,000. While the slingram data alone are not conclusive evidence of northeastern fracturing along the eastern edge of Syncline Ridge, they may provide one line of evidence which, when interpreted in the light of other geologic and geophysical data, will be helpful in understanding the geology and structure of the study area.

References Cited

Frischknecht, F. C., 1967, Fields about an oscillating magnetic dipole over a two layer earth and application to ground and airborne electromagnetic surveys: Quarterly of the Colorado School of Mines, v. 62, no. 1, 326 p.

Keller, G. V. and Frischknecht, F. C. 1966, Electrical methods in geophysical prospecting: New York, N.Y., Pergamon press, 517 p.

Telford, W. M., Geldard, L. P., Sheriff, R. E., and Keys, D. A., 1976, Applied geophysics: Cambridge University Press, Electromagnetic methods, p. 514-520.

Appendix

Slingram field data--Nevada Test Site

Station	Line	X-position	Y-position	222 Hz. Real	222 Hz. Imaginary	444Hz. Real	444 Hz. Imaginary	888 Hz. Real	888 Hz. Imaginary	1777 Hz. Real	1777 Hz. Imaginary	3555 Hz. Real	3555 Hz. Imaginary
1	14	650900.00	834000.00	118.35	5.76	126.67	-16.48	111.87	-43.51	67.19	-62.15	20.19	-50.66
2	14	651300.00	834000.00	120.47	2.80	126.67	-16.48	115.17	-40.36	78.16	-57.57	32.14	-51.54
3	14	651700.00	834000.00	116.36	1.68	121.35	-17.57	107.65	-40.18	73.15	-52.97	23.40	-51.19
4	14	652100.00	834000.00	121.30	0.04	135.14	-9.00	126.05	-35.24	90.82	-59.50	36.79	-63.32
5	14	652500.00	834000.00	122.12	13.27	140.42	0.60	139.20	-24.80	105.97	-56.27	55.34	-64.20
6	14	652900.00	834000.00	121.17	11.15	136.17	-6.48	139.22	-23.12	111.85	-48.14	69.08	-67.58
7	14	653300.00	834000.00	119.22	7.95	127.68	-3.71	128.50	-22.39	107.97	-42.55	70.15	-61.16
8	14	653700.00	834000.00	116.10	9.99	121.66	-6.52	128.63	-17.02	109.47	-36.25	78.89	-54.91
9	14	654100.00	834000.00	117.02	10.98	132.97	2.69	134.10	-12.85	119.52	-29.48	94.59	-53.12
10	14	654500.00	834000.00	119.09	11.07	130.84	2.68	134.13	-11.78	119.52	-29.48	96.73	-53.47
11	14	654900.00	834000.00	119.05	12.10	132.96	5.76	136.30	-10.75	124.83	-29.84	100.48	-57.39
12	14	655100.00	834000.00	119.01	13.14	134.03	5.76	136.28	-11.83	122.71	-29.69	98.34	-57.04
13	13	653400.00	833500.00	119.18	6.99	132.99	-2.63	133.95	-19.30	113.71	-36.54	93.69	-51.87
14	13	653500.00	833500.00	120.17	10.07	132.99	-1.56	136.05	-21.50	118.29	-47.52	92.46	-79.17
15	13	653100.00	833500.00	116.06	11.02	132.99	-1.56	132.80	-22.50	113.13	-45.03	79.43	-64.90
16	13	652700.00	833500.00	121.13	12.19	135.11	-0.49	137.05	-24.75	109.03	-42.62	73.90	-71.68
17	13	652300.00	833500.00	123.20	12.27	140.42	0.60	141.15	-24.65	110.07	-58.68	70.69	-77.75
18	13	651900.00	833500.00	123.16	13.31	140.42	0.60	144.57	-24.93	112.05	-60.95	66.41	-77.04
19	13	651500.00	833500.00	118.27	5.43	129.83	-11.15	124.97	-35.21	83.76	-53.69	70.17	-94.16
20	13	651100.00	833500.00	116.36	1.68	124.53	-14.56	116.42	-19.36	85.16	-64.45	59.46	-92.39
21	13	650700.00	833500.00	118.39	2.72	120.66	-15.42	115.12	-42.51	72.76	-74.26	11.27	-51.38
22	13	650300.00	833500.00	107.73	-16.42	96.96	-34.69	75.98	-60.94	20.67	-40.86	-0.35	-21.94
23	13	649900.00	833500.00	106.52	-10.15	104.39	-31.47	82.73	-48.19	27.85	-60.54	60.33	-54.03
24	12	649900.00	833000.00	114.45	-2.64	121.36	-20.76	110.55	-54.23	63.69	-82.17	17.67	-57.97
25	12	650300.00	833000.00	121.13	12.19	140.43	-1.53	144.39	-32.45	121.72	-75.47	74.11	-130.02
26	12	650700.00	833000.00	120.69	12.15	135.13	-4.74	136.92	-30.12	110.41	-69.37	65.53	-102.20
27	12	651100.00	833000.00	122.25	10.15	130.32	-4.73	136.92	-30.12	112.38	-71.63	80.88	-109.14
28	12	651500.00	833000.00	122.25	10.15	140.44	-2.59	141.17	-32.37	118.05	-66.69	89.26	-105.04
29	12	651900.00	833000.00	121.21	10.11	136.32	-4.73	139.10	-29.10	109.78	-62.93	78.91	-94.52
30	12	652300.00	833000.00	122.25	10.15	140.43	-1.53	141.30	-27.00	118.41	-61.38	85.69	-100.04
31	12	652700.00	833000.00	121.17	11.15	136.18	-1.55	141.35	-24.85	121.11	-53.04	90.14	-86.48
32	12	653100.00	833000.00	120.17	10.07	135.11	-1.55	137.07	-23.67	115.11	-47.30	90.67	-70.07
33	12	653500.00	833000.00	119.26	6.91	135.12	-2.02	131.68	-24.62	109.95	-44.82	83.71	-65.61
34	12	653900.00	833000.00	121.30	8.04	135.13	-4.74	127.58	-24.52	106.62	-46.72	80.50	-65.08
35	11	654600.00	832500.00	121.17	11.15	136.17	-0.48	134.98	-21.47	116.53	-42.07	106.73	-66.13
36	11	654200.00	832500.00	121.17	11.15	136.18	-2.61	139.20	-24.80	122.32	-50.99	109.59	-82.01
37	11	653800.00	832500.00	121.21	10.11	136.18	-1.55	136.03	-22.57	117.38	-45.32	102.09	-74.16
38	11	653400.00	832500.00	119.18	8.99	121.30	-5.87	136.01	-22.57	117.30	-46.38	93.35	-73.81
39	11	653000.00	832500.00	119.14	10.03	135.00	-4.75	133.82	-24.67	108.38	-52.17	80.50	-71.68
40	11	652600.00	832500.00	122.21	11.19	136.31	-3.67	137.00	-26.40	106.19	-53.09	80.50	-71.68
41	11	652600.00	832500.00	121.30	8.04	136.32	-5.79	136.07	-32.27	104.40	-63.03	70.87	-83.26
42	11	651800.00	832500.00	120.26	7.99	130.21	-8.99	128.17	-36.37	89.40	-64.74	56.78	-75.44
43	11	651400.00	832500.00	120.43	5.64	135.03	-11.14	124.65	-40.54	85.71	-71.95	43.92	-53.50
44	11	651000.00	832500.00	116.27	5.83	126.65	-12.23	121.65	-39.44	80.69	-67.34	35.90	-68.67
45	11	649600.00	832500.00	114.49	-3.67	116.17	-20.77	101.97	-52.95	48.86	-65.17	54.11	-91.50
46	3	647265.00	829200.00	126.27	15.44	136.17	0.58	137.15	-20.45	116.66	-42.21	87.99	-66.32
47	3	647612.00	829200.00	124.20	15.35	140.42	0.60	137.05	-24.75	114.27	-44.04	75.50	-62.05
48	3	647960.00	829200.00	126.32	12.40	140.44	-3.66	133.75	-27.40	104.43	-47.04	64.80	-60.27
49	3	648307.00	829879.00	126.53	7.21	135.17	-14.32	122.65	-42.69	81.63	-53.54	30.89	-45.84
50	3	648654.00	830079.00	129.51	10.45	143.06	-10.03	135.67	-37.62	87.49	-61.41	37.68	-57.96
51	3	649001.00	830278.00	131.07	8.46	143.67	-12.15	133.39	-42.94	83.73	-69.68	13.77	-62.79
52	3	649549.00	830478.00	126.60	7.29	130.37	-10.43	122.59	-48.06	78.43	-69.32	18.23	-55.83
53	3	649694.00	830677.00	120.73	9.18	140.50	-17.49	121.50	-45.88	71.36	-69.24	29.47	-54.40
54	3	650043.00	830771.00	122.46	4.96	135.18	-17.51	115.05	-45.73	75.68	-62.73	25.00	-48.16
55	3	650594.00	831076.00	121.47	4.92	135.04	-13.26	119.47	-40.46	76.88	-60.68	25.00	-48.16
56	3	650730.00	831276.00	122.29	9.12	136.19	-5.80	128.27	-32.07	92.10	-56.39	40.89	-58.50
57	3	651085.00	831475.00	122.21	11.19	136.31	-2.60	139.15	-26.95	106.40	-49.40	69.79	-63.30
58	3	651433.00	831675.00	122.25	10.15	130.31	-2.60	135.92	-26.87	105.20	-51.95	61.58	-59.74
59	3	651780.00	831874.00	129.39	13.56	143.61	1.67	142.45	-23.80	113.83	-50.41	71.76	-64.73
60	3	652127.00	832074.00	122.25	10.15	136.29	1.65	139.35	-14.42	120.71	-43.42	83.00	-63.29

Station	Line	X-position	Y-position	222 Hz. Real	222 Hz. Imaginary	444 Hz. Real	444 Hz. Imaginary	888 Hz. Real	888 Hz. Imaginary	1777 Hz. Real	1777 Hz. Imaginary	3555 Hz. Real	3555 Hz. Imaginary
61	3	652474.00	832274.00	125.25	11.23	136.18	-1.55	136.05	-21.50	112.22	-42.04	78.53	-51.05
62	3	652622.00	832473.00	122.25	10.15	140.42	0.60	139.25	-22.65	113.13	-45.03	76.04	-58.84
63	3	653164.00	832673.00	126.55	13.52	141.48	2.73	143.62	-19.53	121.98	-40.31	85.31	-55.98
64	3	653516.00	832873.00	122.17	12.23	136.29	1.65	139.33	-19.42	114.41	-41.92	80.67	-57.41
65	3	653864.00	833072.00	124.33	10.24	135.12	-2.62	133.82	-24.67	108.89	-44.74	73.18	-56.16
66	3	654211.00	833272.00	120.05	13.18	135.11	-0.49	139.33	-19.42	117.74	-40.02	78.53	-57.05
67	3	654556.00	833471.00	121.13	12.19	136.15	3.17	141.58	-15.18	126.57	-37.56	93.52	-59.54
68	3	654905.00	833671.00	122.08	14.30	138.27	6.97	143.80	-12.00	136.36	-32.76	94.77	-65.25
69	3	655253.00	833870.00	122.17	12.23	136.27	5.91	142.75	-10.90	130.91	-34.52	99.59	-62.75
70	3	655600.00	834070.00	117.02	10.98	127.66	0.54	130.83	-14.92	115.98	-34.57	87.10	-58.47
71	2	655940.00	833050.00	122.25	10.15	138.29	1.65	141.55	-16.25	130.83	-35.58	111.36	-64.70
72	2	654030.00	832950.00	119.01	13.14	135.09	2.70	136.15	-17.20	123.41	-35.07	106.72	-59.53
73	2	654660.00	832065.00	129.39	13.56	140.40	4.65	141.53	-17.33	126.71	-35.43	115.82	-57.74
74	2	654480.00	832175.00	131.55	11.57	146.80	2.15	142.57	-16.43	130.83	-35.58	101.01	-60.78
75	2	654300.00	832080.00	126.39	12.48	141.48	1.67	146.90	-17.45	141.52	-35.24	130.27	-56.84
76	2	654120.00	832590.00	136.65	13.66	146.92	3.83	152.27	-17.58	141.45	-36.30	113.86	-62.92
77	2	653940.00	832500.00	129.30	15.64	145.72	5.94	146.90	-17.45	125.02	-42.65	88.35	-64.18
78	2	653775.00	832405.00	127.23	15.55	142.54	3.80	146.87	-18.53	123.96	-42.57	87.63	-61.86
79	2	653610.00	832310.00	129.35	14.60	143.60	3.80	144.65	-21.70	119.64	-43.34	87.81	-67.39
80	2	653475.00	832215.00	124.16	14.39	142.54	2.73	143.60	-20.60	120.78	-42.36	88.88	-60.97
81	2	653268.00	832123.00	129.30	15.64	143.60	3.80	146.85	-19.60	125.02	-42.65	87.28	-64.00
82	2	653091.00	832030.00	129.30	15.64	145.73	3.81	147.92	-19.63	129.41	-40.81	94.59	-59.72
83	2	652914.00	831937.00	129.30	15.64	143.60	3.80	146.87	-18.53	122.90	-42.50	84.42	-54.73
84	2	652731.00	831844.00	128.27	15.59	141.47	3.79	146.90	-17.45	125.31	-38.40	86.74	-60.61
85	2	652560.00	831752.00	124.20	13.35	140.41	2.73	142.57	-18.43	120.22	-34.86	96.19	-56.68
86	2	652383.00	831659.00	128.27	15.59	141.47	3.79	142.63	-16.28	121.14	-37.05	97.62	-54.72
87	2	652206.00	831566.00	127.31	13.48	141.48	1.67	142.55	-19.50	118.94	-37.97	89.77	-55.62
88	2	652026.00	831475.00	126.31	14.56	141.48	1.67	143.62	-19.53	117.59	-42.14	84.24	-55.80
89	2	651851.00	831381.00	127.35	12.44	141.48	1.67	141.42	-21.63	117.38	-45.32	88.88	-60.97
90	2	651674.00	831288.00	129.30	15.64	145.73	3.81	146.62	-20.68	120.42	-42.66	83.00	-63.29
91	2	651497.00	831195.00	126.27	15.59	145.72	5.94	150.07	-21.83	121.48	-47.73	81.57	-65.26
92	2	651320.00	831102.00	120.22	16.63	145.72	4.88	147.85	-22.85	120.20	-50.85	88.53	-63.11
93	2	651142.00	831010.00	126.27	15.59	145.73	2.15	146.72	-24.98	110.50	-52.32	74.96	-58.66
94	2	650966.00	830917.00	127.40	10.36	140.44	-3.66	135.85	-30.10	96.71	-51.37	64.43	-49.21
95	2	650789.00	830824.00	123.29	10.20	136.21	-8.99	124.97	-35.21	84.96	-51.64	58.90	-42.79
96	2	650611.00	830731.00	122.38	7.04	135.15	-10.06	123.82	-38.41	81.78	-51.42	48.59	-37.44
97	2	650430.00	830639.00	123.37	8.12	138.33	-6.86	124.92	-37.36	81.63	-53.54	46.94	-35.30
98	2	650080.00	830453.00	124.24	12.31	141.51	-5.78	135.17	-33.32	87.09	-51.78	54.97	-33.33
99	2	649725.00	830260.00	127.14	17.63	145.74	1.68	142.30	-30.25	95.65	-51.30	64.78	-27.26
100	2	649371.00	830182.00	129.14	19.79	151.04	4.90	149.62	-30.43	98.61	-54.70	59.96	-23.16
101	2	649011.00	829897.00	129.22	17.71	146.80	2.75	142.50	-30.25	98.28	-40.02	66.20	-18.70
102	2	648663.00	829711.00	122.17	12.23	141.50	-3.65	132.55	-33.24	87.81	-41.17	57.99	-15.13
103	2	648309.00	829526.00	123.41	7.08	135.04	-14.33	115.25	-37.13	77.63	-34.08	53.71	-7.82
104	2	647954.00	829340.00	126.15	16.55	143.61	2.74	139.25	-22.65	88.15	-27.38	94.57	-26.71
105	15	652000.00	832000.00	129.43	12.52	138.30	-0.48	139.27	-21.57	121.62	-45.61	92.81	-70.42
106	15	651600.00	832000.00	129.51	10.45	138.32	-5.79	139.20	-24.80	107.44	-65.97	75.86	-73.11
107	15	651200.00	832000.00	129.51	10.45	143.65	-6.64	139.07	-30.17	104.62	-60.44	69.62	-77.57
108	15	650600.00	832000.00	129.60	8.37	138.35	-11.11	127.00	-40.64	86.70	-59.36	54.45	-69.55
109	15	650400.00	832000.00	129.77	4.22	138.37	-17.50	121.50	-45.88	80.55	-69.46	42.86	-73.13
110	15	650000.00	832000.00	119.77	-5.54	122.45	-26.07	100.82	-56.15	98.35	-72.60	2.70	-49.95
111	15	649600.00	832000.00	114.07	-13.01	109.73	-30.77	84.58	-61.14	27.49	-65.84	-1.76	-43.71
112	15	649200.00	832000.00	114.54	-5.75	117.13	-26.10	98.67	-56.10	48.35	-72.60	-3.54	-54.42
113	16	648640.00	831500.00	110.38	-5.80	112.85	-20.80	98.93	-45.35	60.05	-57.40	50.90	-90.96
114	16	649040.00	831532.00	124.54	5.05	133.02	-9.01	133.57	-35.42	95.28	-70.33	41.08	-83.63
115	16	649480.00	831564.00	124.33	10.24	143.64	-5.77	138.62	-40.92	102.13	-65.60	46.43	-84.72
116	16	649040.00	831596.00	129.51	10.45	143.66	-8.46	138.94	-35.54	96.47	-70.55	46.43	-84.72
117	16	650240.00	831620.00	129.60	7.33	130.36	-14.30	127.00	-40.64	88.34	-64.66	43.75	-67.77
118	16	650040.00	831660.00	129.56	9.41	130.33	-7.92	133.57	-35.42	95.07	-59.79	49.10	-68.66
119	16	651040.00	831692.00	129.60	8.37	105.64	-4.71	139.07	-30.17	108.16	-55.35	64.62	-77.57
120	16	651440.00	831724.00	129.60	7.33	130.53	-7.47	133.70	-30.04	102.86	-54.99	66.05	-65.98

Station	Line	X-position	Y-position	222 Hz.		222 Hz.		444 Hz.		444 Hz.		888 Hz.		888 Hz.		1777 Hz.		1777 Hz.		3555 Hz.							
				Real	Imaginary	Real	Imaginary	Real	Imaginary	Real	Imaginary																
121	16	651640.00	831750.00	129.64	7.53	150.51	-2.60	134.20	-24.80	111.71	-50.27	75.86	-73.11	122	16	652240.00	831780.00	124.33	10.24	150.30	0.59	139.33	-19.42	119.86	-40.16	84.07	-63.47
123	16	652640.00	831620.00	129.22	17.71	148.40	9.14	150.20	-14.31	136.50	-30.64	115.64	-52.21	124	16	653040.00	831652.00	129.61	3.18	138.37	-17.50	117.45	-35.04	80.91	-64.16	116.01	-96.35
125	16	653440.00	831684.00	129.66	1.94	125.61	-18.61	116.38	-35.01	95.07	-59.79	55.16	-97.20	126	16	653840.00	831910.00	129.39	13.56	148.93	1.70	149.97	-23.98	124.60	-45.83	95.84	-65.43
127	16	654240.00	831940.00	129.43	12.52	143.62	-0.45	139.20	-24.80	118.44	-45.39	91.74	-70.25	128	17	654220.00	831640.00	129.64	7.33	145.60	-5.17	139.20	-24.80	106.53	-50.05	78.69	-68.11
129	17	653820.00	831421.99	129.60	0.37	138.32	-5.79	130.55	-26.74	108.53	-50.05	82.11	-68.64	130	17	653420.00	831415.99	129.60	0.37	136.33	-0.86	130.55	-26.74	107.46	-49.48	75.86	-73.11
131	17	653020.00	831403.99	129.50	15.04	143.61	0.61	144.57	-24.93	118.44	-45.39	97.98	-65.78	132	17	652620.00	831391.99	124.54	5.05	133.05	-17.52	122.70	-40.54	83.37	-74.98	8.07	-83.45
133	17	652220.00	831379.99	124.75	-0.14	135.06	-18.58	120.55	-40.49	84.07	-84.36	6.30	-94.56	134	17	651820.00	831367.99	129.51	10.45	145.61	2.74	144.65	-21.70	120.92	-40.23	91.56	-64.71
135	17	651420.00	831355.99	124.53	10.27	136.32	-4.73	139.20	-24.60	107.32	-52.10	66.05	-65.98	136	17	651020.00	831343.99	129.51	10.45	140.45	-4.72	135.70	-30.04	102.86	-54.99	60.69	-65.09
137	17	650620.00	831331.99	124.45	7.12	140.45	-4.72	139.07	-30.17	103.92	-55.06	61.95	-70.80	138	17	650220.00	831319.99	124.41	8.16	140.45	-5.79	139.07	-30.17	100.59	-56.97	57.31	-72.23
139	17	649620.00	831307.99	129.43	12.52	143.63	-5.64	144.44	-30.30	108.86	-60.73	64.27	-76.68	140	17	649420.00	831295.99	124.30	15.64	145.01	0.61	144.57	-24.93	117.71	-56.01	69.62	-71.57
141	17	649020.00	831283.99	124.54	5.05	123.47	-16.50	115.17	-40.36	75.60	-63.79	17.87	-57.97	142	18	647440.00	830600.00	115.95	9.62	125.52	3.73	137.53	-12.93	130.11	-46.19	82.83	-90.77
143	18	647640.00	830814.99	117.02	10.98	132.96	3.76	139.45	-14.05	122.49	-32.88	86.21	-63.83	144	18	648240.00	830834.99	114.58	-5.75	117.11	-20.78	103.55	-40.08	65.36	-57.76	15.41	-51.73
145	18	648640.00	830854.99	114.58	-5.75	116.07	-26.10	93.43	-50.60	47.17	-58.66	-2.65	-49.06	146	18	649040.00	830874.99	119.55	4.84	135.19	-18.57	117.20	-45.78	78.79	-64.01	18.76	-52.62
147	18	649440.00	830894.99	129.51	10.45	143.65	-7.40	138.89	-37.69	93.64	-65.02	43.75	-67.77	148	18	649040.00	830914.99	129.51	10.45	140.48	-12.17	133.52	-37.57	83.03	-64.30	83.58	-62.78
149	18	650240.00	830939.99	129.72	5.26	133.06	-10.58	122.70	-40.54	70.30	-63.43	29.47	-54.40	150	18	650640.00	830955.99	129.72	5.26	135.16	-13.25	121.62	-40.51	81.13	-60.97	29.47	-54.40
151	18	651040.00	830979.99	129.43	12.52	143.62	-0.45	144.57	-24.93	109.59	-50.12	71.40	-66.87	152	19	651100.00	830500.00	129.09	20.83	146.80	11.27	155.60	-15.36	141.61	-31.00	136.17	-74.32
153	19	650700.00	830500.00	114.58	-5.75	125.62	-20.14	109.55	-50.98	69.57	-74.04	-36.55	-54.44	154	19	650500.00	830500.00	114.79	-10.94	120.32	-26.08	101.05	-58.32	49.39	-88.66	-50.81	-74.07
155	19	649900.00	830500.00	124.50	5.05	136.35	-12.18	122.70	-40.54	81.13	-60.97	34.82	-55.29	156	19	649500.00	830500.00	129.65	2.15	130.38	-19.62	118.14	-51.18	66.54	-71.70	13.41	-51.73
157	19	649100.00	830500.00	129.93	0.07	133.07	-20.71	106.20	-56.28	53.80	-70.84	14.30	-46.38	158	19	648700.00	830500.00	124.75	-0.14	135.07	-20.71	114.97	-48.46	70.30	-63.43	18.76	-52.62
159	19	648300.00	830500.00	129.51	10.45	143.65	-6.84	138.94	-35.54	93.28	-70.33	31.26	-76.70	160	19	647900.00	830500.00	124.53	10.24	130.31	-2.60	139.07	-30.17	102.06	-66.67	41.08	-83.83
161	19	647500.00	830500.00	119.10	10.03	125.55	-4.78	133.82	-24.67	105.77	-57.19	58.03	-81.15	162	19	647100.00	830500.00	114.16	4.03	124.48	-3.73	127.43	-22.37	110.65	-50.19	58.03	-81.15
163	19	646700.00	830500.00	113.95	9.82	126.58	2.67	139.48	-12.98	132.23	-46.34	75.16	-97.19	164	19	646300.00	830500.00	116.02	9.90	120.57	5.86	139.58	-8.68	140.72	-46.91	83.19	-101.83
165	19	645900.00	830500.00	108.76	9.61	120.21	1.58	134.10	-12.85	137.83	-89.36	72.31	-94.52	166	20	645400.00	830000.00	108.76	9.61	121.27	2.64	134.13	-11.78	130.33	-43.01	78.73	-95.59
167	20	645600.00	830000.00	113.99	8.78	124.45	4.78	139.45	-14.05	130.04	-47.25	66.95	-93.63	168	20	646200.00	830000.00	113.95	9.62	125.50	7.98	143.90	-7.71	135.78	-41.25	85.33	-82.38
169	20	646600.00	830000.00	113.95	9.82	124.47	0.53	133.98	-18.22	116.17	-47.37	69.27	-79.71	170	20	647000.00	830000.00	119.22	7.95	132.98	-0.50	134.27	-21.57	115.95	-50.56	69.62	-77.57
171	20	647400.00	830000.00	121.30	8.04	136.30	-0.48	139.20	-24.80	113.69	-52.53	70.33	-73.29	172	20	647600.00	830000.00	121.30	8.04	150.52	-5.79	135.92	-26.87	104.98	-55.14	59.81	-70.44
173	20	648200.00	830000.00	120.61	5.13	135.16	-13.25	122.82	-35.16	85.88	-53.83	40.17	-56.18	174	20	648600.00	830000.00	129.72	5.26	136.36	-14.30	121.62	-40.51	83.39	-58.99	40.17	-56.18
175	20	649000.00	830000.00	129.51	10.45	143.65	-7.90	133.52	-51.57	90.82	-59.50	50.88	-57.96	176	20	649400.00	830000.00	129.95	8.07	135.07	-20.71	114.50	-47.98	73.79	-90.32	-42.77	-91.91
177	20	649600.00	830000.00	121.63	-0.27	135.07	-20.71	113.65	-51.08	69.21	-79.35	-7.99	-81.18	178	20	650200.00	830000.00	119.22	7.95	130.33	-0.06	133.67	-31.12	90.49	-48.82	58.01	-48.14
179	20	650600.00	830000.00	129.49	8.09	138.34	-10.05	124.97	-35.21	85.52	-59.14	49.10	-68.66	180	20	651000.00	830000.00	129.51	10.45	143.64	-5.17	139.07	-30.17	106.04	-55.21	59.81	-70.44

Station	Line	X-position	Y-position	222 Hz. Real	222 Hz. Imaginary	444 Hz. Real	444 Hz. Imaginary	888 Hz. Real	888 Hz. Imaginary	1777 Hz. Real	1777 Hz. Imaginary	3555 Hz. Real	3555 Hz. Imaginary
181	20	6514000.00	830000.00	129.51	-10.45	143.64	-4.71	141.22	-30.22	109.68	-60.52	53.56	-74.90
182	20	6518000.00	830000.00	129.72	5.26	143.67	-12.15	127.12	-35.27	91.88	-59.51	37.51	-72.24
183	20	652200.00	830000.00	129.93	0.67	135.18	-17.51	119.47	-40.46	80.91	-64.16	32.15	-71.35
184	21	656000.00	834500.00	119.14	10.03	132.96	3.76	139.58	-8.68	131.41	-27.09	119.91	-26.52
185	21	655600.00	834500.00	119.14	10.03	132.98	0.57	136.28	-11.83	121.65	-29.62	104.40	-47.04
186	21	655200.00	834500.00	124.53	10.24	132.97	2.69	136.28	-11.83	124.03	-29.84	106.00	-50.61
187	21	654800.00	834500.00	119.14	10.03	132.97	2.69	136.28	-11.83	123.77	-29.77	100.83	-55.25
188	21	654400.00	834500.00	119.14	10.03	132.97	2.69	136.28	-11.83	124.83	-29.84	100.48	-57.39
189	21	654000.00	834500.00	119.09	11.07	135.09	3.77	139.50	-11.90	131.20	-30.27	99.94	-60.61
190	21	653600.00	834500.00	124.37	9.20	135.10	1.64	139.40	-16.20	122.20	-37.12	92.27	-67.03
191	21	653200.00	834500.00	121.21	10.11	134.05	-1.56	136.05	-21.50	113.13	-45.03	69.26	-66.51
192	21	652800.00	834500.00	124.11	15.43	136.30	-1.54	139.20	-24.80	111.71	-50.27	71.40	-66.87
193	21	652400.00	834500.00	122.29	9.12	138.32	-4.73	134.85	-26.85	102.86	-54.99	60.69	-65.09
194	21	652000.00	834500.00	119.35	4.84	125.58	-12.23	117.53	-31.81	85.18	-48.46	51.77	-52.60
195	21	651600.00	834500.00	119.56	-0.35	124.54	-17.56	111.95	-40.28	75.97	-58.49	28.93	-57.61
196	21	651200.00	834500.00	114.74	-3.67	117.11	-20.78	97.85	-45.33	60.27	-54.22	15.19	-41.03
197	22	651200.00	835000.00	114.45	-2.64	117.10	-18.65	103.43	-36.86	74.35	-50.92	29.82	-52.26
198	22	651600.00	835000.00	114.37	-0.56	116.16	-16.52	106.70	-34.78	76.33	-53.18	33.21	-51.72
199	22	652000.00	835000.00	119.35	4.88	125.45	-10.11	118.65	-29.69	90.49	-48.82	50.88	-57.96
200	22	652400.00	835000.00	126.51	7.21	135.02	-9.01	126.18	-29.87	96.49	-54.56	55.34	-64.20
201	22	652800.00	835000.00	122.25	10.15	136.30	-0.48	141.35	-24.85	116.89	-51.48	70.51	-72.22
202	22	653200.00	835000.00	122.17	12.23	136.30	0.59	139.35	-18.35	120.78	-42.36	85.32	-69.18
203	22	653600.00	835000.00	122.17	12.23	136.29	2.72	141.58	-15.18	130.83	-35.58	99.05	-65.96
204	22	654000.00	835000.00	119.10	10.03	132.98	0.57	139.43	-15.13	122.35	-35.00	89.60	-69.89
205	22	654400.00	835000.00	124.33	10.24	132.97	1.63	137.25	-16.15	120.22	-34.86	89.24	-58.83
206	22	654800.00	835000.00	119.14	10.03	132.97	2.69	139.50	-11.90	131.20	-30.27	103.15	-61.14
207	22	655200.00	835000.00	120.17	10.07	132.97	1.63	136.25	-12.90	123.77	-29.77	109.93	-53.46
208	22	655600.00	835000.00	124.33	10.24	132.97	1.63	136.30	-10.75	123.84	-28.71	112.43	-51.68
209	22	656000.00	835000.00	125.25	11.23	138.28	3.78	141.73	-8.73	136.79	-26.39	124.19	-27.23
210	23	656400.00	835500.00	129.39	13.56	140.40	5.92	145.00	-6.66	102.10	-26.75	136.52	-58.98
211	23	655600.00	835500.00	124.24	12.31	132.96	4.82	139.61	-7.60	136.86	-25.33	116.71	-52.39
212	23	655200.00	835516.00	124.37	9.20	132.46	3.76	139.58	-8.68	131.41	-27.09	112.25	-46.15
213	23	654800.00	835524.00	124.39	13.56	136.27	6.47	144.95	-8.81	136.50	-30.64	111.54	-57.03
214	23	654400.00	835532.00	124.33	10.24	136.28	4.84	144.68	-12.03	136.14	-35.94	102.27	-66.49
215	23	654000.00	835540.00	124.20	13.35	136.28	4.84	141.60	-14.10	130.83	-35.58	101.38	-71.05
216	23	653600.00	835546.00	124.20	13.35	136.28	4.84	144.80	-15.25	130.47	-40.89	89.60	-69.89
217	23	653200.00	835556.00	124.11	15.43	136.28	4.84	144.60	-15.25	130.47	-40.89	90.85	-75.60
218	23	652800.00	835564.00	124.28	11.28	136.29	2.72	139.38	-17.28	129.92	-40.23	88.70	-62.04
219	23	652400.00	835572.00	124.37	9.20	136.30	-1.54	136.05	-21.50	113.13	-45.03	71.40	-66.87
220	23	652000.00	835580.00	116.57	-5.59	116.17	-20.77	108.78	-38.06	71.38	-47.51	30.36	-49.05
221	23	651600.00	835588.00	114.49	-3.67	114.97	-17.60	101.41	-31.43	77.05	-42.57	32.13	-38.34
222	23	651200.00	835596.00	124.20	13.35	135.09	4.83	139.01	-7.60	131.70	-22.85	117.42	-41.51
223	23	650800.00	835604.00	124.11	15.43	136.91	15.46	145.44	11.61	159.90	-0.25	175.04	-38.98
224	24	650400.00	836000.00	113.95	9.82	125.37	6.91	134.58	-1.03	142.46	-21.45	132.06	-65.94
225	24	651300.00	836000.00	118.10	9.94	126.58	5.73	134.23	-7.48	132.40	-28.22	114.58	-65.24
226	24	651100.00	836000.00	113.95	9.82	123.40	0.53	124.43	-12.62	115.42	-27.07	100.47	-44.19
227	24	652100.00	836000.00	116.23	4.71	126.37	-6.93	117.76	-22.14	97.94	-33.33	74.07	-50.81
228	24	652500.00	836000.00	119.26	6.91	132.99	-2.63	127.48	-20.22	109.61	-34.13	80.67	-57.41
229	24	652900.00	836000.00	121.13	12.19	136.28	3.78	144.83	-14.18	130.83	-35.58	99.05	-65.96
230	24	653300.00	836000.00	119.05	12.10	136.29	2.72	139.40	-16.20	119.02	-36.91	87.10	-58.47
231	24	653700.00	836000.00	122.17	12.23	136.29	2.72	139.58	-17.28	121.98	-40.31	86.03	-58.29
232	24	654100.00	836000.00	126.27	15.44	140.40	5.92	144.63	-14.18	136.14	-35.94	101.20	-66.32
233	24	654500.00	836000.00	124.16	14.59	136.27	5.91	144.68	-12.03	135.18	-41.25	98.16	-71.31
234	24	654900.00	836000.00	121.13	12.19	136.27	5.91	144.80	-12.03	131.20	-30.27	102.08	-60.96
235	24	655300.00	836000.00	124.20	13.35	136.27	5.91	139.55	-9.75	131.54	-28.15	115.46	-46.68
236	24	655700.00	836000.00	124.33	10.24	135.09	2.70	139.55	-9.75	131.49	-26.03	115.46	-46.68
237	24	656100.00	836000.00	124.33	10.24	134.03	2.70	139.55	-9.75	131.49	-26.03	115.46	-46.68
238	24	656500.00	836000.00	124.37	9.20	136.98	0.57	134.10	-12.05	119.60	-28.42	103.68	-44.73
239	24	655600.00	836500.00	121.17	11.15	132.96	3.76	136.33	-9.68	124.06	-25.52	109.03	-45.62
240	25	655200.00	836500.00	124.11	15.43	136.25	10.16	145.08	-3.43	142.46	-21.45	124.91	-42.75

Station	Line	X-position	Y-position	222 Hz. Real	222 Hz. Imaginary	444 Hz. Real	444 Hz. Imaginary	888 Hz. Real	888 Hz. Imaginary	1777 Hz. Real	1777 Hz. Imaginary	3555 Hz. Real	3555 Hz. Imaginary
241	25	654000.00	836500.00	119.14	10.03	132.98	0.57	134.03	-16.07	115.28	-29.19	91.02	-48.12
242	25	654400.00	836500.00	119.22	7.45	126.60	-1.59	126.40	-20.19	106.43	-33.91	80.31	-46.34
243	25	654000.00	836500.00	119.14	10.03	135.09	2.70	139.38	-17.28	116.49	-36.76	86.56	-55.08
244	25	653000.00	836500.00	120.17	10.07	132.99	-2.63	133.90	-21.45	110.31	-39.51	78.18	-59.19
245	25	653200.00	836500.00	124.37	9.20	127.67	-1.58	126.43	-19.12	110.67	-34.20	82.63	-52.23
246	25	652800.00	836500.00	124.41	8.16	132.98	-0.50	127.58	-15.92	115.24	-29.19	90.13	-53.48
247	25	652400.00	836500.00	118.93	15.22	132.94	8.01	139.71	-3.50	139.35	-20.17	131.16	-51.49
248	25	652000.00	836500.00	119.14	10.03	126.56	1.99	131.03	-0.03	139.04	-15.92	137.40	-47.03
249	25	651600.00	836500.00	113.95	9.82	122.31	6.90	127.96	0.20	135.47	-14.57	139.40	-45.24
250	26	650400.00	837000.00	110.96	6.58	114.87	4.74	122.61	1.40	132.36	-13.30	132.95	-66.59
251	26	650600.00	837000.00	106.76	9.01	114.06	9.00	125.87	8.98	138.53	-0.92	140.63	-32.39
252	26	651200.00	837000.00	110.01	4.46	117.01	2.63	122.46	-5.05	122.08	-23.25	106.37	-61.67
253	26	651600.00	837000.00	110.96	6.58	119.14	1.57	128.53	-21.32	123.91	-27.64	102.98	-75.41
254	26	652000.00	837000.00	113.86	11.69	125.57	7.97	134.41	0.05	142.02	-16.14	143.66	-62.37
255	26	652400.00	837000.00	116.01	12.06	127.63	7.99	139.76	-1.16	144.58	-21.59	138.30	-61.48
256	26	652600.00	837000.00	119.14	10.03	126.59	0.54	126.71	-13.80	120.59	-29.55	93.70	-65.07
257	26	653000.00	837000.00	120.13	11.11	132.96	5.76	136.33	-9.68	131.27	-29.21	110.65	-62.39
258	26	653600.00	837000.00	121.17	11.15	135.04	2.70	139.45	-14.05	125.89	-29.91	100.83	-55.25
259	26	654000.00	837000.00	119.22	7.45	130.06	-2.63	124.51	-17.99	111.03	-28.90	91.91	-42.77
260	26	654400.00	837000.00	119.14	10.03	132.97	2.69	135.20	-11.80	123.77	-29.77	99.94	-60.61
261	26	654800.00	837000.00	121.00	15.50	138.25	11.23	150.53	-0.34	150.66	-26.27	137.95	-63.62
262	26	655200.00	837000.00	118.72	20.41	136.20	21.86	156.34	17.81	170.58	0.09	184.50	-48.25
263	26	655600.00	837000.00	121.70	23.04	138.16	32.50	162.09	33.80	197.69	6.77	210.56	-56.98
264	27	656100.00	837500.00	129.30	15.64	143.57	11.25	150.53	-0.34	152.05	-25.35	256.95	-75.69
265	27	655700.00	837519.99	119.14	10.03	127.63	5.86	134.38	-1.03	137.44	-16.84	130.62	-41.50
266	27	655500.00	837559.99	116.93	15.22	130.81	10.13	139.77	-0.73	142.17	-25.69	140.97	-45.42
267	27	654900.00	837559.99	116.93	15.22	135.06	10.15	145.16	-0.21	147.77	-21.81	135.62	-57.73
268	27	654500.00	837579.99	124.28	11.28	132.94	8.01	141.86	-3.36	142.17	-25.69	128.66	-40.07
269	27	654100.00	837599.99	117.06	9.94	124.46	2.66	128.88	-6.27	126.40	-22.48	113.32	-46.33
270	27	653700.00	837614.99	115.95	9.82	121.27	0.52	122.33	-10.42	114.72	-21.69	103.68	-38.12
271	27	653300.00	837619.99	119.14	10.03	127.63	5.86	136.48	-3.23	137.23	-20.02	128.49	-54.35
272	27	652900.00	837659.99	114.16	4.03	122.54	-0.54	125.48	-13.72	118.10	-34.71	82.29	-74.18
273	27	652500.00	837679.99	115.95	9.82	121.27	1.58	126.68	-8.57	125.89	-29.91	99.42	-77.02
274	28	652900.00	838000.00	114.16	4.03	122.35	-1.61	125.43	-15.87	119.02	-36.91	85.68	-80.24
275	28	653300.00	838000.00	116.02	9.90	125.50	6.92	135.43	-2.13	139.35	-20.17	133.84	-55.24
276	28	653700.00	838000.00	115.95	9.82	121.26	5.71	123.56	-4.00	121.60	-14.69	121.52	-36.69
277	28	654100.00	838000.00	114.03	7.74	121.27	1.58	123.46	-8.50	120.10	-20.49	109.42	-40.26
278	28	654500.00	838000.00	117.97	15.10	127.63	7.99	139.76	-1.16	139.28	-21.23	129.02	-51.14
279	28	654900.00	838000.00	118.01	12.06	126.57	6.92	137.53	-4.33	136.86	-25.33	116.89	-57.92
280	28	655300.00	838000.00	116.10	9.99	125.51	4.79	134.33	-3.18	131.99	-18.60	130.26	-43.64
281	28	655700.00	838000.00	116.10	9.99	124.45	3.72	126.79	-4.07	125.92	-13.92	122.77	-35.80
282	28	656100.00	838000.00	120.23	14.47	130.26	9.10	147.28	-1.33	148.06	-17.56	140.44	-48.63
283	28	656500.00	838000.00	121.21	10.11	132.99	-1.56	134.00	-17.15	118.32	-31.53	95.12	-56.51
284	28	656900.00	838000.00	116.22	6.67	124.49	-4.79	122.13	-19.82	111.03	-28.90	104.04	-55.79
285	29	657100.00	838000.00	129.72	5.26	135.11	-1.55	135.08	-17.17	120.59	-29.55	100.83	-55.25
286	29	656700.00	838000.00	129.04	7.33	132.99	-1.56	134.03	-16.07	119.74	-26.29	104.93	-50.43
287	29	656300.00	838000.00	119.14	10.03	132.98	-0.50	127.66	-12.70	116.61	-27.28	104.75	-44.90
288	29	655900.00	838000.00	116.22	8.07	123.40	1.59	125.61	-8.35	120.95	-24.24	107.96	-45.44
289	29	655500.00	838000.00	119.14	10.03	121.26	4.77	126.79	-4.07	123.65	-15.90	117.95	-38.30
290	29	655100.00	838000.00	119.01	15.14	132.94	9.08	139.86	5.14	143.11	-11.90	146.32	-46.31
291	29	654700.00	838000.00	116.93	15.22	126.58	4.79	134.26	-6.40	133.68	-25.11	114.57	-52.04
292	29	654300.00	838000.00	115.95	9.02	122.52	5.71	126.76	-5.15	125.19	-24.53	114.21	-54.18
293	29	653900.00	838000.00	114.16	4.03	116.09	-1.63	119.11	-10.34	113.52	-23.74	97.26	-43.66
294	29	653500.00	838000.00	106.55	14.00	122.31	7.97	128.01	2.35	134.91	-7.97	137.75	-31.68
295	29	653100.00	838000.00	115.95	9.02	122.33	2.65	126.68	-8.57	123.84	-28.71	102.80	-63.28
296	30	652400.00	839000.00	106.76	9.61	114.86	6.87	122.01	1.40	133.13	-17.61	132.06	-65.94
297	30	652000.00	839000.00	109.96	5.50	118.08	1.57	125.74	3.52	120.59	-29.55	96.02	-70.96
298	30	651200.00	839000.00	111.07	9.73	120.18	6.89	127.91	-1.95	134.04	-19.81	130.63	-54.70
299	30	653600.00	839000.00	115.91	10.65	122.31	7.97	129.09	2.32	137.45	-9.41	141.86	-40.07
300	30	654000.00	839000.00	111.91	6.70	119.15	0.51	121.34	-7.17	117.98	-20.84	107.78	-39.91

Sta	Line	X-position	Y-position	222 Hz. Real	222 Hz. Imaginary	444 Hz. Real	444 Hz. Imaginary	888 Hz. Real	888 Hz. Imaginary	1777 Hz. Real	1777 Hz. Imaginary	3555 Hz. Real	3555 Hz. Imaginary
501	50	654400.00	839000.00	115.90	0.78	122.33	1.58	125.63	-7.27	124.06	-25.52	116.70	-25.99
502	50	650400.00	839000.00	118.06	11.02	125.51	4.79	136.43	-5.38	131.63	-23.91	119.91	-26.52
503	50	655200.00	839000.00	115.82	12.93	125.49	9.04	139.86	5.14	142.97	-14.02	145.43	-51.66
504	50	655600.00	839000.00	119.01	13.14	132.95	6.95	139.81	0.99	140.72	-46.91	140.08	-50.77
505	50	656000.00	839000.00	114.07	0.70	121.28	-1.61	120.11	-15.59	113.30	-26.92	99.40	-44.01
506	50	656400.00	839000.00	122.58	7.04	135.11	-0.99	137.28	-15.08	122.35	-35.00	104.57	-39.37
507	50	656800.00	839000.00	122.58	7.04	135.11	-1.55	134.03	-16.07	121.50	-31.74	101.20	-66.32
508	51	656600.00	839500.00	124.24	12.31	138.28	3.78	142.78	-9.83	138.62	-30.78	111.01	-73.45
509	51	656200.00	839491.99	119.22	7.95	130.85	0.56	134.08	-13.92	122.71	-29.69	103.15	-61.14
510	51	655800.00	839483.99	119.35	4.84	125.53	-0.53	128.76	-11.65	123.77	-29.77	104.41	-66.85
511	51	655400.00	839475.99	119.09	11.07	131.88	0.01	139.86	3.14	145.02	-15.23	150.43	-54.69
512	51	655000.00	839467.99	116.02	9.90	125.51	5.85	134.36	-2.10	137.37	-17.90	134.73	-49.88
513	51	654600.00	839459.99	105.59	15.71	125.39	2.65	134.23	-7.48	131.49	-26.03	110.47	-56.85
514	51	654200.00	839451.99	111.91	8.70	121.26	3.71	124.66	-2.95	125.77	-16.04	121.70	-42.22
515	51	653800.00	839443.99	110.83	9.69	119.12	5.83	124.74	0.28	127.05	-12.93	132.58	-42.93
516	51	653400.00	839435.99	111.75	12.85	120.17	11.15	129.21	7.70	141.57	-3.26	148.10	-35.60
517	51	653000.00	839427.99	108.84	7.53	114.87	4.74	122.54	-1.82	124.49	-19.16	117.24	-49.18
518	51	652600.00	839419.99	108.47	4.42	113.81	5.80	120.41	-0.70	123.50	-18.02	109.22	-51.15
519	51	652200.00	839411.99	108.97	4.42	112.75	4.74	120.44	0.38	125.63	-18.17	119.03	-58.28
520	51	651800.00	839403.99	105.90	3.25	109.58	-1.66	113.76	-9.14	109.97	-28.83	90.49	-64.54
521	51	651400.00	839395.99	105.78	4.21	107.44	1.52	113.91	-2.69	117.28	-15.46	109.75	-47.93
522	51	651000.00	839387.99	105.78	4.21	107.44	2.58	115.07	0.50	120.61	-13.56	115.64	-52.21
523	52	650600.00	840000.00	105.78	4.21	107.46	-2.73	110.49	-11.22	106.79	-28.61	81.92	-63.11
524	52	651000.00	840000.00	105.94	2.22	110.64	0.47	117.06	-6.00	117.84	-22.97	108.85	-26.88
525	52	651400.00	840000.00	108.76	9.01	111.69	3.67	118.34	2.58	126.13	-10.74	134.73	-49.88
526	52	651800.00	840000.00	106.98	2.26	111.71	-1.65	115.79	-8.07	114.46	-9.94	98.87	-60.43
527	52	652200.00	840000.00	105.78	4.21	110.65	-1.66	115.74	-10.22	110.12	-26.70	89.24	-58.83
528	52	652600.00	840000.00	105.78	4.21	112.76	1.54	118.16	-4.95	120.03	-22.05	108.51	-62.03
529	52	653000.00	840000.00	105.93	5.46	112.75	3.67	119.31	-1.75	124.49	-19.16	119.03	-58.28
530	52	653400.00	840000.00	111.00	5.54	114.87	4.74	121.51	0.55	132.28	-14.36	129.38	-48.99
531	52	653800.00	840000.00	110.88	8.65	117.00	5.82	124.79	2.42	132.50	-11.17	135.62	-44.53
532	52	654200.00	840000.00	111.87	9.73	121.23	10.09	134.51	0.34	143.40	-7.65	147.21	-40.96
533	52	654600.00	840000.00	117.10	8.91	125.51	5.85	134.36	-2.10	131.15	-21.09	124.02	-48.10
534	52	655000.00	840000.00	114.07	6.70	122.33	4.58	127.73	-9.47	123.91	-27.64	106.37	-61.67
535	52	655400.00	840000.00	114.03	7.14	125.52	5.73	134.28	-5.33	136.86	-25.33	128.85	-65.41
536	52	655800.00	840000.00	116.02	9.40	126.59	1.60	134.21	-8.55	131.49	-26.03	126.70	-58.45
537	52	656200.00	840000.00	119.14	10.03	132.98	0.57	134.08	-13.92	125.89	-29.91	104.59	-72.38
538	52	656600.00	840000.00	120.54	5.05	124.53	-15.43	110.06	-29.49	97.43	-40.76	73.20	-89.17
539	53	656100.00	840500.00	116.06	8.86	124.47	-0.53	127.63	-13.77	121.65	-29.62	98.16	-71.31
540	53	656500.00	840500.00	117.02	10.48	123.40	1.59	127.76	-8.40	126.11	-26.73	114.93	-63.10
541	53	655300.00	840500.00	116.02	9.90	125.51	5.85	134.28	-5.33	136.86	-25.33	126.71	-65.05
542	53	654900.00	840500.00	115.95	9.82	124.44	5.85	134.31	-4.25	136.94	-24.27	126.71	-65.05
543	53	654500.00	840500.00	115.95	9.82	121.25	5.84	127.86	-4.10	131.63	-23.91	112.61	-57.21
544	53	654100.00	840500.00	115.74	15.01	117.00	5.82	122.61	1.40	132.28	-14.36	130.26	-45.64
545	53	653700.00	840500.00	108.97	4.42	112.75	3.67	118.29	0.43	123.94	-11.65	130.26	-43.64
546	53	653300.00	840500.00	107.76	8.53	111.68	5.79	116.37	3.65	126.42	-6.49	141.68	-41.14
547	53	652900.00	840500.00	106.97	4.42	112.75	4.74	119.39	1.48	127.12	-11.87	129.38	-48.99
548	53	652500.00	840500.00	105.99	-0.98	109.59	-3.79	111.51	-13.39	104.67	-28.46	77.64	-62.40
549	53	652100.00	840500.00	108.97	4.42	108.51	0.46	112.79	-4.82	112.82	-18.36	106.00	-50.61
550	53	651700.00	840500.00	106.97	4.42	109.55	5.79	116.27	5.85	126.50	-5.43	140.97	-45.42
551	53	651300.00	840500.00	105.91	1.09	108.51	-0.60	112.71	-8.04	122.71	-29.69	89.60	-69.89
552	53	650900.00	840500.00	103.91	1.09	107.47	-5.93	110.41	-14.44	103.24	-33.70	73.72	-72.75
553	53	650500.00	840500.00	105.86	4.29	107.46	-2.73	112.64	-11.27	109.97	-28.83	81.22	-74.00
554	54	650500.00	841500.00	103.78	4.21	109.57	0.47	112.79	-4.82	115.86	-20.70	106.19	-56.14
555	54	650900.00	841500.00	104.62	4.25	108.50	2.59	114.99	-2.72	117.35	-14.40	111.54	-57.03
556	54	651300.00	841500.00	103.78	4.21	110.62	4.73	116.19	2.63	120.97	-6.25	121.70	-42.22
557	54	651700.00	841500.00	103.78	4.21	110.63	1.53	113.91	-2.69	118.49	-13.41	114.21	-40.97
558	54	652100.00	841500.00	103.78	4.21	109.58	-0.60	112.76	-5.89	112.75	-19.42	104.40	-47.04
559	54	652500.00	841500.00	107.93	4.38	111.69	2.60	117.16	-1.70	120.54	-14.62	112.61	-57.21
560	54	652900.00	841500.00	107.69	5.41	114.86	9.00	123.84	7.82	130.46	-1.98	151.49	-35.07

Sta tion	Line	X-position	Y-position	222 Hz.		444 Hz.		888 Hz.		1777 Hz.		3555 Hz.	
				Real	Imaginary	Real	Imaginary	Real	Imaginary	Real	Imaginary	Real	Imaginary
361	34	653300.00	841500.00	100.68	0.49	114.86	0.67	122.66	3.55	132.12	-7.99	143.11	-45.78
362	34	653700.00	841500.00	100.88	0.49	115.96	3.68	120.36	-2.85	124.57	-18.09	120.10	-58.45
363	34	654100.00	841500.00	111.96	7.06	120.20	3.70	126.76	-5.15	131.34	-28.15	111.37	-71.38
364	34	654500.00	841500.00	111.91	6.70	127.64	4.80	136.36	-8.60	136.14	-35.94	107.80	-72.91
365	34	654900.00	841500.00	115.03	0.67	125.51	4.79	136.41	-6.45	136.50	-30.64	113.33	-79.33

Station	Line	X-position	Y-position	222 Hz. Real	222 Hz. Imaginary	444 Hz. Real	444 Hz. Imaginary	888 Hz. Real	888 Hz. Imaginary	1777 Hz. Real	1777 Hz. Imaginary	3555 Hz. Real	3555 Hz. Imaginary
1	4	644900.00	826000.00	129.04	7.53	135.14	-9.00	124.15	-24.44	105.70	-44.53	67.48	-77.22
2	4	645300.00	826000.00	129.51	10.45	138.32	-5.79	133.82	-24.67	111.56	-52.39	50.90	-90.96
3	4	645700.00	826000.00	129.17	10.07	135.02	-10.07	127.20	-32.04	98.59	-70.69	17.53	-93.12
4	4	646100.00	826000.00	121.46	3.88	135.03	-11.14	122.90	-31.94	86.22	-64.52	21.09	-71.71
5	4	646500.00	826000.00	121.51	2.65	131.95	-9.01	121.75	-15.14	89.47	-63.67	19.31	-69.21
6	4	646900.00	826000.00	126.36	11.36	141.48	1.67	144.57	-24.93	112.96	-63.14	46.43	-86.72
7	4	647300.00	826000.00	126.53	7.21	135.02	-9.01	127.20	-32.04	90.32	-66.93	24.50	-72.24
8	4	647700.00	826000.00	121.25	9.07	135.13	-4.74	135.85	-30.10	105.10	-69.00	26.99	-89.19
9	4	648100.00	826000.00	123.20	10.20	138.30	-1.54	143.50	-24.90	117.21	-63.43	44.30	-97.57
10	4	648500.00	826000.00	124.24	12.51	140.43	-0.47	146.82	-20.68	131.51	-56.95	61.96	-103.80
11	4	648900.00	826000.00	124.28	11.28	142.56	-0.46	144.57	-24.93	127.26	-56.66	63.39	-101.84
12	4	649300.00	826000.00	129.49	0.09	134.04	-11.13	125.05	-31.99	97.55	-54.63	50.53	-79.90
13	4	649700.00	826000.00	129.05	2.15	135.19	-20.70	110.75	-45.63	74.21	-53.04	35.35	-52.08
14	4	650100.00	826000.00	121.04	-5.46	116.22	-51.41	86.75	-60.12	34.03	-48.16	11.61	-29.43
15	4	650500.00	826000.00	122.18	-13.76	115.07	-42.06	75.77	-69.53	15.63	-52.24	-8.55	-18.38
16	5	650500.00	825500.00	116.90	-13.97	107.63	-42.10	69.30	-70.46	6.99	-53.78	-11.05	-20.17
17	5	650100.00	825500.00	116.95	-12.93	111.86	-36.76	78.20	-57.76	28.79	-46.74	0.73	-26.72
18	5	649700.00	825500.00	132.50	13.69	145.79	-10.02	135.85	-30.10	102.30	-47.49	64.60	-73.47
19	5	649300.00	825500.00	129.51	10.45	140.45	-6.85	135.80	-32.24	103.56	-60.37	39.83	-91.33
20	5	648900.00	825500.00	129.64	7.33	140.48	-12.17	133.52	-31.57	58.82	-75.44	5.94	-96.70
21	5	648500.00	825500.00	129.53	10.24	140.43	-0.47	143.45	-27.05	114.51	-71.78	24.32	-105.25
22	5	648100.00	825500.00	124.37	9.20	136.18	-2.61	141.30	-27.00	114.65	-69.66	32.53	-102.21
23	5	647700.00	825500.00	126.40	10.32	138.32	-4.73	133.62	-35.27	100.71	-70.84	21.99	-86.16
24	5	647300.00	825500.00	129.30	6.96	133.02	-10.07	127.22	-30.47	89.25	-66.86	22.70	-75.28
25	5	646900.00	825500.00	126.44	9.28	135.18	-6.87	141.27	-28.07	100.93	-67.65	27.70	-84.91
26	5	646500.00	825500.00	124.33	10.24	140.43	-0.47	141.35	-24.85	113.11	-61.02	50.90	-90.96
27	5	646100.00	825500.00	124.38	7.04	136.20	-7.93	134.72	-32.22	94.56	-67.22	24.13	-86.52
28	5	645700.00	825500.00	124.33	10.24	136.31	-3.67	139.15	-26.45	106.38	-65.89	27.71	-98.11
29	5	645300.00	825500.00	126.48	8.25	136.22	-12.19	139.35	-35.34	92.04	-67.07	10.93	-86.52
30	5	644900.00	825500.00	130.72	6.34	136.24	-15.38	126.05	-35.24	93.72	-63.96	20.03	-84.74
31	5	644500.00	825500.00	131.00	5.34	138.38	-16.56	121.57	-42.66	83.88	-67.56	14.85	-76.17
32	5	644100.00	825500.00	124.62	2.97	132.02	-24.97	104.30	-45.48	68.39	-60.10	2.71	-63.16
33	6	643400.00	825000.00	112.50	-5.63	112.49	-29.31	86.95	-58.02	35.20	-61.04	-8.72	-39.26
34	6	644300.00	825000.00	110.32	2.64	122.42	-19.69	110.02	-42.41	75.60	-63.79	5.03	-69.04
35	6	644700.00	825000.00	126.36	11.36	143.65	-7.90	134.57	-38.67	94.34	-70.40	35.37	-85.08
36	6	645100.00	825000.00	124.56	9.01	140.45	-6.85	133.65	-32.19	101.29	-62.35	30.94	-83.48
37	6	645500.00	825000.00	124.24	12.51	141.49	0.60	146.80	-21.75	132.35	-60.20	62.15	-109.33
38	6	645900.00	825000.00	124.41	0.16	136.18	-2.61	137.05	-24.75	112.89	-64.21	41.62	-100.42
39	6	646300.00	825000.00	121.25	9.07	136.18	-1.55	141.35	-24.85	118.05	-66.69	41.99	-111.49
40	6	646700.00	825000.00	123.20	12.27	136.16	2.71	146.92	-16.38	132.71	-54.90	68.03	-107.01
41	6	647100.00	825000.00	126.22	9.03	135.00	-4.75	135.97	-24.72	106.38	-65.89	34.66	-95.97
42	6	647500.00	825000.00	119.14	10.03	132.99	-2.63	137.00	-26.90	108.50	-66.04	31.45	-95.43
43	6	647900.00	825000.00	121.30	6.04	135.01	-7.94	128.27	-32.07	95.62	-67.29	25.91	-75.81
44	6	648300.00	825000.00	119.35	4.64	127.72	-15.29	122.70	-40.54	80.04	-76.89	-3.53	-74.22
45	6	648700.00	825000.00	121.38	5.96	135.14	-7.94	132.45	-37.54	90.65	-77.61	5.93	-83.49
46	6	649100.00	825000.00	124.28	11.29	130.31	-3.67	143.45	-27.05	110.12	-73.61	22.53	-96.15
47	7	649100.00	824500.00	119.22	7.95	135.13	-5.81	135.87	-29.02	101.55	-74.09	17.89	-90.98
48	7	648700.00	824500.00	119.35	4.04	133.02	-10.07	124.90	-38.44	84.29	-77.18	0.04	-79.21
49	7	648300.00	824500.00	110.40	0.56	120.29	-18.64	109.67	-45.61	65.33	-73.75	-10.14	-61.02
50	7	647900.00	824500.00	114.24	2.55	121.32	-11.19	116.38	-35.01	80.77	-66.28	9.13	-64.22
51	7	647500.00	824500.00	117.97	13.10	136.15	4.83	144.75	-17.40	129.59	-56.80	66.78	-101.30
52	7	647100.00	824500.00	119.14	10.03	132.98	-0.50	130.00	-23.65	114.02	-63.22	40.55	-100.25
53	7	646700.00	824500.00	117.23	5.79	125.57	-9.04	125.10	-29.84	94.56	-67.22	24.13	-86.52
54	7	646300.00	824500.00	112.99	7.70	126.62	-5.84	133.70	-30.04	100.35	-76.14	8.26	-102.58
55	7	645900.00	824500.00	110.11	7.63	126.63	-7.97	126.12	-32.02	94.90	-77.90	1.30	-104.73
56	7	645500.00	824500.00	119.22	7.95	131.45	-7.95	133.65	-32.19	99.07	-79.25	0.23	-104.55
57	7	645100.00	824500.00	110.31	4.60	131.96	-11.14	123.85	-37.34	87.47	-77.40	-4.41	-92.78
58	7	644700.00	824500.00	119.30	5.68	124.54	-16.49	112.97	-42.46	74.88	-74.41	-7.63	-79.04
59	7	644300.00	824500.00	110.31	4.80	127.72	-14.35	119.40	-43.68	77.70	-79.93	-14.58	-87.79
60	7	644700.00	824500.00	110.44	-0.48	120.31	-22.89	99.75	-56.12	46.45	-69.27	-20.85	-46.04

Station	Line	X-position	Y-position	222 Hz. Real	222 Hz. Imaginary	444 Hz. Real	444 Hz. Imaginary	888 Hz. Real	888 Hz. Imaginary	1777 Hz. Real	1777 Hz. Imaginary	3555 Hz. Real	3555 Hz. Imaginary
61	7	643500.00	828500.00	116.06	8.06	135.02	-10.07	175.87	-42.76	72.06	-68.88	-18.16	-76.19
62	8	642900.00	824000.00	124.31	0.16	135.01	-6.08	133.05	-32.19	60.19	-66.79	39.64	-65.99
63	8	643500.00	824000.00	126.01	21.62	140.87	15.53	166.24	-17.91	150.25	-63.56	77.13	-111.02
64	8	643700.00	824000.00	124.20	15.35	140.43	-1.53	146.64	-28.20	118.61	-74.19	33.06	-99.00
65	8	644100.00	824000.00	128.35	13.52	141.47	5.79	150.00	-22.90	128.16	-74.84	51.61	-99.88
66	8	644500.00	824000.00	119.01	15.14	140.41	5.79	147.60	-25.00	118.24	-79.50	25.92	-89.01
67	8	644900.00	824000.00	116.53	-2.55	125.48	-10.62	110.93	-38.11	66.39	-73.83	1.46	-57.45
68	8	645300.00	824000.00	120.26	7.99	132.99	-2.63	141.35	-24.85	113.59	-69.58	34.66	-89.37
69	8	645700.00	824000.00	121.00	14.26	136.26	8.04	148.18	-8.88	136.67	-59.43	69.28	-112.72
70	8	646100.00	824000.00	118.18	7.91	132.99	-2.63	135.97	-24.72	106.38	-65.89	31.45	-88.83
71	8	646500.00	824000.00	114.03	7.74	130.86	-1.57	137.05	-24.75	111.32	-71.56	40.20	-108.99
72	8	646900.00	824000.00	117.93	14.14	132.94	9.08	144.98	-7.73	141.08	-41.61	89.61	-96.29
73	8	647300.00	824000.00	115.05	8.82	124.46	1.59	131.08	-16.02	114.19	-45.10	67.48	-77.22
74	8	647700.00	824000.00	114.90	9.06	125.53	0.53	132.88	-19.27	113.54	-50.66	54.29	-90.43
75	8	648100.00	824000.00	119.09	11.07	134.03	2.70	141.45	-20.55	116.65	-55.93	54.64	-88.28
76	9	648100.00	823500.00	122.29	9.12	136.15	3.77	145.88	-15.28	132.02	-49.52	77.83	-87.74
77	9	647700.00	823500.00	121.13	12.19	136.15	5.90	144.90	-10.95	135.63	-43.37	93.89	-83.80
78	9	647300.00	823500.00	118.93	15.22	136.12	11.22	139.66	-5.45	135.78	-41.25	66.60	-95.77
79	9	646900.00	823500.00	106.17	7.45	129.79	-1.58	136.03	-22.57	115.45	-57.98	53.04	-91.32
80	9	646500.00	823500.00	117.10	7.67	129.79	-0.51	136.08	-20.42	115.66	-54.80	51.79	-85.61
81	9	646100.00	823500.00	111.79	11.01	130.80	3.75	139.45	-14.05	127.77	-49.23	62.14	-89.53
82	9	645700.00	823500.00	116.01	12.06	132.95	5.88	144.90	-10.95	139.44	-50.03	81.94	-96.12
83	9	645300.00	823500.00	116.97	14.18	135.07	8.02	148.13	-11.03	129.60	-53.62	78.02	-106.47
84	9	644900.00	823500.00	115.20	3.63	124.51	-6.04	127.33	-26.67	96.01	-46.00	13.60	-70.47
85	9	644500.00	823500.00	115.20	2.59	122.40	-14.37	118.40	-40.44	80.19	-74.77	-10.67	-64.23
86	9	644100.00	823500.00	117.23	5.79	127.68	-4.78	132.45	-37.54	90.44	-80.80	8.25	-82.78
87	9	643700.00	823500.00	116.11	7.83	125.57	-7.98	131.47	-33.22	99.94	-73.37	8.61	-80.64
88	9	643300.00	823500.00	116.93	13.06	135.10	1.64	137.13	-21.52	116.99	-66.62	50.01	-96.32
89	9	642900.00	823500.00	116.09	14.09	136.84	1.62	133.98	-18.22	106.77	-44.60	75.51	-75.25
90	10	643100.00	823000.00	121.00	14.26	135.11	-0.49	144.72	-18.48	121.60	-61.60	74.45	-94.88
91	10	643500.00	823000.00	116.44	-0.48	122.41	-10.50	118.40	-40.44	71.22	-71.37	13.95	-68.32
92	10	643900.00	823000.00	116.23	4.71	124.49	-4.79	128.40	-26.69	103.19	-65.68	40.72	-85.97
93	10	644300.00	823000.00	115.07	7.78	125.55	-4.78	130.55	-26.74	105.53	-62.64	49.29	-87.40
94	10	644700.00	823000.00	114.90	9.86	124.47	0.53	134.05	-15.00	123.74	-45.76	75.87	-86.31
95	10	645100.00	823000.00	111.53	18.00	132.95	5.88	144.93	-9.88	145.76	-49.25	81.77	-103.79
96	10	645500.00	823000.00	119.01	15.14	136.13	9.99	150.30	-10.01	140.36	-52.22	79.63	-103.44
97	10	645900.00	823000.00	116.98	12.02	132.96	4.82	141.55	-16.25	124.30	-53.26	71.41	-86.67
98	10	646300.00	823000.00	110.92	7.02	124.49	-4.79	128.38	-24.52	100.52	-58.03	51.78	-72.41
99	10	646700.00	823000.00	115.28	2.59	122.39	-11.18	118.53	-35.06	80.69	-67.34	16.63	-65.47
100	10	647100.00	823000.00	119.05	12.10	135.10	1.64	141.37	-23.77	115.43	-66.55	40.19	-89.18
101	10	647500.00	823000.00	119.84	18.37	138.25	11.23	152.53	-6.83	147.64	-54.85	86.23	-110.03
102	10	647900.00	823000.00	118.31	4.80	127.70	-9.03	126.12	-32.02	91.96	-64.25	41.44	-81.69
103	10	648300.00	823000.00	131.55	11.57	143.67	-1.52	146.77	-22.83	120.75	-58.35	51.43	-87.75