

GLORIA

open-file

ID/BR/ESL-1

REFERENCE LIST

Blackfoot Reservoir, Caribou and Bingham Counties, Idaho

Armstrong, F. C., 1953, Generalized composite stratigraphic section for the the Soda Springs quad and adjacent areas in southeast Idaho : in Intermountain Assoc. Petroleum Geologists 4th Ann. Field Conf.

Armstrong, F. C., 1969, Geologic map of the Soda Springs quad, southeast Idaho: USGS, Misc. Geol. Inv. Map 1-557.

Armstrong, F. C., Cressman, E. R., 1963, The Bannock thrust zone, Southeast Idaho: USGS Prof. Paper 374-J, 22p.

Armstrong, F. C., Leeman, W. P., Malde, H. E., 1975, K-Ar dating, Quaternary and Neogene volcanic rocks of the Snake River Plain, Idaho: Amer. Jour. Sci., v. 275, p. 225-251.

Bodnar, T., Bush, R., 1978, Hot springs in the state of Idaho and associated deposits: Idaho State Univ. Geol. Res. Dept. Report.

Boini, W. E., 1963, Gravity anomalies in Idaho: Idaho Bur. Mines and Geol. Pamphlet 132, 10p.

Bond, J. G., 1978, Geologic map of Idaho: Idaho Bur. of Mines and Geology.

Brooks, J. E., Andrichuk, J. M., 1953, Regional Stratigraphy of the Devonian System in northeastern Utah, southeastern Idaho, and western Wyoming: Intermountain Assoc. of Petroleum Geologists, 4th Annual Field Conference.

Brott, C. A., Blackwell, D. D., Mitchell, J. C., 1976, Geothermal investigation in Idaho, part 8, heat flow study of the Snake River Plain, Idaho: Idaho Dept. Water Resources, Water Info. Bull. 30, 195p.

Bright, W., 1963, Pleistocene Lakes Thatcher and Bonneville, Southeast Idaho: Minnesota Univ. (Minneapolis), PhD. Thesis.

Caribou County Comprehensive Land Use Plan, 1977, pp. 141-180.

Corbett, M., 1978, Preliminary geologic map of the Northern Portneuf Range, Bannock and Caribou Counties, Idaho: USGS Open-File Report 78-1018.

Petefish, D., 1975, The geology of Marysville geothermal area: M.S. thesis, Southern Methodist Univ., Dallas, Texas.

Rankin, D., 1975, Magnetotelluric sounding - Marysville, Montana; Subcontractors Report in W. J. Peeples, Magnetotelluric Sounding - Final Contract Report: Dept. Geology and Geophysics, Univ. of Utah.

Robinson, G. D., Klepper, M. R., and Obradovich, J. D., 1968, Overlapping plutonism, volcanism and tectonism in the Boulder Batholith region, western Montana in Studies on Volcanology, R. R. Coates, R. L. Hay and C. A. Anderson, ed.: Geological Society of America, Mem. 116, pp. 557-576.

Rogers Engineering Co., 1975, The Marysville, Montana geothermal project: Rogers Engineering Co., San Francisco, CA., Final Contract Report.

Ross, C. P., 1963, The belt series in Montana: USGS Prof. Paper 346.

Ross, C. P., Andrews, D. A., and Witkind, I. J., Geologic map of Montana, scale 1:500,000: U.S.G.S.

Rostad, O. H., 1969, The use of geochemistry at the Bald Butte Molybdenite Prospect, Lewis and Clark County, Montana: Quarterly, Colorado School of Mines, pp. 437-449.

Schmidt, R. G., 1977, Maps of Helena and east Helena quadrangles, showing areal distribution of surficial deposits and bedrock areal locations of geologic faults: USGS Open-File Report 77-129.

Schmidt, R. G., and Strong, C. P., Jr., 1972, Geologic map of the Roberts Mountain quadrangle, Lewis and Clark County, Montana: USGS Map GQ 977.

Smith, R. B., 1970, Regional gravity survey of western and central Montana: AAPG Bull. 54, pp. 1172-1183.

Stodt, J., 1975, Magnetotelluric studies in the Marysville geothermal area: M.S. thesis, Univ. of Utah.

Tilling, R. I., Klepper, M. R., and Obradovich, J. D., 1968, K-Ar ages and time span of emplacement of the Boulder Batholith, Montana: Amer. Jour. Sci., v. 266, pp. 671-689.

U. S. Department of Interior, 1973, Environmental assessment of a cooperative research contract for the Marysville geothermal project, Missoula district: Bureau of Land Management.

U. S. Department of the Interior, 1976, Marysville geothermal environmental assessment record, Butte District: Bureau of Land Management.

Witkind, I. J., 1975, Preliminary map showing known and suspected active faults in western Montana: USGS Open-File Report #75-285.

Dion, N. P., 1969, Hydrologic reconnaissance of the Bear River Basin in southeast Idaho: Idaho Dept. of Water Resources, Water Info. Bull. 13, 66p.

Dion, N. P., 1974, An estimate of leakage from the Blackfoot Reservoir to Bear River Basin, southeast Idaho: Idaho Dept. of Water Resources, Info. Bull. No. 34, 24p.

Hammer, G. D., Esposito, L., Montgomery, M., 1979, Idaho geothermal handbook: Idaho Office of Energy, Geothermal Program.

Hanny, J. A., Lunis, B. C., 1979, Idaho hydrothermal commercialization baseline: EG&G Idaho, Inc.

Holland, F. D., Jr., 1953, Mississippian Stratigraphy in Utah-Idaho-Wyoming Area: Intermountain Assoc. of Petroleum Geologists, 4th Annual Field Conference.

Imlay, R. W., 1953, Characteristics of the Jurassic Twin Creek Limestone in Idaho, Wyoming and Utah: Intermountain Assoc. of Petroleum Geologists, 4th Annual Field Conference.

Kirkham, V. R. D., 1924, Geology and oil possibilities of Bingham, Bonneville, and Caribou Counties, Idaho: Idaho Bur. of Mines and Geol. Bull. 8, 108p.

Kirkham, V. R. D., 1931, Snake River downwarp: Jour. Geol., v. 39, p. 456-482.

Kummel, B., 1954, Triassic stratigraphy of southeast Idaho and adjacent areas: USGS, Prof. Paper 254-H, p. 165-194.

Mabey, D. R., 1978, Regional gravity and magnetic anomalies in the eastern Snake River Plain, Idaho: USGS, Jour. Research, v. 6, No. 5, p. 553-562.

Mabey, D. R., Oriel, S. S., 1970, Gravity and magnetic anomalies in the Soda Springs region, southeast Idaho: USGS, Prof. Paper 646E, 15p.

Mabey, D. R., Peterson, D. L., Wilson, C. W., 1974, Preliminary gravity map of southern Idaho: USGS, Open-File Report 74-78, scale 1:250,000.

Malde, H. E., Powers, H. A., Marshall, C. H., 1963, Reconnaissance geologic map of west-central Snake River Plain, Idaho: USGS, Misc. Geol. Inv. Map 1-373.

Mansfield, G. R., 1927, Geography, geology and mineral resources of part of southeast Idaho: USGS, Prof. Paper 152, 453p.

Mansfield, G. R., Roundy, P. V., Merritt, J. W., 1929, Geography, geology and mineral resources of the Portneuff quadrangle, Idaho: USGS, Bull. 803, p. 1 and 8.

McClain, D. V., 1979, Geothermal energy in Idaho: Site data and development status: Oregon Inst. of Technology, Geo-Heat Utilization Center, pp. 387-392.

Mitchell, C. M., Knowles, F. F., Petrafeso, F. A., 1965, Aeromagnetic map of the Pocatello-Soda Springs area, Bannock and Caribou Counties, Idaho: USGS, Geophys. Inv. Map GP-521.

Morgan, W. J., 1972, Convection plumes and plate motions: Amer. Assoc. Petrol. Geol. Bull., v. 56, p. 203-213.

Moritz, C. A., 1953, Summary of the Cretaceous stratigraphy of southeastern Idaho and western Wyoming: Intermountain Assoc. of Petroleum Geologists, 4th Annual Field Conference.

Murdoch, M. J., Crosthwaite, E. G., Kilburn, C., 1964, Ground water for irrigation in the Snake River Plain, Idaho: USGS, Water Supply Paper 1654, 224p.

Pennington, W. D., Smith, R. B., Trimble, A. B., 1974, A microearthquake study of parts of the Snake River Plain and central Idaho: Bull. Seismic Soc. Amer. v. 64, no. 2, p. 307-312.

Prostka, H. J., Hackman, R. J., 1974, Preliminary geologic map of the NW 1/4 Driggs 1° by 2° quadrangle, Southeast Idaho: USGS Open-File Report 74-105.

Richards, R. W., Bridges, J. H., 1910, Sulphur deposits near Soda Springs, Idaho: Bull. Geol. Soc. Amer. v. 21, p. 529.

Richards, R. W., Bridges, J. H., (1911), Sulphur deposits near Soda Springs, Idaho: USGS, Bull. 470.

Richards, R. W., Mansfield, C. R., (1912), The Bannock overthrust, a major fault in southeast Idaho and northeast Utah: Jour. Geology, v. 207, p. 681-701.

Ross, C. P., and Weissenborn, A. E., (1964), Geol. map of Idaho: Idaho Dept. Water Res.

Ross, Sylvia H., (1971), Geothermal potential of Idaho: Id Bureau Mines and Geology, Pamphlet 150, 72 p.

Sbarmi, et al, (1972), Tectonics of the intermountain seismic belt, western United States: Microearthquake seismicity and composite fault plane solution: Geol. Society Amer. Bull. Vol. 83, no. 1, pp. 13-28.

Smith, N., 1953, Tertiary stratigraphy of northern Utah and southeastern Idaho: Intermountain Assoc. of Petroleum Geologists, 4th Annual Field Conference.

Staley, W. W., Prater, L. S., (1945), Sulphur in Idaho: Idaho Bureau Mines and Geology, Mineral Resources Rept., no. 2, 7 p.

Swanberg, C. A., Blackwell, D. D., 1973 Areal distribution and geophysical significance of heat generation in the Idaho batholith and adjacent intrusions in eastern Oregon and western Montana: Geol. Soc. Amer. Bull. Vol 84, p. 1261-1282.

Taubeneck, W. H., 1971, Idaho batholith and its southern extension: Geol. Amer. Bull. Vol. 82, p. 1899-1928.

USGS, 1972, Water Resources data for Idaho-part 2-Water quality records.

USGS, 1976, Physiographic map of the State of Idaho.

Warner, M. M., 1975, Special aspects of Cenozoic history of Southern Idaho and their geothermal implications in Proceedings of 2nd U. N. Symp. on development of geothermal potential: U. S. Government Printing Office, Washington, D. C., p. 653-663.

Witkind, I. J., 1975, Preliminary map showing known and suspected active faults in Idaho: USGS, Open-File Rept 75-278.

Yaing, H. W., Mitchell, J. C., 1973, Geothermal investigations in Idaho part 1, geochemistry and geological setting of selected thermal water: Idaho Dept. of Water Resources, Water Inf. Bull, no. 30, 43p.

Young, J. C., 1953, Geology of the North Dry Valley Structure Caribou Co., Idaho: Intermountain Assoc. of Petroleum Geologist, 4th Annual Field Conference.

Zeitz, I., Gilbert, F. P., Kirby, J. R., Jr., 1978, Aeromagnetic map of Idaho: USGS, scale 1:1,000,000.

Zohdy, A. A. R., Stanley, W. D., 1973, Preliminary interpretation of electrical bounding curves obtained across the Snake River Plain from Blackfoot to Arco, Idaho: USGS Open-File Rept. 73-370.