

GLD1117

open-file

UT/MHS/ESL-I

REFERENCE LIST

Monroe Hot Springs Area and Vicinity, Sevier County, Utah

Anderson, J. J., Rowley, P. D., Fleck, R. J., and Nairn, A., 1975, Cenozoic geology of southwestern high plateaus of Utah: Geol. Soc. America Spec. Paper 160, 88 p.

Armstrong, R. L., 1968, Sevier orogenic belt in Nevada and Utah: Geol. Soc. American Bull. v. 79, p. 429-458.

Best, M. G., and Hamblin, W. K., 1978, Origin of the Northern Basin and Range province implication from the geology of its eastern boundary, in Smith, R. G., and Eaton, G. P., eds., Cenozoic tectonics and regional geophysics of the western cordillera: Geological Society of America Memoir 152, p. 313-340.

Brown, R. B., 1974, Regional gravity survey of the Sanpete-Sevier Valleys and adjacent areas in Utah: unpublished M.S. Thesis, Univ. of Utah, 72 p.

Callaghan, E., 1938, Preliminary report on the alunite deposits of the Marysvale region, Utah: USGS Bull., no. 886-D.

Callaghan, E., 1939, Volcanic sequence in the Marysvale Region in SW central Utah: Am. Geophys. Union Trans., pt. 3, p. 438-452.

\_\_\_\_\_, 1973a, Mineral resource potential of Piute County, Utah and adjoining area: Utah Geol. and Mineral Survey, Bull. 102, 135 p.

\_\_\_\_\_, 1973b, Geological map of the Marysvale region, Piute County and parts of adjoining counties, Utah: UGMS Map 34.

Callaghan, E., and Parker, R. L., 1961a, Geology of Monroe Quadrangle, Utah: U. S. Geol. Survey Map GQ-155.

Carpenter, C. H., and Young, R. A., 1963, Ground-water data: Central Sevier Valley, parts and Sanpete, Sevier, and Piute Counties, Utah: USGS and Utah Dept. Water Resources, Basic Data Rept. No. 3.

Caskey, C. F., and Shuey, R. T., 1975, Mid-Tertiary volcanic stratigraphy, Cove Fort area, central Utah: Geology, v. 2, no. 1, p. 17-25.

Chapman, D. S., and Harrison, Roger, 1978, Monroe, Utah hydrothermal system: Results from drilling of test wells MC1 and MC2: Univ. of Utah, topical report, IDU 76-1601-77-16, 26 p.

Cook, K. L., and Montgomery, J. R., et al., 1975, Simple Bouguer gravity anomaly map of Utah: Utah Geol. Min. Surv Map 37.

Crebs, T. J., 1976, Gravity and ground magnetic surveys of the Central Mineral Mountains, Utah: unpublished Masters Thesis, Univ. of Utah, 129 p.

- Crosby, G. W., 1959, Geology of the South Pavant Range, Millard and Sevier Counties, Utah: Brigham Young Univ., Research Studies, Geology Series, v. 6, no. 3, 59 p.
- \_\_\_\_\_, 1972, Dual origin of Basin and Range faults, in Plateau-Basin and Range transition zone, central Utah: Utah Geol. Assoc., Publ. no. 2.
- Cunningham, C. G., and Steven, T. A., 1977, Mount Belknap and Red Hills Calderas and associated rocks, Marysvale volcanic field, west-central Utah: U. S. Geol. Survey Open-File Report 77-568, 40 p.
- \_\_\_\_\_, 1978, Geologic map of the Delano Peak NW Quadrangle, west-central Utah: USGS map MF-967.
- EG&G, 1979, Direct heat application, program summary, presented at the Geo-thermal Resource Council Annual Meeting, Sept. 1979, pp. 41-42.
- Eppich, G. K., 1973, Aeromagnetic survey of south-central Utah: unpublished M.S. Thesis, Univ. of Utah, 78 p.
- Fishman, H. S., 1976, Geologic structure and regional gravity of a portion of the high plateaus of Utah: unpublished M.S. thesis, Univ. of Utah, 134 p.
- Fleck, R. J., Anderson, J. J., and Rowley, P. D., 1975, Chronology of Mid-Tertiary volcanism in high plateaus region in Utah, in Cenozoic Geol. of SW high plateaus of Utah: GSA, Spec. Paper 160, p. 53-62.
- Gardner, S., Williams, J. M., and Brougham, G. W., 1976, Audio-Magnetotelluric data log and station location map for Monroe-Joseph KGRA, Utah: U. S. Geol. Survey, Open-File Report 76-411.
- Green, S., and Wagstaff, C. W., 1979, Utah Geothermal Commercialization Program: Semi-Annual Report, Jan-June 1979: Utah Division of Water Rights, 49 p.
- Gregory, H. E., 1944, Geologic observations in the upper Sevier River Valley: Am. Jour. Sci., v. 242, p. 277-606.
- Hahl, D. C., and Hundorff, J. C., 1963, An appraisal of the quality of surface water in the Sevier Lake Basin, Utah, 1964: State of Utah Dept. of Natural Res. Tech., Publ. No. 19.
- Halliday, M., and Cook, K. L., 1978, Gravity and ground magnetic surveys in the Monroe and Joseph KGRA's and surrounding region, south-central Utah: Univ. of Utah, Final Report: EY-76-S-07-1601, v. 77-7, 164 p.
- Hannay, J. A., and Lunis, B. C., eds., 1979, Utah hydrothermal commercialization baseline: EG&G-Id. Operations Office.

Hardy, C. T., 1952, Eastern Sevier Valley, Sevier and Sanpete Counties, Utah: Utah Geol. and Mineralogical Survey, Bull. 43, p. 98.

Harrison, R. F., 1980, Direct utilization of geothermal resources field experiments at Monroe, Utah: Terra Tek, TR 80-143 Preliminary Draft.

Hemley, J. J., et al., 1969, Some stability relations of alunite: Economic Geol. v. 64, no. 6, pp. 599.

Heyl, A. V., 1978, Unusual concentrations of elements in Monroe, Utah Hot Springs: Utah Geol. Association, Publication No. 7, p. 71.

Heylman, E. B., 1966, Geothermal power potential in Utah: Utah Geol. Min. Surv., Spec. Stud. 14, 29 p.

Keller, G. R., Smith, R. B., and Braile, L. W., 1975, Crustal structure along the Great Basin-Colorado plateau transition from seismic refraction studies: Jour. Geophys. Res., v. 80, p. 1093-1098.

Kerr, P. F., et al., 1977, Marysvale, Utah, uranium area - geology, volcanic relations, and hydrothermal alteration; Geol. Soc. Americ, Special Paper 64, 212 p.

Kilty, K., Chapman, D., and Mase, C., 1978, Aspects of forced convective heat transfer in geothermal systems: Univ. of Utah, Topical Report EG-78-C-07-1701, IDO 178-1701.a.b.4.1, 62 p.

Lachenbruch, A. H., Sorey, M. L., Lewis, R. E., and Sass, J. H., 1976, The near-surface hydrothermal regime of Long Valley Caldera: Jour. Geophysical Research, 81, p. 763-768.

Mackin, J. H., 1960a, Structural significance of Tertiary volcanic rocks in southwestern Utah: Am. Jour. Sci., v. 244, p. 324-356.

Mariner, R. H., Presser, T. S., and Evans, W. C., 1977, Chemical isotopic, and gas compositions of selected thermal springs in Arizona, New Mexico and Utah: U. S. Geol. Survey, Open-File Report 77-654, 42 p.

Mase, C. W., Chapman, D. S., and Ward, S. H., 1978, Geophysical study of the Monroe-Red Hill geothermal system: Univ. of Utah Technical Report DOE/DGE, Contract 78-C-07-1701.

Miller, C. D., 1976, Alteration and geochemistry of the Monroe KGRA: Dept. of Geol. and Geophys., M.Sc. Thesis, Univ. of Utah.

Monroe City, Utah - Municipality, 1977, Proposal for direct utilization of geothermal resources field experiments at Monroe, Utah: Monroe City, P.O. Box A, Monroe, Utah, 84754.

Mundorff, J. C., 1970, Major thermal springs of Utah: Utah Geol. and Mineral

Survey Water Resources, Bull. 13.

Parry, W. T., Benson, N. L., and Miller, C. D., 1976, Geochemistry and Hydro-thermal alteration at selected Utah Hot Springs: Univ. of Utah, Final Report, NSF Grant GI-43741, v. 3, 131 p.

Richardson, G. B., 1907, Underground water in Sanpete and Central Sevier Valleys, Utah: U. S. Geol. Survey Water-Supply Paper 199.

Ritzma, H. R., 1972, Six Utah "Hingeline" wells in Plateau-Basin and Range Transition Zone, central Utah: Utah Geol. Association, Publ. 2, p. 75-80.

Rowley, P. D., 1968, Geology of the southern Sevier Plateau, Utah: Ph.D. Dissertation, Univ. of Texas, 327 p.

Rowley, P. D., Anderson, J. J., and Williams, P. L., 1975, A summary of Tertiary volcanic stratigraphy of the southwestern high plateaus and basin and range provinces in southwestern Utah: Geology, v. 6, p. 51-55.

Rowley, P. D., Steven, T. A., Anderson, J. J., and Cunningham, C. G., 1979, Cenozoic stratigraphic and structural framework of southwestern Utah: U. S. Geol. Survey, Professional Paper, 1149.

Shuey, R. T., Schellinger, D. K., Johnson, E. H., and Alley, L. B., 1973, Aeromagnetics and the transition between the Colorado Plateau and the Basin and Range Province: Geology, v. 1, p. 107-112.

Sontag, R. J., 1965, Regional gravity survey of parts of Beaver, Millard, Piute, and Sevier Counties, Utah: unpublished M.S. Thesis, Univ. of Utah, 32 p.

Sorey, M. L., 1975, Numerical modeling of liquid geothermal systems: USGS, Prof. Paper 1044-D.

Spieker, M., 1946, Late Mesozoic and Early Cretaceous history of central Utah: USGS, Prof. Paper 205-D, p. 117-161.

\_\_\_\_\_, 1949, The transition between the Colorado Plateaus and the Great Basin in central Utah: Utah Geol. Society, Guidebook No. 4, 106 p.

Steven, T. A., 1978, Geologic map of the Sevier SW Quadrangle, west-central Utah: USGS Map MF-962.

\_\_\_\_\_, 1979, Geologic map of the Sevier SE Quadrangle, west-central Utah: USGS map MF-1109.

\_\_\_\_\_, 1979, Geologic map of the Monroe NW Quadrangle, west-central Utah: USGS Field Geol. Map, MF-1107.

1979, Geologic map of volcanic rocks in the Sevier NE Quadrangle, west-central Utah: USGS MF-1108.

Steven, T. A., Rowley, P. D., and Cunningham, C. G., 1978, Geology of the Marysvale volcanic field, west-central Utah: Brigham Young University Geology Studies, v. 25, part 1, p. 67-70.

Steven, T. A., Rowley, P. D., Hintze, L. F., Best, M. G., Nelson, M. G., Cunningham, C. G., 1978, Preliminary geologic map of the Richfield 10 x 20 Quadrangle, Utah: USGS, Open-File Report 78-602.

Steven, T. A., Cunningham, C. G., Naeser, C. W., and Mehnert, H. H., 1977, Revised stratigraphy and radiometric ages of volcanic rocks and mineral deposits in the Marysvale area, west-central Utah: U. S. Geol. Survey Open-File Report 77-569, 45 p.

Stokes, W. L., and Hintze, L. F., 1973, Geologic map of Utah, SW quarter, USGS.

U.S.G.S., 1979, Aeromagnetic map of the Richfield area, Utah: USGS, Open-File Report 79-1397.

Willard, M. E., and Callaghan, E., 1962, Geology of the Marysvale quadrangle Utah: U. S. Geol. Survey, Quad. Map GQ-154.

Williams, P. L., and Hackman, R. J., 1971, Geology, structure, and uranium deposits of the Salina quadrangle, Utah: U. S. Geol. Survey Misc. Geol. Invest. Map I-591.

Young, Richard, A., and Carpenter, Carl H., 1965, Ground-water conditions and storage in the central Sevier valley, Utah: U. S. Geol. Survey Water-Supply Paper, No. 1787.

Zeitz, I., Shuey, R. T., and Kirby, J. R., Jr., 1976, Aeromagnetic map of Utah: USGS, Map GP-907.