

GL01199

References  
LPS

COMBINED REFERENCES CITED

Abril, G. A., and Noble, J. E., 1979, Geophysical well-log .. various cross sections of the Cerro Prieto geothermal field, in Proceedings of the First Symposium on the Cerro Prieto Geothermal Field, Baja California, Mexico, Lawrence Berkeley Laboratory Report LBL-7098.

Adam, D. P., and Sims, J., 1976, A long, continuous pollen record from Clear Lake, California: Geological Society of America Abstracts with Programs, v. 8, no. 3, 349 p.

1A → Alonso, E. H., Dominguez, A. B., Lippmann, M. J., Molinar, C. R., Schroeder, R. E., and Witherspoon, P. A., 1979, Update of reservoir engineering activities at Cerro Prieto, Lawrence Berkeley Laboratory Report LBL-10209.

Anderson, C. A., 1936, Volcanic history of the Clear Lake area, California: Geological Society of America Bulletin, v. 47, no. 5, pp. 629-664.

Bailey, E. H., Irwin, W. P., and Jones, D. L., 1964, Franciscan and related rocks, and their significance in the geology of western California: California Division of Mines and Geology Bulletin 183, 177 p.

Bailey, E. H., Blake, M.C., Jr., and Jones, D. L., 1970, On-Land Mesozoic oceanic crust in the California Coast Ranges: U.S. Geological Survey Professional paper 700c, pp. c70-c81.

Bailey, R. A., Dalrymple, G. B., and Lanphere, M. A., 1976, Volcanism, and geochronology of Long Valley caldera, Mono County, California, Jour. Geophys. Research, v. 81, pp. 725-744.

Bailey, R. A., Smith, R. L., and Ross, C. S., 1969, Stratigraphic nomenclature of volcanic rocks in the Jemez Mountains, New Mexico, US Geol. Survey Bull. 1274-P, 19 p.

Baldridge, W. C., 1979, Petrology and petrogenesis of Plio-Pleistocene basaltic rocks from the central Rio Grande Rift, New Mexico, and their relation to rift structure, in Riecker, R. E., ed., Rio Grande Rift: Tectonics and Magmatism, Amer. Geophys. Union, Washinton, DC, pp. 323-354.

Barnes, Ivan, Hinkle, M. E., Rapp, J. B., Herpoulos, C., and Vaughn, W. W., 1973, Chemical composition of naturally occurring fluids in relation to mercury deposits in part of north-central California: U.S. Geological Survey Bulletin 1382A, 19 p.

Barnes, Ivan, O'Neil, J. R., Rapp, J. B., and White, D. E., 1973, Silica-carbonate alteration of serpentine: wall rock alteration in mercury deposits of the California Coast Ranges: Economic Geology, v. 68, no. 3, pp. 338-398.

Bateman, P. C., 1965, Geology and tungsten mineralization of the Bishop district, California, with a section on Gravity study of Owens valley, by L. C. Pakiser and M. F. Kane, and a section on Seismic profile, by L. C. Pakiser, US Geol. Survey Prof. Paper 470, 208 p.

Bateman, P. C., Clar, L. D., Huber, N. K., Moore, J. G., and Rinehart, C. D., 1963, The Sierra Nevada batholith: A synthesis of recent work across the central part, US Geol. Survey Prof. Paper 414-D, pp. D1-D46.

Beane, R. E., Jaramillo, L. E., and Bloom, M. S., 1975, Geology and base metal mineralization of the southern Jarilla Mountains, Otero County, New Mexico, New Mexico Geol. Soc. 25th Field Conf. Guidebook, pp. 151-156.

Berkland, J. O., 1973, Rice Valley outlier-new sequence of Cretaceous-Paleocene strata in northern Coast Ranges, California: Geological Society of America Bulletin, v. 84, no. 7, pp. 2389-2405.

Berkstresser, C. F., Jr., 1968, Data for springs in the northern Coast Ranges and Klamath Mountains of California: U.S. Geological Survey, Water Resources Division, Open-File Report, 49 p.

Blake, M. C., Jr., and Jones, D. L., 1974, Origin of Franciscan melanges in northern California: Soc. Econ. Paleontologists and Mineralogists Spec. Pub. 19, pp. 345-357.

Brice, J. C., 1953, Geology of Lower Lake quadrangle, California: California Division of Mines and Geology Bulletin 166, 72 p.

Brookins, D. G., 1973, Summary and interpretation of radiometric age determinations from the Sandia Mountains, north-central New Mexico (abs.), Geol. Soc. Amer. Abstracts with Programs, v. 5, p. 467.

Brookins, D. G., Forbes, R. B., Turner, D. L., Laughlin, A. W., and Naeser, C. W., 1977, Rb-Sr, K-Ar, and fission-track geochronological studies of samples from LASL drill holes GT-1, GT-2, and EE-1, Los Alamos Scientific Laboratory informal report LA-6829-MS.

Brown, L. D., Krumhansl, D. A., Chapin, C. E., Sanford, A. R., Cook, F. A., Kaufman, S., Oliver, J. E., and Schilt, F. S., 1979, COCORP seismic reflection studies of the Rio Grande Rift; in Riecker, R. E., ed., Rio Grande Rift: Tectonics and Magmatism, Amer. Geophys. Union, Washington, DC, pp. 169-184.

Budding, A. J., 1978, Gravity survey of the Pajarito Plateau, Los Alamos and Santa Fe Counties, New Mexico, Los Alamos Scientific Laboratory informal report, LA-7415, 15 p.

Budding, A. J., and Condie, K. C., 1975, Precambrian rocks of the Sierra Oscura and northern San Andres Mountains, south-central New Mexico, New Mexico Geol. Soc. 26th Field Conf. Guidebook, pp. 89-94.

Bufe, C. G., and Lester, F. W., 1975, Seismicity of the Geysers-Clear Lake region, California: EOS, Transactions of the American Geophysical Union, v. 56, no. 12, 1020 p.

Butler, B. S., Loughlin, G. F., Heikes, V. C., and others, 1920. The ore deposits of Utah: U.S. Geol. Survey Prof. Paper 111, 672 p.

Chapin, C. E., 1979, Evolution of the Rio Grande Rift: A Summary, in Riecker, R. E., ed., Rio Grande Rift: Tectonics and Magmatism, Amer. Geophys. Union, Washington, DC, pp. 1-6.

Chapin, C. E., and Seager, W. R., 1975, Evolution of the Rio Grande Rift in the Socorro and Las Cruces Areas, New Mexico Geol. Soc. 26th Field Conf. Guidebook, pp. 297-322.

Chapin, K. C., 1979, Precambrian rocks of the Taos Range and vicinity, northern New Mexico, New Mexico Geol. Soc. 30th Field Conf. Guidebook, pp. 107-112.

Chapman, R. H., 1975, Geophysical study of the Clear Lake region, California: California Division of Mines and Geology, Special Report 116, 23 p.

Condie, K. C., 1960, Petrogenesis of the Mineral Range pluton, southwestern Utah: Univ. Utah, unpub. M.S. thesis, 92 p.

Cook, K. L., Montgomery, J. R., Smith, J. T., and Selk, D. C., 1975, Gravity gradients across the Wasatch Line, Utah, in Program of Abstracts, Society of Exploration Geophysicists, 45th Annual International Meeting, Denver, CO., 26 p.

Cordell, L., 1978, Regional geophysical setting of the Rio Grande Rift, Geol. Soc. Amer. Bull., v. 89, pp. 1073-1090.

Crosby, G. W., 1973, Regional structure in south-western Utah; Geology of the Milford area, Hintze, L. F., and Whelan, J. A., Editors, Utah Geol. Assoc. Publication no. 3, 94 p.

Crow, N. B., 1979, An Environmental Overview of Geothermal Development: The Geysers-Calistoga KGRA volume 4. Environmental geology with an appendix: bibliography in the Geysers-Clear Lake region by D. P. Adam: Lawrence Livermore Laboratory Informal Report UCRL-52496, 72 p.

Dalrymple, G. B., Cox, A., and Doell, R. R., 1979, Potassium-argon age and paleomagnetism of the Bishop Tuff, California, Geol. Soc. Amer. Bull., v. 76, pp. 665-673.

Dane, C. H., and Bachman, G. O., 1965, Geologic map of New Mexico, US Geol. Survey, G-63272.

Davis, T. L., and Stoughton, D., 1979, Interpretation of seismic reflection data from the northern San Luis Valley, south-central Colorado, in Riecker, R. E., ed., Rio Grande Rift: Tectonics and Magmatism, Amer. Geophys. Union, Washington, DC, pp. 185-194.

deBoer, J., 1980, Paleomagnetism of the Quaternary Cerro Prieto, Crater Ele-gante and Salton Buttes volcanic domes in the northern part of the Gulf of California rhombochasm, in Proceedings of the Second Symposium on the Cerro Prieto Geothermal Field, Baja California, Mexico, Lawrence Berkeley Laboratory Report LBL-9546, in preparation.

Dickinson, W. R., 1970, Clastic sedimentary sequences deposited in shelf, slope, and trough settings between magmatic arcs and associated trenches: Pacific Geology, v. 3, pp. 15-30.

Dickinson, W. R., and Snyder, W. S., 1979, Geometry of Triple Junctions related to San Andreas Transform: Journal Geophy. Research, v. 84, pp. 561-572.

Doell, R. R., Dalrymple, G. B., Smith, R. L., and Bailey, R. A., 1968, Paleo-magnetism, potassium-argon ages, and geology of rhyolites and associated rocks of the Valles Caldera, New Mexico, Geol. Soc. Amer. Mem., v. 116, pp. 211-248.

1B → Dondanville, R. F., 1978, Geologic characteristic of the Valles Caldera geo-thermal system, New Mexico, Geothermal Resources Council Trans., v. 2, pp. 157-160.

2B → Donnelly, J. M., 1977, Geochronology and evolution of the Clear Lake volcanic field: Ph.D. Thesis, Univ. Calif. Berkeley, 48 p.

Donnelly, J. M., McLaughlin, R. J., Goff, F. E., and Hearn, B. C., Jr., 1976, Active faulting in The Geysers-Clear Lake area, northern California: Geo-logical Society of America Abstracts with Programs, v. 8, no. 3, pp. 369-370.

Donnelly, J. M., Hearn, B. C., Jr., and Goff, F. E., 1977, The Clear Lake Volcanics, California: Geology and field trip guide, in Field Trip guide to the Geysers-Clear Lake area for the Cordilleran section of the Geological Society of America, April, 1977, pp. 25-56.

Earll, F. N., 1957, Geology of the central Mineral Range, Beaver County, Utah: Univ. Utah, unpub. Ph.D. thesis, 112 p.

Edwards, C. L., Reiter, M., Shearer, C., and Young, W., 1978, Terrestrial heat flow and crustal radioactivity in northeastern New Mexico and southeastern Colorado, Geol. Soc., Amer. Bull., v. 89, pp. 1341-1350.

Elders, W., Rex, W., Meidav, T., Robinson, P. T., and Biehler, S., 1972, Crustal spreading in Southern California, Science, v. 178, (4056), pp. 15-24.

Elders, W. A., 1975, Regional geology of the Salton Trough, in Palmer, T. D., Howard, J. H., and Lande, D. P., editors, Geothermal development of the Salton Trough, California and Mexico, Lawrence Livermore Laboratory Report UCRL-51775.

- Elders, W. A., 1979, The geological background of the geothermal fields of the Salton Trough, in Elders, W. A., editor, Geology and geothermics of the Salton Trough, Guidebook, Field Trip No. 7, Geol. Soc. Amer. 92nd Ann. Meeting, San Diego, CA.
- Elders, W. A. Hoagland, J. R., McDowell, S. D., and Cobo, R. J. M., 1979, Hydrothermal mineral zones in the geothermal reservoir of Cerro Prieto, in Proceedings of the First Symposium on the Cerro Prieto Geothermal Field, Baja California, Mexico, Lawrence Berkeley Laboratory Report LBL-7098.
- Elders, W. A., Hoagland, J. R., and Williams, A. E., 1980, in press, Hydrothermal alteration as an indicator of temperature and flow regime in the Cerro Prieto geothermal field of Baja California, Trans. Geothermal Resources Council, v. 4, 4 p.
- Elston, W. E., and Bornhorst, T. J., 1979, The Rio Grande Rift in context of regional post-40 m.y. volcanic and tectonic events, in Riecker, R. E., ed., Rio Grande Rift: Tectonics and Magmatism, Amer. Geophys. Union, Washington, DC, pp. 416-438.
- Evans, S. H., Jr., 1977, Geologic map of the central and northern Mineral Mountains, Utah: Technical report v. 77-7, DOE/DGE contract EY-76-S-07-1601, Dept. of Geology and Geophysics, Univ. of Utah.
- Foster, R. W., 1978, Guidebook to Rio Grande Rift in New Mexico and Colorado, in Hawley, J. W., ed., New Mexico Bureau of Mines and Mineral Resources, Circ. 163, pp. 236-237.
- Fournier, R. O., and Truesdell, A. H., 1974, Geochemical indicators of subsurface temperature--Part 2. Estimation of temperature and fraction of hot water mixed with cold water, US Geol. Survey Jour. Research, v. 2, n. 3, pp. 263-270.
- Fox, K. F., Jr., 1976, Melanges in the Franciscan Complex, a product of triple-junction tectonics: Geology, v. 4, no. 12, pp. 737-740.
- Glover, T. J., 1975, Geology of the central Organ Mountains, Dona Ana County, New Mexico, New Mexico Geol. Soc. 26th Field Conf. Guidebook, pp. 157-162.
- Goff, F. E., Donnelly, J. M., Thompson, J. M., and Hearn, B. C., Jr., 1976, The Konocti Bay fault zone, California: potential area for geothermal exploration: Geological Society of America Abstracts with Programs, v. 8, no. 3, pp. 375-376.
- Goff, F. E., and McLaughlin, R. J., 1976, Geology of the Cobb Mountain-Ford Flat geothermal area, Lake County, California: U.S. Geological Survey open-file map 76-221, 1 sheet (1:24 000), explanation + sections.
- Goff, F. E., and Donnelly, J.M., 1977, Applications of thermal water chemistry in the Geysers-Clear Lake geothermal region, California: Geological Society of America Abstracts with Programs, v. 9, no. 7, 992 p.

Goff, F. E., Donnelly, J. M., Thompson, J. M., and Hearn, B. C., Jr., 1977, Geothermal prospecting in The Geysers-Clear Lake area, northern California: *Geology*, v. 5, no. 8, pp. 509-515.

Goff, F. E., and Donnelly, J. M., 1978, The influence of PCO<sub>2</sub>, Salinity, and bedrock type on the Na-K-Ca geothermometer as applied in the Clear Lake geo-thermal region, California: *Geothermal Resources Council, Transactions*, v. 2, pp. 211-218.

Grim, P. J., Clark, J. M., and Morris, L. D., 1977, Geothermal energy resources of the western United States, special map, Environmental Data Service, NOAA, Boulder, CO.

Gunaji, N. N., Thode, E. F., Chaturbedi, L., Walvekar, A., LaFrance, L., Swanberg, C. A., and Jiracek, G. T., 1978, Geothermal application feasibility study for the New Mexico State University Campus, New Mexico Energy Inst. Pub. 13, 118 p.

Hamilton, R. M., and Muffler, L. J. P., 1972, Microearthquakes at The Geysers geothermal area, California: *Journal of Geophysical Research*, v. 77, no. 11, pp. 2081-2086.

Hearn, B. C., Jr., Donnelly, J. M., and Goff, F. E., 1976a, Preliminary geologic map and cross-section of the Clear Lake Volcanic field, Lake County, California: U.S. Geological Survey Open-File Report 76-751.

Hearn, B. C., Donnelly, J. M., and Goff, F. E., 1976b, Geology and geochron-ology of the Clear Lake Volcanics, California: Proceedings of the Second United Nations Symposium on the Development and Use of Geothermal Resources, 20-29 May, 1975, Lawrence Berkeley Laboratory, v. 1, pp. 423-428.

Hearn, B. C., Jr., Donnelly, J. M., and Goff, F. E., 1978, Continental-edge volcanism at Clear Lake, California: hot spot, leaky transform, or heated oceanic slab?: *Geological Society of America Abstracts with Programs*, v. 10, no. 7, 418 p.

Hearn, B. C., Donnelly, J. M., and Goff, F. E., 1981, The Clear Lake Volcan-ics, California: Tectonic setting and magma sources: US Geol. Survey Prof. Paper, in press.

Hildreth, E. W., 1977, The magma chamber of the Bishop tuff: Gradients in temperature, pressure, and composition: Ph.D. thesis, Univ. Calif., Berke-ley.

Hill, D. P., 1976, Structure of Long Valley caldera, California, from a seismic refraction experiment, *Jour. Geophys. Research*, v. 81, pp. 745-753.

Hill, D. P., 1977, A model for earthquake swarms, *Jour. Geophys. Res.*, v. 82.

Hilpert, L. S., and Roberts, R. J., 1964, Geology--Economic geology, in U.S. Geological Survey, Mineral and Water Resources of Utah: U.S. 88th Cong., 2nd Sess., pp. 28-38.

Hiss, W. L., Trainer, F. W., Black, B. A., and Posson, D. R., 1975, Chemical quality of ground water in the northern part of the Albuquerque-Belen Basin, Bernalillo and Sandoval Counties, New Mexico, New Mexico Geol. Soc. 26th Field Conf. Guidebook, pp. 219-236.

Hoffer, J. M., 1976, Geology of Potrillo basalt field, south-central New Mexico, New Mexico Bureau of Mines and Mineral Resources, Circ. 149, 30 p.

Hsu, K J., 1968, Principles of melanges and their bearing on the Franciscan-Knoxville paradox: Geological Society of America Bulletin, v. 79, no. 8, pp. 1063-1074.

Huber, N. K., and Rinehart, C. D., 1965, Geologic map of the Devils Postpile quadrangle, Sierra Nevada, California, US Geol. Survey Geol. Quad. Map GQ-437, scale 1:62,500.

Isherwood, W. F., 1976, Gravity and magnetic studies of The Geysers-Clear Lake geothermal region, California: Proceedings of the Second United Nations Symposium on the Development and Use of Geothermal Resources, v. 2, pp. 1065-1073.

Isherwoood, W. F., 1977, Reservoir depletion at The Geysers, California, in Geothermal: State of the Art, Davis, Calif., Geothermal Resources Council, 310 p.

Iyer, H. M., and Hitchcock, T., 1975, Teleseismic residuals at The Geysers geothermal area: EOS, Transactions of the American Geophysical Union, v. 56, no. 12, 1020 p.

Jamieson, I. M., 1976, Heat Flow in a Geothermally Active Area: The Geysers, California: Ph.D. Thesis, Univ. Calif. Berkeley, 143 p.

QB → Johnson, C. E., 1979, Seismotectonics of the Imperial Valley of Southern California, part II of Ph.D. thesis, Calif. Tech. Univ, Pasadena, California.

Kane, M. F., Mabey, D. R., and Brace, R. L., 1976, A gravity and magnetic investigation of the Long Valley caldera, Mono County, California, Jour. Geophys. Research, v. 81, pp. 754-762.

Kelley, V. C., 1977, Geology of Albuquerque Basin, New Mexico, New Mexico Bureau of Mines and Mineral Resources, Memoir 33, 60 p.

Kelley, V. C., 1978, Geology of Espanola basin, New Mexico, New Mexico Bureau of Mines and Mineral Resources, Geologic Map 48.

Kelley, V. C. 1979, Tectonics, middle Rio Grande Rift, New Mexico, in Riecker, R. E., ed., Rio Grande Rift: Tectonics and Magmatism, Amer. Geophys. Union, Washington, DC, pp. 185-194.

Kelley, V. C., and Northrop, S. A., 1975, Geology of Sandia Mountains and vicinity, New Mexico, New Mexico Bureau of Mines and Mineral Resources, Memoir 29, 136 p.

Kirkham, R. M., and Rogers, W. P., 1978, Earthquake potential in Colorado, Colo. Geol. Survey Open File Report.

Kistler, R. W., 1966a, Geologic map of the Mono Craters quadrangle, Mono and Tuolumne Counties, California, US Geol. Survey Geol. Quad. Map GQ-462, scale 1:62,500.

Kistler, R. W., 1966b, Structure and metamorphism in the Mono Craters quadrangle, Sierra Nevada, California, US Geol. Survey Bull. 1221-E, 53 p.

Kottlowski, F. E., 1975, Stratigraphy of the San Andres Mountains in south-central New Mexico, New Mexico Geol. Soc. 26th Field Conf. Guidebook, pp. 95-104.

Krauskopf, K. B., and Bateman, P. C., 1977, Geologic map of the Glass Mountain quadrangle, Mono County, California, and Mineral County, Nevada, US Geol. Survey Geol. Quad. Map GQ-1099, scale 1:62,500.

Lake County Flood Control and Water Conservation District, 1967, Big Valley ground-water recharge investigation: Lake County Flood Control and Water Conservation District, 78 p.

LASL Report, 1978, Hot Dry rock geothermal energy development report: Los Alamos Scientific Laboratory Progress Report LA-7109-PR, 294 p.

Laughlin, A. W., 1976, Late Cenozoic basaltic volcanism along the Jemez zone of New Mexico and Arizona (abs.), Geol. Soc. Amer. Abstracts with Programs, v. 8, p. 598.

Lemmon, D. M., Silberman, M. L., and Kistler, R. W., 1973, Some K-Ar ages of extrusive and intrusive rocks of the San Francisco and Wah Wah Mountains, Utah, Utah Geol. Assoc. Pub. 3.

Liese, H. C. 1957, Geology of the northern Mineral Range, Millard and Beaver Counties, Utah: Univ. Utah, unpub. M.S. thesis, 88 p.

Lipman, P. W., and Mehnert, H. W., 1975, Late Cenozoic basaltic volcanism and development of the Rio Grande depression in the southern Rocky Mountains, in Curtis, B. F., ed., Cenozoic History of the Southern Rocky Mountains, Geol. Soc. Amer. Mem. 144, pp. 119-154.

Lipman, P. W., and Mehnert, H. H., 1979, The Taos Plateau volcanic field, northern Rio Grande Rift, New Mexico, in Riecker, R. E., ed., Rio Grande Rift: Tectonics and Magmatism, Amer. Geophys. Union, Washington, DC, pp. 289-312.

Lipman, P. W., Rowley, P. D., Mehnert, H. H., Evans, S. H., Jr.; Nash, W. P., and Brown, F. H., 1977, Pleistocene rhyolite of the Mineral Range, Utah: geothermal and archeological significance: U.S.G.S. J. Res., v. 6, no. 1, 1110 p.

- Lipshie, S. R., 1979, Geology Overview, in Strojen, C. L., and Romney, E. M., eds., An Environment Overview of Geothermal Development: the Mono-Long Valley KGRA, Laboratory of Nuclear Medicine and Radiation Biology, Univ. of Calif., Los Angeles, pp. 29-91.
- Lofgren, B. E., 1978, Monitoring crustal deformation in the Geysers-Clear Lake geothermal area: U.S. Geological Survey Open-file Report 78-597, 26 p., 8 figs.
- Lovejoy, E. M., 1976, Geology of Cerro de Cristo Rey Uplift Chihuahua and New Mexico, New Mexico Bureau of Mines and Mineral Resources, Mem. 31.
- Luedke, R. G., and Smith, R. L., 1978, Map showing distribution, composition, and age of late Cenozoic volcanic centers in Arizon and New Mexico, US Geol. Survey Misc. Investigations Series I-1091-A.
- 12B → Lyons, D. J., and van de Kamp, P. C., 1980, Subsurface geological and geophysical study of the Cerro Prieto Geothermal Field, Baja California, Mexico, Lawrence Berkeley Laboratory Report LBL-10540, in preparation.
- Mankinen, E. A., 1972, Paleomagnetism and potassium-argon ages of the Sonoma Volcanics, California: Geological Society of America Bulletin, v. 83, pp. 2063-2072.
- Mankinen, E. A., Donnelly, J. M., and Gromme, C. S., 1978, Geomagnetic polarity event recorded at 1.1 m.y. B.P. on Cobb Mountain, Clear Lake volcanic field, California: Geology, v. 6, pp. 653-656.
- Manley, K., 1979, Stratigraphy and structure of the Espanola basin, Rio Grande Rift, New Mexico, in Riecker, R. E., ed., Rio Grande Rift: Tectonics and Magmatism, Amer. Geophys. Union, Washington, DC, pp. 71-86.
- Manon, M. A., Sanchez, A. A., Fausto, L. J. J., Jimenez S. M. E., Jacobo R. A., and Esquer P. I., 1979, Preliminary geochemical model of the Cerro Prieto geothermal field, in Proceedings of the First Symposium on the Cerro Prieto Geothermal Field, Baja California, Mexico, Lawrence Berkeley Laboratory Report LBL-7098.
- Mariner, R. H., and Willey, L. M., 1976, Geochemistry of thermal waters in Long Valley, Mono county, California, Jour. Geophys. Research, v. 81, pp. 792-800.
- Mayo, E. B., 1934, The Pleistocene Long Valley Lake in eastern California, Science, new ser., v. 80, no. 2065, pp. 95-96.
- Mayo, E. B., 1958, Lineament tectonics and some ore districts of the southwest, Mining Eng., v. 10, pp. 1169-1175.
- McLaughlin, R. J., and Stanley, W. D., 1976, Pre-Tertiary geology and structural control of geothermal resources, The Geysers steam field, California: proceedings of the Second United Nations Symposium on the Development and Use of Geothermal Resources, v. 1, pp. 475-486.

McLaughlin, R. J., 1977, Late Mesozoic-Quaternary plate tectonics and The Geysers-Clear Lake geothermal anomaly, northern Coast Ranges, California: Geological Society of America Abstracts with Programs, v. 9, no. 4, 464 p.

McLaughlin, R. J., 1977, The Franciscan assemblage and Great Valley sequence in the Geysers-Clear Lake region of northern California: in Field Trip Guide to the Geysers-Clear Lake area for the Cordilleran Section of the Geological Society of America, April, 1977, pp. 3-24.

McLaughlin, R. J., 1978, Preliminary geologic map and structural sections of the central Mayacmas Mtns. + The Geysers steam field, Sonoma, Lake, Mendocino Counties. U.S. Geological Survey Open-file Report No. 78-389, 2 sheets, 1 map (1:24 000), + explanation and cross sections.

McLaughlin, R. J., and Pessagno, E. A., 1978, Significance of age relations above and below Upper Jurassic ophiolite in The Geysers-Clear Lake region, California: U.S. Geological Survey Journal of Research, v. 6, no. 6, pp. 715-726.

Meidav, T., West, R., Katzenstein, A., and Rotstein, Y., 1976, An electrical resistivity survey of the Salton Sea geothermal field, Imperial Valley, California. Report by Geonomics Inc., to Lawrence Livermore Laboratory.

Muehlberger, W. R., and Denison, R. E., 1964, Precambrian geology of south-central New Mexico, New Mexico Geol. Soc. 25th Field Conf. Guidebook, Ruidoso Country, pp. 62-69.

1C → Muffler, L. J. P., and White, D. E., 1969, Active metamorphism of upper Cenozoic sediments in the Salton Sea geothermal field and the Salton Trough, Southeastern California, Geol. Soc. Amer. Bull., v. 80, pp. 157-182.

Muffler, L. J. P., and White, D. E., 1972, Geothermal Energy: The Science Teacher, v. 39, no. 3, pp. 1-4.

Muffler, L. J. P., and Williams, D. L., 1976, Geothermal investigations of the US Geological Survey in Long Valley, California, 1972-1973, Jour. Geophys. Research, v. 81, pp. 721-724.

Nash, W. P. and Evans, S. H., Jr., 1977, Natural silicic liquids: fugacities and flow: GSA Abstr. with programs, v. 9, no. 7, 1110 p.

3C → Nielson, D. L., Sibbett, B. S., McKinney, D. B., Hulen, J. B., Moore, J. N., and Samberg, S. M., 1978, Geology of Roosevelt Hot Springs KGRA, Beaver Co., Utah; Univ. Utah Res. Inst., Earth Science Lab. Rept. No. 12, Salt Lake City, Utah, 121 p.

Nielson, D. L., Sibbett, B. S., and McKinney, D. B. 1979, Geology and structural control of the geothermal system at Roosevelt Hot Springs KGRA, Beaver Co., Utah (abs.): Amer. Assoc. Petroleum Geologists Bull., v. 63/5, 836 p.

4C → Palmer, T. D., 1975, Characteristics of geothermal wells located in the Salton Sea Geothermal Field, Imperial County, California, Lawrence Livermore Laboratory Report UCRL-51976, p. 54.

Parry, W. T., Ballantyne, J. M., Bryant, N. L., and Dedolph, R. E., Geochemistry of hydrothermal alteration of the Roosevelt Hot Springs thermal area, Utah: *Geochim. Cosmochim. Acta*. 44, 95-102 (1980).

Petersen, C. A., 1975, Geology of the Roosevelt Hot Springs area, Beaver County, Utah: *Utah Geology*, v. 2, no. 2, pp. 109-116.

Pillmore, C. C., Obradovich, J. D., Landreth, J. O., and Puth, L. E., 1973, Mid-Tertiary volcanism in the Sangre de Cristo Mountains of northern New Mexico, *Geol. Soc. Amer. Abstracts with Programs*, v. 5, p. 502.

Priani C. R., 1979, Lithologic correlations of the Cerro Prieto wells, based on well-log interpretation, in *Proceedings of the First Symposium on the Cerro Prieto Geothermal Field, Baja California, Mexico*, Lawrence Berkeley Laboratory Report LBL-7098.

Puente Crux, I., and de la Pena-L, A.; 1979, Geology of the Cerro Prieto Geothermal Field, in *Proceedings of the First Symposium on the Cerro Prieto Geothermal Field, Baja California, Mexico*, Lawrence Berkeley Laboratory Report LBL-7098.

Register, M. E., and Brookins, D. G., 1979, Geochronologic and rare-earth study of the Embudo Granite and related rocks, *New Mexico Geol. Soc. 30th Field Conf. Guidebook*, pp. 155-158.

Reiter, M., Edwards, C. L., Hartman, H., and Weidman, C., 1975, Terrestrial heat flow along the Rio Grande rift, New Mexico and southern Colorado, *Geol. Soc. Amer. Bull.*, v. 86, pp. 811-818.

Rinehart, C. D., and Huber, N. K., 1965, The Inyo Crater Lakes--A blast in the past, *Calif. Div. Mines Geol. Miner. Inform. Serv.*, v. 18, pp. 169-172.

Rinehart, C. D., and Ross, D. C., 1957, Geology of the Casa Diablo Mountain quadrangle, California, US Geol. Survey Geol. Quad. Map GQ-99, scale 1:62,500.

Rinehart, C. D., and Ross, D. C., 1964, Geology and mineral deposits of the Mount Morrison quadrangle, Sierra Nevada, California, with a section on A gravity study of Long Valley, by L. C. Pakiser, US Geol. Survey Prof. Paper 385, 106 p.

Rinehart, E. J., Sanford, A. R., and Ward, R. M., 1979, Geographic extent and shape of an extensive magma body at midcrustal depths in the Rio Grande Rift near Socorro, New Mexico, in Riecker, R. E., ed., *Rio Grande Rift: Tectonics and Magmatism*, Amer. Geophys. Union, Washington, DC, pp. 237-252.

Robinson, R. and Iyer, H. M., (1979), Evidence from teleseismic P-wave observations for a low velocity body under the Roosevelt Hot Springs geothermal area, Utah, Geothermal Resources Council, Transaction, Vol. 3, 585 p.

Rymer, M. J., 1978, Stratigraphy of the Cache Formation (Pliocene and Pleistocene) in the Clear Lake Basin, Lake County, California: U.S. Geol. Survey Open-File Report 78-924, 102 p.

Sanford, A. R., Mott, R. P., Jr., Shaleski, P. J., Rinehart, E. J., Caravella, F. J., Ward, R. M., and Wallace, T. C., 1977, Geophysical evidence for a magma body in the crust in the vicinity of Socorro, New Mexico, Amer. Geophys. Union Monograph, v. 20, pp. 385-404.

Sanford, A. R., Olsen, K. H., Jaksha, L. H., 1979, Seismicity of the Rio Grande Rift, in Riecker, R. E., ed., Rio Grande Rift: Tectonics and Magmatism, Amer. Geophys. Union, Washington, DC, pp. 145-168.

Schriener, A. and Suemnicht, G. A., 1980, Subsurface intrusive rocks at The Geysers geothermal area, California: Geological Society of America Abstracts with Programs, Corvallis, Oregon, 152 p.

Seager, W. R., 1975, Cenozoic tectonic evolution of Las Cruces Area, New Mexico Geol. Soc. 26th Field Conf. Guidebook, pp. 241-250.

Seager, W. R., and Morgan, P., 1979, Rio Grande Rift in southern New Mexico, west Texas, and northern Chihuahua, in Riecker, R. E., ed., Rio Grande Rift: Tectonics and Magmatism, Amer. Geophys. Union, Washington, DC, pp. 87-106.

Sibbett, B. S., and Nielson, D. L., 1980, Geology of the Central Mineral Mountains, Beaver County, Utah, Univ. Utah Research Institute Informal Report ESL-33, 42 p. with maps.

Sims, J. D., and Rymer, M. J., 1975, Preliminary description and interpretation of cores and radiographs from Clear Lake, Lake County, California: Core 7: U.S. Geological Survey Open-file Report No. 75-144, 21 p.

Sims, J. D., and Rymer, M. J., 1976, Map of gaseous springs and associated faults, Clear Lake, California: U.S. Geological Survey Miscellaneous Field Investigations Map MF-721.

Smith, C. T., 1964, Geology of the Little Black Peak quadrangle, Socorro and Lincoln Counties, New Mexico, New Mexico Geol. Soc. 15th Field Conf. Guidebook, pp. 92-99.

Smith, D. L., and Jones, R. L., 1979, Thermal anomaly in northern New Mexico: An extension of the Rio Grande Rift?, in Riecker, R. E., ed., Rio Grande Rift: Tectonics and Magmatism, Amer. Geophys. Union, Washington, DC, pp. 269-278.

- Smith, G. I., 1976, Origin of lithium and other components in the Searles Lake evaporites, California, in Vine, J. D., ed., Lithium resources and requirements by the year 2000, US Geol. Survey Prof. Paper 1005, pp. 92-103.
- Smith, R. B., and Sbar, M., 1974, Contemporary tectonics and seismicity of the Western States with emphasis on the intermountain seismic belt: Geol. Soc. Amer. Bull., v. 85, pp. 1205-1218.
- Smith, R. L., 1979, Ash-flow magmatism, in Chapin, E. C., and Elston, W. E., eds., Ash-flow Tuffs, Geol. Soc. Amer. Special Paper 180.
- Smith, R. L., and Bailey, R. A., 1966, The Bandelier Tuff: A study in ash-flow eruption cycles from zoned magma chambers, Bull. Volcanol. 29, pp. 83-104.
- Smith, R. L., and Bailey, R. A., 1968, Resurgent cauldrons, in Coats, R. R., Hay, R. L., and Anderson, C. A., eds., Studies in Volcanology, Geol. Soc. Amer. Mem. 116, pp. 613-662.
- Smith, R. L., and Bailey, R. A., 1968, Resurgent cauldrons, Geol. Soc. Amer. Mem. 116, pp. 613-662.
- Smith, R. L., Bailey, R. A., and Ross, C. S., 1970, Geologic map of the Jemez Mountains, New Mexico, US Geol. Survey Misc. Geol. Investigations Map I-571.
- Smoker, J. W. 1972, Analysis of gravity and aeromagnetic data, San Francisco Mountains and vicinity, southwestern Utah: Utah Geological and Mineralogical Survey Bulletin 98, 24 p.
- Stanley, W. D., Jackson, D. B., and Hearn, B. C., Jr., 1973, Preliminary results of geoelectrical investigations near Clear Lake, California: U.S. Geological Survey Open-file Report, 20 p.
- Steeple, D. W., and Iyer, H. M., 1976, Low-velocity zone under Long Valley as determined from teleseismic events, Jour. Geophys. Research, v. 81, pp. 849-860.
- Steven, T. A., 1975, Middle Tertiary volcanic field in the Southern Rocky Mountains, in Curtis, B. F., ed., Cenozoic History of the Southern Rocky Mountains, Geol. Soc. Amer. Mem. 144, pp. 75-94.
- Stokes, W. L., 1968, Relation of fault trends and mineralization, eastern great basin, Utah: Econ. Geol., v. 63, pp. 751-759.
- Suppe, J., 1977, The Coast Range decollement and post-subduction compression in northern California Coast Ranges: Geological Society of America Abstracts with Programs, v. 9, no. 4, pp. 510-511.
- Suppe, J., 1979, Structural interpretation of the southern part of the northern coast Ranges and Sacramento Valley, California: Summary: Geological Society of America Bulletin, v. 90, pp. 327-330.

Swe, Win, and Dickinson, W. R., 1970, Sedimentation and thrusting of Late Mesozoic rocks in the Coast Ranges near Clear Lake, California: Geological Society of America Bulletin, v. 81, no. 1, pp. 165-189.

Tester, J. W., Morris, G. E., Cummings, R. G., and Bivins, R. L., 1979, Electricity from Hot Dry Rock Geothermal energy: Technical and Economic Issues: Los Alamos Sci. Lab. Informal Report LA-7603-MS, 24 p.

Tewhey, J. D., 1977, Geologic Characteristics of a Portion of the Salton Sea Geothermal Field, Lawrence Livermore Laboratory Report UCRL-52267, p. 51.

Thompson, J. M., Goff, F. E., and Donnelly, J. M., 1978, Chemical Analyses of waters from springs and wells from the Clear Lake volcanic area, Northern California: U.S. Geological Survey Open-file Report 78-425, 12 p.

4D → Thompson, J. M., 1979, A reevaluation of geothermal potential of the Wilbur Hot Springs area, California: Geothermal Resources Council, Transactions, v. 3, pp. 729-731.

Thompson, T. B., 1972, Sierra Blanca igneous complex, Geol. Soc. Amer. Bull., v. 83, pp. 2341-2356.

Thompson, S., and Bieberman, R. A., 1975, Oil and gas exploration wells in Dona Ana County, New Mexico, New Mexico Geol. Soc. 26th Field Conf. Guidebook, pp. 171-174.

Towse, D., 1975, An estimate of the geothermal energy resource in the Salton Trough, California. Lawrence Livermore Laboratory Report UCRL-51851, p. 22.

Trainer, F. W., 1975, Mixing of thermal and nonthermal waters in the margin of the Rio Grande Rift, Jemez Mountains, New Mexico, New Mexico Geol. Soc. 26th Field Conf. Guidebook, pp. 213-218.

Trainer, F. W., and Lyford, F. P., 1979, Geothermal hydrology in the Rio Grande Rift, north-central New Mexico, New Mexico Geol. Soc. 30th Field Conf. Guidebook, pp. 299-306.

Truesdell, A. H., Manon M. A., Jimenez S. M. E., Sanchez, A. A., and Fausto L. J. J., 1979, Geochemical evidence of drawdown in the Cerro Prieto geothermal field, in Proceedings of the First Symposium on the Cerro Prieto Geothermal Field, Baja California, Mexico, Lawrence Berkley Laboratory Report LBL-7098.

5D → Truesdell, A. H., Nehring, N. L., Thompson, J. M., Coplen, T. B., Des Marais, D. J., Janik, C. J., and Mehl, D. C., 1980, Geochemical studies of the Cerro Prieto reservoir fluid, in Program and Abstracts, Second Symposium on the Cerro Prieto Geothermal Field, Baja California, Mexico, October 17-19, 1979, Mexicali.

Tweto, O., 1975, Laramide (Late Cretaceous-early Tertiary) orogeny in the Southern Rocky Mountains, in Curtis, B. F., ed., Cenozoic History of the Southern Rocky Mountains, Geol. Soc. Amer. Mem. 144, pp. 1-44.

- Tweto, O., 1979a, The Rio Grande Rift system in Colorado, in Riecker, R. E., ed., Rio Grande Rift: Tectonics and Magmatism, Amer. Geophys. Union, Washington, DC, pp. 33-56.
- Tweto, O., 1979b, Geologic map of Colorado, US Geol. Survey.
- Tweto, O., and Sims, K., 1963, Precambrian ancestry of the Colorado Mineral Belt, Geol. Soc. Amer. Bull., v. 74, pp. 991-1014.
- Upson, J. E., and Kunkel, Fred, 1955, Ground water of the Lower Lake-Middletown area, Lake County, California: U.S. Geological Survey Water Supply Paper No. 1297, 83 p.
- U.S. Geodynamics Committee, 1979, Continental Scientific Drilling Program, Office of Publications, National Academy of Sciences, Washington, DC, 192 p.
- U.S. Geological Survey, 1975, Assessment of Geothermal Resources of the United States-1975, USGS Circ. 726, 155 p.
- U.S. Geological Survey, 1979, Assessment of Geothermal Resources of the United States-1978, USGS Circ. 790, 163 p.
- Vonder Haar, S., and Howard, J. H., 1980, Intersecting faults and sandstone stratigraphy at the Cerro Prieto geothermal field, in Proceedings of the Second Symposium on the Cerro Prieto Geothermal Field, Baja California, Mexico, LBL-9546, CP-15 in preparation.
- Wagner, D. L., 1977, Structure of late Mesozoic rocks at Pope Valley, Napa County, California: Geological Society of America Abstracts with Programs, v. 9, no. 4, 522 p.
- Ward, S. H., Parry, W. T., Nash, W. P., Sill, W. R., Cook, K. L., Smith R. B., Chapman, D. S., Brown, F. H., Whelan, J. A., and Bowman, J. R., (1978). A Springs thermal area, Utah, Geophysics, 43, pp. 1515-1542.
- Waring, G. A., 1915, Springs of California: U.S. Geological Survey Water Supply Paper 338, 409 p.
- White, D. E., 1957, Magmatic, connate and metamorphic waters: Geological Society of America Bulletin, v. 68, pp. 1659-1682.
- White, D. E., 1970, Geochemistry applied to discovery, evaluation, and exploitation of geothermal energy resources: Rapporteur's rep., UN Sympos. on Development and Utilization of Geothermal Resources, Pisa Proc., (Geothermics, spec. iss. 2) v. 1, pp. 58-80.
- White, D. E., 1976, Geothermal potential of Long Valley Caldera in light of recent USGS investigations through July 1976, informal report.
- White, D. E., Barnes, Ivan, and O'Neil, J. R., 1973, Thermal and mineral waters of nonmeteoric origin, California Coast Ranges: Geological Society of America Bulletin, v. 84, no. 2, pp. 547-560.

White, D. E., Muffler, L. J. P., and Truesdell, A. H., 1971, Vapor-dominated hydrothermal systems compared with hot-water systems: Economic Geology, v. 66, no. 1, pp. 75-97.

→ White, D. E., and Roberson, C. E., 1962, Sulphur Bank, California, a major hot spring quicksilver deposit: in Petrologic Studies-A volume in honor of A. F. Buddington: New York, Geological Society of America, pp. 397-428.