





600079


W



































TM → odd symbols  
TE → even "

The hog symbols are  
not consistent  
between stations!




















MAGNETOTELLURIC ANALYSIS

DATE JUL 27, 1978

xxx BEAFAWE, NEVADA SITE 4-2 xxx

TABLE OF CONTENTS

CRITERIA	PAGES 1-4	
SKEW LEVEL	1.00	
ELLIPTICITY LEVEL	1.00	
PHASOR COHERENCY	0.80	
17.5 DEGREES ADDED TO COMPUTED AZIMUTHS SO THAT REFERENCE IS TO TRUE NORTH.		
ROTATED TENSOR RESISTIVITY (RTM-ODD SYMBOLS)		1
PHASE OF ROTATED TENSOR		2
ROTATION ANGLE - RTM, RTE BOTH PASS CRITERIA		3
(ODD SYMBOLS ONLY)		
ROTATION ANGLE - RTM AND/OR RTE PASS CRITERIA		4
(ODD SYMBOLS ONLY)		
CRITERIA APPLIED TO PAGES 5,6,7	PAGES 12 - 15	
CBHZZP-0.70	CORNN- 0.80	
MAGNITUDE OF TIPPER		5
PHASE OF TIPPER		6
THETA (TIPPER)		7
SKEW (ODD SYMBOLS) AND ELLIPTICITY (EVEN SYMBOLS)		8
RESISTIVITIES FOR MAX C&H		9
PHASES FOR MAX COHERENCY		10
COHERENCIES FOR MAX C&H		11
MAGNITUDE OF HZ RATIO KZTE		12
PHASE OF HZ RATIO KZTE		13
HZ DIP AXIS ANGLE A(KZ)		14
HZ DIP AXIS ANGLE A(YZ)		15

DATA SETS	SYMBOLS	BAND	
207.0	1 2		C
208.0	3 4		D
210.0	5 6		E
216.0	7 8		S
205.0	9 0		D

PAGE DELETED IF NO POINTS PASS CRITERIA.


JUL 27, 1976

BEN 4-2

ROTATED TENSOR RESISTIVITIES  
PHASE PLOT OF ROTATED TENSOR

PAGE 1

PAGE 2





JUL 27, 1976


BEN 4-2

ROTATION ANGLE (RTM AND/OR RTE PASS CRITERIA)

PAGE 3











JUL 27, 1976


BEN 4-2

HZ RATIO KZTE PHASE

PAGE 13







## MAGNETOTELLURIC ANALYSIS

DATE JUL 27, 1978

xxx BEOWAN, NEVADA SITE 4-3 xxx

## TABLE OF CONTENTS

CRITERIA	PAGES 1-4	
SKW LEVEL	1.00	
ELIPTICITY LEVEL	1.00	
PHASOR COHERENCY	0.80	
17.5 DEGREES ADDED TO COMPUTED AZIMUTHS SO THAT REFERENCE IS TO TRUE NORTH.		
ROTATED TENSOR RESISTIVITY (RTM-ODD SYMBOLS)		1
PHASE OF ROTATED TENSOR		2
ROTATION ANGLE - RTM, RTE BOTH PASS CRITERIA (ODD SYMBOLS ONLY)		3
ROTATION ANGLE - RTM AND/OR RTE PASS CRITERIA (ODD SYMBOLS ONLY)		4
CRITERIA APPLIED TO PAGES 5,6,7	PAGES 12 - 15	
MAGNITUDE OF TIPPER	COHZZP-0.70 COKMM- 0.80	5
PHASE OF TIPPER		6
THETA (TIPPER)		7
SKW (ODD SYMBOLS) AND ELIPTICITY (EVEN SYMBOLS)		8
RESISTIVITIES FOR MAX COH		9
PHASES FOR MAX COHERENCY		10
COHERENCES FOR MAX COH		11
MAGNITUDE OF HZ RATIO KZTE		12
PHASE OF HZ RATIO KZTE		13
HZ DIP AXIS ANGLE A(KZ)		14
HZ DIP AXIS ANGLE A(YZ)		15

DATA SETS	SYMBOLS	BAND	
303.0	1 2		E
308.0	3 4		D
307.0	5 8		C
314.0	7 8		S
312.0	9 0		F

PAGE DELETED IF NO POINTS PASS CRITERIA.


JUL 27. 1976

BEN 4-3

ROTATED TENSOR RESISTIVITIES  
PHASE PLOT OF ROTATED TENSOR

PAGE 1

PAGE 2





JUL 27, 1976


BEN 4-3

ROTATION ANGLE (RTM AND/OR RTE PASS CRITERIA)


PAGE 3

















## MAGNETOTELLURIC ANALYSIS

DATE JUL 20, 1978

xxx BEAWARE, NEVAD SITE 4-4 xxx

TABLE OF CONTENTS	
CRITERIA PAGES 1-4	
SKW LEVEL	1.00
ELLIPTICITY LEVEL	1.00
PHASOR COHERENCY	0.80
17.5 DEGREES ADDED TO COMPUTED AZIMUTHS SO THAT REFERENCE IS TO TRUE NORTH.	
ROTATED TENSOR RESISTIVITY (KTM-ODD SYMBOLS)	1
PHASE OF ROTATED TENSOR	2
ROTATION ANGLE - R1A, RTE BOTH PASS CRITERIA	3
(ODD SYMBOLS ONLY)	
ROTATION ANGLE - R1A AND/OR RTE PASS CRITERIA	4
(ODD SYMBOLS ONLY)	
CRITERIA APPLIED TO PAGES 5,6,7	PAGES 12 - 15
COHZZP-0.70	COZLN- 0.80
MAGNITUDE OF TIPPER	5
PHASE OF TIPPER	6
THETA (TIPPER)	7
SKW (ODD SYMBOLS) AND ELLIPTICITY (EVEN SYMBOLS)	8
RESISTIVITIES FOR MAX COH	9
PHASES FOR MAX COHERENCY	10
COHERENCIES FOR MAX COH	11
MAGNITUDE OF HZ RATIO KZTE	12
PHASE OF HZ RATIO KZTE	13
HZ DIP AXIS ANGLE A(KZ)	14
HZ DIP AXIS ANGLE A(YZ)	15

DATA SETS	SYMBOLS	BAND
406.0	1 2	E
407.0	3 4	D
409.0	5 6	C
415.0	7 8	F
416.0	9 0	B

PAGE DELETED IF NO POINTS PASS CRITERIA.


JUL 20, 1976


BEN 4-4


ROTATED TENSOR RESISTIVITIES  
PHASE PLOT OF ROTATED TENSOR


PAGE 1

PAGE 2




















MAGNETOTELLURIC ANALYSIS

DATE JUL 23, 1978

xxx BEAWARE, NEVADA SITE 4-5 xxx

TABLE OF CONTENTS

CRITERIA	PAGES 1-4	
SKEW LEVEL	1.00	
ELLIPTICITY LEVEL	1.00	
PHASOR COHERENCY	0.80	
17.5 DEGREES ADDED TO COMPUTED AZIMUTHS SO THAT REFERENCE IS TO TRUE NORTH.		
ROTATED TENSOR RESISTIVITY (RTM-ODD SYMBOLS)		1
PHASE OF ROTATED TENSOR		2
ROTATION ANGLE - RTM, ATE BOTH PASS CRITERIA (ODD SYMBOLS ONLY)		3
ROTATION ANGLE - RTM AND/OR ATE PASS CRITERIA (ODD SYMBOLS ONLY)		4
CRITERIA APPLIED TO PAGES 5,6,7	PAGES 12 - 15	
COHZZP-0.70	COHXXN- 0.80	
MAGNITUDE OF TIPPER		5
PHASE OF TIPPER		6
THETA (TIPPER)		7
SKEW (ODD SYMBOLS) AND ELLIPTICITY (EVEN SYMBOLS)		8
RESISTIVITIES FOR MAX COH		9
PHASES FOR MAX COHERENCY		10
COHERENCIES FOR MAX COH		11
MAGNITUDE OF HZ RATIO RZTE		12
PHASE OF HZ RATIO RZTE		13
HZ DIP AXIS ANGLE R(KZ)		14
HZ DIP AXIS ANGLE R(YZ)		15

DATA SETS	SYMBOLS		BAND	
S04.0	1	2		E C O D E
S08.0	3	4		
S10.0	5	6		
S13.0	7	8		
S15.0	9	0		

PAGE DELETED IF NO POINTS PASS CRITERIA.


JUL 23. 1976


BEN 5


ROTATED TENSOR RESISTIVITIES  
PHASE PLOT OF ROTATED TENSOR


PAGE 1

PAGE 2













JUL 23, 1976


BEN 5

HZ RATIO KZTE PHASE

PAGE 13







## MAGNETOTELLURIC ANALYSIS

DATE JUL 23, 1978

xxx BEOWHE, NEVADA SITE 4-8 xxx

## TABLE OF CONTENTS

CRITERIA	PAGES 1-4	
SKW LEVEL	1.00	
ELIPTICITY LEVEL	1.00	
PHASOR COHERENCY	0.80	
17.5 DEGREES ADDED TO COMPUTED AZIMUTHS SO THAT REFERENCE IS TO TRUE NORTH		
ROTATED TENSOR RESISTIVITY (RTH-ODD SYMBOLS)		1
PHASE OF ROTATED TENSOR		2
ROTATION ANGLE - RTH, RTE BOTH PASS CRITERIA (ODD SYMBOLS ONLY)		3
ROTATION ANGLE - RTH AND/OR RTE PASS CRITERIA (ODD SYMBOLS ONLY)		4
CRITERIA APPLIED TO PAGES 5,6,7	PAGES 12 - 15	
	COLZZD-0.70	COLNN- 0.80
MAGNITUDE OF TIPPER		5
PHASE OF TIPPER		6
THETA (TIPPER)		7
SKW (ODD SYMBOLS) AND ELIPTICITY (EVEN SYMBOLS)		8
RESISTIVITIES FOR MAX COH		9
PHASES FOR MAX COHERENCY		10
COHERENCIES FOR MAX COH		11
MAGNITUDE OF HZ RATIO KZTE		12
PHASE OF HZ RATIO KZTE		13
HZ DIP AXIS ANGLE A(KZ)		14
HZ DIP AXIS ANGLE A(YZ)		15

DATA SETS	SYMBOLS	BAND
-----------	---------	------

602.0	1	2	F
603.0	3	4	E
605.0	5	8	D
607.0	7	8	C
614.0	9	0	B

PAGE DELETED IF NO POINTS PASS CRITERIA.


JUL 23, 1976


BEN 4-6

ROTATED TENSOR RESISTIVITIES  
PHASE PLOT OF ROTATED TENSOR

PAGE 1

PAGE 2







JUL 23, 1976

BEN 4-6


SKEW AND ELIPTICITY PLOT


PAGE 8














## MAGNETOTELLURIC ANALYSIS

DATE JUL 23, 1978

xxx BEOWAVE, NEVADA SITE 4-1 xxx

TABLE OF CONTENTS	
CRITERIA PAGES 1-4	
SKEW LEVEL 1.00	
ELLIPTICITY LEVEL 1.00	
PHASOR COHERENCY 0.80	
18.0 DEGREES ADDED TO COMPUTED AZIMUTHS SO THAT REFERENCE IS TO TRUE NORTH.	
ROTATED TENSOR RESISTIVITY (RTM-ODD SYMBOLS)	1
PHASE OF ROTATED TENSOR	2
ROTATION ANGLE - RTM - RTE BOTH PASS CRITERIA (ODD SYMBOLS ONLY)	3
ROTATION ANGLE - RTM AND/OR RTE PASS CRITERIA (ODD SYMBOLS ONLY)	4
CRITERIA APPLIED TO PAGES 5,6,7 PAGES 12 - 15	
COHZZP-0.70 COXMM- 0.80	
MAGNITUDE OF TIPPER	5
PHASE OF TIPPER	6
THETA (TIPPER)	7
SKEW (ODD SYMBOLS) AND ELLIPTICITY (EVEN SYMBOLS)	8
RESISTIVITIES FOR MAX COH	9
PHASES FOR MAX COHERENCY	10
COHERENCIES FOR MAX COH	11
MAGNITUDE OF HZ RATIO KZTE	12
PHASE OF HZ RATIO KZTE	13
HZ DIP AXIS ANGLE A(KZ)	14
HZ DIP AXIS ANGLE A(NZ)	15

DATA SETS	SYMBOLS	BAND	
707.0	3 2		C O D E B
708.0	3 4		
711.0	5 8		
715.0	7 8		
717.0	9 0		

PAGE DELETED IF NO POINTS PASS CRITERIA.

JUL 23, 1976


BEN 4-7

ROTATED TENSOR RESISTIVITIES

PAGE 1

PHASE PLOT OF ROTATED TENSOR

PAGE 2





JUL 23, 1976


BEN 4-7

ROTATION ANGLE (RTM AND/OR RTE PASS CRITERIA)

PAGE 3










JUL 23, 1976

BEN 4-7

HZ RATIO KZTE PHASE

PAGE 13





JUL 23, 1976

BEN 4-7

HZ DIP AXIS ANGLE R(KZ)

PAGE 14





## MAGNETOTELLURIC ANALYSIS

DATE JUL 20, 1978

xxx BEAUME, NEVADA SITE 4-8 xxx

TABLE OF CONTENTS	
CRITERIA	PAGES 1-4
SKEW LEVEL	1.00
ELLIPTICITY LEVEL	1.00
PHASOR COHERENCY	0.80
17.5 DEGREES ADDED TO COMPUTED AZIMUTHS SO THAT REFERENCE IS TO TRUE NORTH	
ROTATED TENSOR RESISTIVITY (ATH-000 SYMBOLS)	1
PHASE OF ROTATED TENSOR	2
ROTATION ANGLE - ATH - ATE BOTH PASS CRITERIA	3
(000 SYMBOLS ONLY)	
ROTATION ANGLE - ATH AND/OR ATE PASS CRITERIA	4
(000 SYMBOLS ONLY)	
CRITERIA APPLIED TO PAGES 5,6,7	PAGES 12 - 15
COHZZP-0.70	COKMN-0.80
MAGNITUDE OF TIPPER	5
PHASE OF TIPPER	6
THETA (TIPPER)	7
SKEW (000 SYMBOLS) AND ELLIPTICITY (EVEN SYMBOLS)	8
RESISTIVITIES FOR MAX COH	9
PHASES FOR MAX COHERENCY	10
COHERENCIES FOR MAX COH	11
MAGNITUDE OF HZ RATIO KZTE	12
PHASE OF HZ RATIO KZTE	13
HZ DIP AXIS R/LE RUKZ)	14
HZ DIP AXIS R/LE R1YZ)	15

DATA SETS	SYMBOLS	BAND	
802.0	1	2	F E C D B
804.0	3	4	
807.0	5	6	
809.0	7	8	
815.0	9	0	

PAGE DELETED IF NO POINTS PASS CRITERIA.


JUL 20. 1976

BEN 4-8

ROTATED TENSOR RESISTIVITIES  
PHASE PLOT OF ROTATED TENSOR

PAGE 1

PAGE 2





JUL 20. 1976

BEN 4-8

ROTATION ANGLE (ATH AND/OR RTE PASS CRITERIA)


PAGE 3

















MAGNETOTELLURIC ANALYSIS

DATE JUL 15, 1978

\*\*\* BEAUMONT, NEVADA SITE 4-9 \*\*\*

TABLE OF CONTENTS  
CRITERIA PAGES 1-4

SKEM LEVEL	1.00	
ELLIPTICITY LEVEL	1.00	
PHASOR COHERENCY	0.80	
17.5 DEGREES ADDED TO COMPUTED AZIMUTHS SO THAT REFERENCE IS TO TRUE NORTH.		
ROTATED TENSOR RESISTIVITY (RTM-ODD SYMBOLS)		1
PHASE OF ROTATED TENSOR		2
ROTATION ANGLE - RTM - RTE BOTH PASS CRITERIA (ODD SYMBOLS ONLY)		3
ROTATION ANGLE - RTM AND/OR RTE PASS CRITERIA (ODD SYMBOLS ONLY)		4
CRITERIA APPLIED TO PAGES 5,6,7	PAGES 12 - 15	
	COHZP-0.70	COXAN-0.80
MAGNITUDE OF TIPPER		5
PHASE OF TIPPER		6
THETA (TIPPER)		7
SKEM (ODD SYMBOLS) AND ELLIPTICITY (EVEN SYMBOLS)		8
RESISTIVITIES FOR MAX COH		9
PHASES FOR MAX COHERENCY		10
COHERENCIES FOR MAX COH		11
MAGNITUDE OF HZ RATIO KZTE		12
PHASE OF HZ RATIO KZTE		13
HZ DIP AXIS ANGLE A(KZ)		14
HZ DIP AXIS ANGLE A(YZ)		15

DATA SETS SYMBOLS BAND

803.0	1	2	E C F B
907.0	3	4	
908.0	5	6	
913.0	7	8	
914.0	9	0	

PAGE DELETED IF NO POINTS PASS CRITERIA.


JUL 15, 1976


BEN 4-9


ROTATED TENSOR RESISTIVITIES  
PHASE PLOT OF ROTATED TENSOR


PAGE 1

PAGE 2




















## MAGNETOTELLURIC ANALYSIS

DATE JUL 23, 1978

xxx BEOWAPE, NEVADA SITE 4-10 xxx

TABLE OF CONTENTS	
CRITERIA	PAGES 1-4
SKEW LEVEL	1.00
ELLIPTICITY LEVEL	1.00
PHASOR COHERENCY	0.80
17.5 DEGREES ADDED TO COMPUTED AZIMUTHS SO THAT REFERENCE IS TO TRUE NORTH.	
ROTATED TENSOR RESISTIVITY (RTM-ODD SYMBOLS)	1
PHASE OF ROTATED TENSOR	2
ROTATION ANGLE - RTM - ATE BOTH PASS CRITERIA	3
(ODD SYMBOLS ONLY)	
ROTATION ANGLE - RTM AND/OR ATE PASS CRITERIA	4
(ODD SYMBOLS ONLY)	
CRITERIA APPLIED TO PAGES 5,6,7	PAGES 12 - 15
COHZZP-0.70	COHMM- 0.80
MAGNITUDE OF TIPPER	5
PHASE OF TIPPER	6
THETA (TIPPER)	7
SKEW (ODD SYMBOLS) AND ELLIPTICITY (EVEN SYMBOLS)	8
RESISTIVITIES FOR MAX COH	9
PHASES FOR MAX COHERENCY	10
COHERENCIES FOR MAX COH	11
MAGNITUDE OF HZ RATIO KZTE	12
PHASE OF HZ RATIO KZTE	13
HZ DIP AXIS ANGLE A(KZ)	14
HZ DIP AXIS ANGLE A(YZ)	15

DATA SETS	SYMBOLS	BAND	
1004.0	1 2		E
1008.0	3 4		D
1009.0	5 6		C
1013.0	7 8		F
1015.0	9 0		B

PAGE DELETED IF NO POINTS PASS CRITERIA.


JUL 23. 1976

BEN 4-10

ROTATED TENSOR RESISTIVITIES  
PHASE PLOT OF ROTATED TENSOR

PAGE 1

PAGE 2




JUL 23, 1976

BEN 4-10

ROTATION ANGLE (RTM AND/OR RTE PASS CRITERIA)

PAGE 3





JUL 23, 1976

BEN 4-10


SKEN AND ELIPTICITY PLOT


PAGE 8












JUL 23, 1976

BEN 4-10

HZ DIP AXIS ANGLE (HZ)

PAGE 114



## MAGNETOTELLURIC ANALYSIS

DATE JUL 27, 1978

xx: BEOWAHE, NEVADA SITE 4-1) xxx

## TABLE OF CONTENTS

CRITERIA	PAGES 1-4	
SKEW LEVEL	1.00	
ELLIPTICITY LEVEL	1.00	
PHASOR COHERENCY	0.80	
12.5 DEGREES ADDED TO COMPUTED AZIMUTHS SO THAT REFERENCE IS TO TRUE NORTH.		
ROTATED TENSOR RESISTIVITY (RTM-ODD SYMBOLS)		1
PHASE OF ROTATED TENSOR		2
ROTATION ANGLE - RTM - RATE BOTH PASS CRITERIA (ODD SYMBOLS ONLY)		3
ROTATION ANGLE - RTM AND/OR RATE PASS CRITERIA (ODD SYMBOLS ONLY)		4
CRITERIA APPLIED TO PAGES 5,6,7	PAGES 12 - 15	
MAGNITUDE OF TIPPER	COHZZP-0.70	COXMM- 0.80
PHASE OF TIPPER		
T-ETA (TIPPER)		
SKEW (ODD SYMBOLS) AND ELLIPTICITY (EVEN SYMBOLS)		
RESISTIVITIES FOR MAX COH		
PHASES FOR MAX COHERENCY		
COHERENCIES FOR MAX COH		
MAGNITUDE OF HZ RATIO RZTE		
PHASE OF HZ RATIO RZTE		
HZ DIP AXIS ANGLE R(KZ)		
HZ DIP AXIS ANGLE R(YZ)		

## DATA SETS

SYMBOLS	BAND	
403.0	3 2	E
407.0	3 4	D
409.0	5 8	F
413.0	7 8	B
414.0	9 0	


PAGE DELETED IF NO POINTS PASS CRITERIA.

JUL 27, 1976

BEN 4-11

ROTATED TENSOR RESISTIVITIES  
PHASE PLOT OF ROTATED TENSOR

PAGE 1  
PAGE 2





JUL 27, 1976


BEN 4-11

ROTATION ANGLE (RTH AND/OR RTE PASS CRITERIA)


PAGE 3













JUL 27, 1976

BEN 4-11

HZ RATIO KZTE PHASE

PAGE 13





## MAGNETOTELLURIC ANALYSIS

DATE JUL 19, 1978

\*\*\* BEAVERE, NEVADA SITE 4-12 \*\*\*


TABLE OF CONTENTS		
CRITERIA	PAGES 1-4	
SKW LEVEL	1.00	
ELIPTICITY LEVEL	1.00	
PHASOR COHERENCY	0.80	
17.5 DEGREES ADDED TO COMPUTED AZIMUTHS SO THAT REFERENCE IS TO TRUE NORTH.		
ROTATED TENSOR RESISTIVITY (RTM-ODD SYMBOLS)	1	
PHASE OF ROTATED TENSOR	2	
ROTATION ANGLE - RTM - ATE BOTH PASS CRITERIA (ODD SYMBOLS ONLY)	3	
ROTATION ANGLE - RTM AND/OR ATE PASS CRITERIA (ODD SYMBOLS ONLY)	4	
CRITERIA APPLIED TO PAGES 5,6,7 PAGES 12 - 15		
MAGNITUDE OF TIPPER	5	
PHASE OF TIPPER	6	
THETA (TIPPER)	7	
SKW (ODD SYMBOLS) AND ELIPTICITY (EVEN SYMBOLS)	8	
RESISTIVITIES FOR MAX COH	9	
PHASES FOR MAX COHERENCY	10	
COHERENCIES FOR MAX COH	11	
MAGNITUDE OF HZ RATIO KZTE	12	
PHASE OF HZ RATIO KZTE	13	
HZ DIP AXIS ANGLE A(KZ)	14	
HZ DIP AXIS ANGLE A(YZ)	15	
DATA SETS	SYMBOLS	BAND
1203.0	1 2	E
1207.0	3 4	C
1209.0	5 6	D
1213.0	7 8	F
1214.0	9 0	B
PAGE DELETED IF NO POINTS PASS CRITERIA.		


JUL 17. 1976


BEN 4-12


ROTATED TENSOR RESISTIVITIES  
PHASE PLOT OF ROTATED TENSOR

PAGE 1  
PAGE 2














PAGE 13

HZ RATIO KZTE PHASE

BEN 4-12

JUL 17, 1975

