

GI02585

TEMPERATURE LOG

COUNTY BUTTE
 FIELD or LOCATION GEO/EXPLORATION
 WELL INEL #1

COMPANY E. G. & G. IDAHO, INC.

COMPANY E. G. & G. IDAHO, INC.
 WELL INEL #1
 FIELD GEO THERMAL EXPLORATION
 COUNTY BUTTE STATE IDAHO

LOCATION
 Sec. 1 Twp. 3N Rge. 29E
 Other Services: FD UNCOMP


Permanent Datum: GROUND LEVEL; Elev.: 4874.8
 Log Measured From GROUND LEVELft. Above Perm. Datum
 Drilling Measured From GROUND LEVEL


Date	5-24-79	
Run No.	ONE	
Depth-Driller	10,333	
Depth-Logger	10,084	
Btm. Log Interval	10,084	
Top Log Interval	3200	
Casing-Driller	9 5/8 @ 6796	@
Casing-Logger	20" To 1511	9 5/8 To 6796
Casing Weight	1 103#	To 40#
Casing Thickness	1 K-55	
	2 P-110	
Bit Size	1 12 1/4 To 10,333	To
	2	To
Type Fluid in Hole	FRESH WATER	
Dens.	---	---
Time Since Circ.	NA	
BHT		
Equip. Location	5766	EVSTN
Recorded By	R. A. CHRISTENSEN	
Witnessed By	RAY HERRINGTON	

FOLD HERE The well name, location and borehole reference data were furnished by the customer.

REMARKS: MAX. READING THERMOMETER APPROX. 10' ABOVE TEMP. SENSOR
 READ 283' UPON EXITING HOLE @ 1830 : 1=24=79

CEMENTATION DATA					
Date	Depth	Type of Cement	Nb of Sacks	Additives	Calculated Top







3300

3400

3500






3600

3700

3800




120

130

130


140




3900

4000

4100






4200

4300

4400





4400

4500

4600

4700




130

140

140

150





4700

4800

4900

5000







5000

5100

5200






5300


5400

5500



140
150


150
160




5600

5700

5800







5900

6000


6100








6200

6300



TOOL HIT A BRIDGE
 PULLED UP HOLE AND
 LOGGED BACK DOWN







6400

6500

6600





6600

6700

6800

6900



1.60

1.70

1.70

1.80

1.70

1.80

1.80


1.90

1.80

1.90

1.90

2.00





6900

7000

7100

7200





7200

7300

7400

75




210

220

220

230




7500

7600

7700







7800

7900

8000







8100

8200

8300







8400

8500

8600






8600

8700

8800

8900





8900


9000

9100

9200








9500

9600

9700

9800






0086

0066

0000

-FR-



280

290


290

300

300

310

SITTING ON BOTTOM



TEMPERATURE ° F.

COMPANY E.G.& G. IDAHO, INC.

WELL INEL #1

FIELD EXPLORATION

COUNTY BUTTE

SCHL. F. R. 10034

SCHL. T. D. 10084

DRLR. T. D. 10333

STATE IDAHO