

GL02700-7

14

RETURN TO CARPER

ce-4 Run #3


Schlumberger		TEMPERATURE LOG	
COMPANY <u>ANSCHUTZ CORPORATION</u>			
WELL <u>FEDERAL 60-13 No. 1</u>			
FIELD <u>WILDCAT</u>			
COUNTY <u>OWYHEE</u> STATE <u>IDAHO</u>			
Location <u>SE SW</u>		Casing Services <u>2WC</u> <u>BMC</u> <u>FX-CWC</u> <u>ART</u>	
Sec. <u>13</u> Top <u>55</u> Apr <u>1E</u>			
Permanent Datum <u>GL</u>	Elev. <u>2290</u>	Log Measured From <u>KB</u>	Log. No. <u>2751</u>
Log Measured From <u>KB</u> <u>1</u> ft Above Perm Datum		D.I. <u>0.2770</u>	
Date <u>8-18-74</u>	Run No. <u>3</u>		
Depth - Driller <u>11,125</u>	Depth - Logger <u>11,122</u>		
Ben Log Interval <u>11,122</u>	Top Log Interval <u>11,122</u>		
Casing - Driller <u>932</u>	Casing - Logger <u>932</u>		
Bit Size <u>7 7/8</u>	Type Fluid in Hole <u>FGM</u>		
Dens. <u>8.6</u>	Visc. <u>0.7</u>		
pH <u>11.6</u>	Flow Loss <u>0.2</u>		
Source of Sample <u>2WC</u>	Bar. in Meas. Temp. <u>1.38</u>		
	Bar. in Meas. Temp. <u>2.32</u>		
	Bar. in Meas. Temp. <u>2.0</u>		
	Source Bar. Temp. <u>0.17</u>		
	Bar. in Well <u>0.235</u>		
	Calculation Checked <u>8-17-0050</u>		
	Logger on Bench <u>8-18-0430</u>		
	Max. Wet Temp. <u>82.2</u>		
	Temp. Location <u>170</u>		
	Recorded By <u>PARIS</u>		
	Interpreted By <u>MURR</u>		


SCALE CHANGES: Scale Up Mark, Scale Down Mark  
Type Log Depth Temp 8040 175-225 225-275

REMARKS:  
LOGGED DOWN  
Temp. from Max. Reading  
Schlumberger Log

EQUIPMENT DATA:  
PPH-A 777  
MTU-B 730  
PAN-A 607  
WTS-B 787

CALIBRATION DATA:  
IN. CPS  
Source CPS  
GS





4600 4700 4800 4900 5000 5100 5200 5300 5400 5500 5600 5700 5800 5900 6000 6100

