

GL02868 - 2 of 8

CARSON, NEVADA

CENTRAL MERIDIAN = 118
SCALE = 4000.0 FEET/INCH

546 POINTS SELECTED WITHIN PRESCRIBED BOUND: 39.2717 118.6040 39.4020 118.7808

Type as straight ASKEE file
Bill ~~to~~ Raymond
784-4975

AGS 175
Carson 7/18/80 N-125

Bouguer Corrections
Final

CONFIDENTIAL

This document contains confidential information which is proprietary to Union Oil Co. of Calif. The contents of this document are not to be revealed to any person without the express written consent of Union Oil Co. of California.

PROPRIETARY

BASIC GRAVITY CORRECTIONS FOR LATITUDE, CURVATURE, FREE AIR, BOUGUER, AND TERRAIN
 BOUGUER DENSITY = 2.67 GM/CC, TERRAIN DENSITY MULTIPLIER = 1.00, NO TERRAIN CORRECTIONS APPLIED

CARSON, NEVADA

This document contains confidential information which is proprietary to Union Oil Co. of Calif.

The contents of this document are not to be divulged to any person without the express written consent of Union Oil Co. of California.

STA #	LATITUDE		LONGITUDE		ELEV	OBSERVED GRAVITY	CORRECTIONS							BOUG + 900.0	STA #
	DEG	MIN	DEG	MIN			*LATITUDE	CURV	FREE AIR	BOUG	TERRAIN				
						*				INNER	OUTER	TOTAL*			
521	39.2843	17.1	118.6747	40.5	3915.9	977.36	2117.05	1.24	-368.22	133.41	0.0	0.0	0.0	-6.12	521
522	39.2842	17.1	118.6765	40.6	3915.8	977.61	2117.04	1.24	-368.21	133.41	0.0	0.0	0.0	-5.87	522
523	39.2838	17.0	118.6782	40.7	3915.7	977.75	2117.00	1.24	-368.20	133.40	0.0	0.0	0.0	-5.70	523
524	39.2840	17.0	118.6798	40.8	3915.6	977.83	2117.02	1.24	-368.19	133.40	0.0	0.0	0.0	-5.64	524
525	39.2842	17.1	118.6815	40.9	3915.5	977.76	2117.04	1.24	-368.18	133.40	0.0	0.0	0.0	-5.73	525
526	39.2842	17.1	118.6832	41.0	3915.4	977.86	2117.04	1.24	-368.17	133.39	0.0	0.0	0.0	-5.65	526
527	39.2842	17.1	118.6850	41.1	3915.3	978.01	2117.04	1.24	-368.16	133.39	0.0	0.0	0.0	-5.50	527
528	39.2842	17.1	118.6867	41.2	3915.2	978.13	2117.04	1.24	-368.15	133.39	0.0	0.0	0.0	-5.38	528
529	39.2842	17.1	118.6882	41.3	3915.1	978.71	2117.04	1.24	-368.15	133.38	0.0	0.0	0.0	-4.81	529
530	39.2840	17.0	118.6897	41.4	3915.0	978.63	2117.02	1.24	-368.14	133.38	0.0	0.0	0.0	-4.88	530
94	39.3602	21.6	118.6258	37.5	3935.7	995.45	2123.76	1.25	-370.08	134.09	0.0	0.0	0.0	6.43	94
95	39.3615	21.7	118.6270	37.6	3935.7	996.10	2123.88	1.25	-370.08	134.09	0.0	0.0	0.0	6.97	95
96	39.3627	21.8	118.6285	37.7	3935.8	996.88	2123.98	1.25	-370.09	134.09	0.0	0.0	0.0	7.65	96
97	39.3637	21.8	118.6293	37.8	3935.8	995.92	2124.07	1.25	-370.09	134.09	0.0	0.0	0.0	6.60	97
7009	39.2845	17.1	118.7805	46.8	3912.0	971.18	2117.07	1.24	-367.85	133.28	0.0	0.0	0.0	-12.55	7009
2	39.3800	22.8	118.6322	37.9	3932.0	999.68	2125.51	1.25	-369.73	133.96	0.0	0.0	0.0	8.70	2
3	39.3817	22.9	118.6323	37.9	3931.4	999.56	2125.66	1.25	-369.68	133.94	0.0	0.0	0.0	8.38	3
4	39.3828	23.0	118.6325	38.0	3930.4	999.69	2125.76	1.25	-369.58	133.91	0.0	0.0	0.0	8.36	4
5	39.3842	23.1	118.6328	38.0	3930.1	999.71	2125.88	1.25	-369.55	133.90	0.0	0.0	0.0	8.24	5
6	39.3858	23.1	118.6333	38.0	3932.2	999.26	2126.03	1.25	-369.75	133.97	0.0	0.0	0.0	7.77	6
7	39.3873	23.2	118.6333	38.0	3944.7	998.31	2126.16	1.25	-370.93	134.39	0.0	0.0	0.0	7.44	7
8	39.3883	23.3	118.6333	38.0	3952.7	998.17	2126.25	1.25	-371.68	134.67	0.0	0.0	0.0	7.68	8
9	39.3895	23.4	118.6333	38.0	3961.2	998.31	2126.35	1.25	-372.48	134.95	0.0	0.0	0.0	8.22	9
10	39.3895	23.4	118.6317	37.9	3949.2	998.31	2126.35	1.25	-371.35	134.55	0.0	0.0	0.0	7.51	10
11	39.3892	23.4	118.6303	37.8	3946.3	998.09	2126.33	1.25	-371.08	134.45	0.0	0.0	0.0	7.14	11
12	39.3889	23.3	118.6283	37.7	3943.4	998.55	2126.29	1.25	-370.80	134.35	0.0	0.0	0.0	7.46	12
13	39.3882	23.3	118.6263	37.6	3939.3	999.00	2126.24	1.25	-370.42	134.21	0.0	0.0	0.0	7.72	13
15	39.3870	23.2	118.6225	37.3	3938.0	1000.77	2126.13	1.25	-370.30	134.16	0.0	0.0	0.0	9.52	15
16	39.3863	23.2	118.6203	37.2	3937.6	1002.69	2126.07	1.25	-370.26	134.15	0.0	0.0	0.0	11.48	16
17	39.3858	23.1	118.6183	37.1	3941.1	1001.59	2126.03	1.25	-370.59	134.27	0.0	0.0	0.0	10.63	17
18	39.3855	23.1	118.6167	37.0	3941.1	1000.39	2126.00	1.25	-370.59	134.27	0.0	0.0	0.0	9.46	18
19	39.3849	23.1	118.6152	36.9	3945.1	998.80	2125.94	1.25	-370.96	134.41	0.0	0.0	0.0	8.18	19
20	39.3842	23.1	118.6138	36.8	3953.4	997.42	2125.88	1.25	-371.74	134.69	0.0	0.0	0.0	7.34	20
21	39.3833	23.0	118.6115	36.7	3956.2	996.75	2125.80	1.25	-372.01	134.78	0.0	0.0	0.0	6.92	21
22	39.3760	22.6	118.6103	36.6	3938.4	997.12	2125.16	1.25	-370.33	134.18	0.0	0.0	0.0	6.86	22
23	39.3763	22.6	118.6125	36.8	3936.6	997.75	2125.19	1.25	-370.17	134.12	0.0	0.0	0.0	7.36	23
24	39.3765	22.6	118.6142	36.9	3936.0	998.06	2125.20	1.25	-370.11	134.10	0.0	0.0	0.0	7.62	24
25	39.3767	22.6	118.6163	37.0	3935.9	998.64	2125.22	1.25	-370.10	134.09	0.0	0.0	0.0	8.18	25
26	39.3768	22.6	118.6183	37.1	3935.1	999.76	2125.23	1.25	-370.02	134.07	0.0	0.0	0.0	9.24	26
27	39.3772	22.6	118.6200	37.2	3932.7	1000.73	2125.26	1.25	-369.80	133.98	0.0	0.0	0.0	10.03	27
28	39.3773	22.6	118.6217	37.3	3934.7	1001.47	2125.27	1.25	-369.99	134.05	0.0	0.0	0.0	10.88	28
29	39.3775	22.7	118.6237	37.4	3936.6	1001.92	2125.29	1.25	-370.17	134.12	0.0	0.0	0.0	11.43	29
30	39.3780	22.7	118.6258	37.5	3936.8	1001.81	2125.34	1.25	-370.18	134.12	0.0	0.0	0.0	11.28	30
31	39.3782	22.7	118.6275	37.7	3935.6	1001.83	2125.35	1.25	-370.07	134.08	0.0	0.0	0.0	11.22	31
32	39.3783	22.7	118.6297	37.8	3933.4	1000.64	2125.36	1.25	-369.86	134.01	0.0	0.0	0.0	9.89	32
14	39.3875	23.2	118.6242	37.5	3937.5	999.55	2126.18	1.25	-370.25	134.15	0.0	0.0	0.0	8.23	14
7006	39.3609	21.6	118.7808	46.8	3928.0	977.35	2123.81	1.25	-369.36	133.82	0.0	0.0	0.0	-12.18	7006
7007	39.3433	20.6	118.7808	46.8	3923.0	973.34	2122.27	1.25	-368.89	133.65	0.0	0.0	0.0	-14.94	7007
7008	39.2992	18.0	118.7908	46.8	3911.0	967.93	2118.37	1.24	-367.76	133.24	0.0	0.0	0.0	-17.17	7008
7009	39.2845	17.1	118.7805	46.8	3912.0	970.94	2117.07	1.24	-367.85	133.28	0.0	0.0	0.0	-12.80	7009
7010	39.2717	16.3	118.7728	46.4	3930.0	980.03	2115.93	1.25	-369.55	133.89	0.0	0.0	0.0	-1.49	7010
7011	39.3283	19.7	118.7808	46.8	3914.0	969.93	2120.94	1.24	-368.04	133.35	0.0	0.0	0.0	-17.55	7011

PROPRIETARY

BASIC GRAVITY CORRECTIONS FOR LATITUDE, CURVATURE, FREE AIR, BOUGUER, AND TERRAIN
 BOUGUER DENSITY = 2.67 GM/CC, TERRAIN DENSITY MULTIPLIER = 1.00, NO TERRAIN CORRECTIONS APPLIED

CARSON, NEVADA

CONFIDENTIAL

This document contains confidential information which is proprietary to Union Oil Co. of Calif. The contents of this document are not to be

STA #	LATITUDE		LONGITUDE		ELEV	OBSERVED GRAVITY	CORRECTIONS			BOUG GRAV			STA #		
	DEG	MIN	DEG	MIN			*LATITUDE	FREE AIR	BOUG	TERRAIN	BOUG GRAV	900.0			
							*			*INNER	OUTER	TOTAL*			
7012	39.3509	21.0	118.7425	44.5	3914.0	974.55	2122.93	1.24	-368.04	133.35	0.0	0.0	0.0	7012	8065
33	39.3769	22.6	118.6317	37.9	3935.9	1000.03	2125.23	1.25	-370.10	134.09	0.0	0.0	0.0	33	8065
34	39.3758	22.5	118.6308	37.8	3938.6	1000.57	2125.14	1.25	-370.35	134.18	0.0	0.0	0.0	34	8065
35	39.3743	22.5	118.6308	37.8	3943.1	1001.01	2125.01	1.25	-370.78	134.34	0.0	0.0	0.0	35	8065
36	39.3729	22.4	118.6308	37.8	3946.5	1000.58	2124.88	1.25	-371.10	134.45	0.0	0.0	0.0	36	8065
37	39.3715	22.3	118.6317	37.9	3947.4	999.53	2124.76	1.25	-371.18	134.48	0.0	0.0	0.0	37	8065
38	39.3700	22.2	118.6325	38.0	3946.1	998.54	2124.63	1.25	-371.06	134.44	0.0	0.0	0.0	38	8065
39	39.3687	22.1	118.6333	38.0	3947.0	997.97	2124.51	1.25	-371.14	134.47	0.0	0.0	0.0	39	8065
40	39.3678	22.1	118.6342	38.1	3946.5	997.13	2124.43	1.25	-371.10	134.45	0.0	0.0	0.0	40	8065
41	39.3667	22.0	118.6357	38.1	3950.0	996.06	2124.34	1.25	-371.43	134.57	0.0	0.0	0.0	41	8065
42	39.3655	21.9	118.6363	39.2	3951.0	995.46	2124.23	1.25	-371.52	134.61	0.0	0.0	0.0	42	8065
43	39.3642	21.9	118.6367	39.2	3949.0	995.09	2124.12	1.25	-371.33	134.54	0.0	0.0	0.0	43	8065
44	39.3625	21.8	118.6375	38.2	3948.2	994.78	2123.96	1.25	-371.26	134.51	0.0	0.0	0.0	44	8065
45	39.3613	21.7	118.6377	38.3	3946.4	994.68	2123.86	1.25	-371.09	134.45	0.0	0.0	0.0	45	8065
46	39.3600	21.6	118.6383	38.3	3949.4	994.32	2123.74	1.25	-371.37	134.55	0.0	0.0	0.0	46	8065
47	39.3592	21.6	118.6392	38.4	3953.2	994.03	2123.67	1.25	-371.73	134.68	0.0	0.0	0.0	47	8065
48	39.3577	21.5	118.6397	38.4	3956.5	993.72	2123.54	1.25	-372.04	134.79	0.0	0.0	0.0	48	8065
49	39.3562	21.4	118.6400	38.4	3956.1	993.68	2123.41	1.25	-372.00	134.78	0.0	0.0	0.0	49	8065
50	39.3550	21.3	118.6403	38.4	3954.7	993.46	2123.30	1.25	-371.87	134.73	0.0	0.0	0.0	50	8065
51	39.3533	21.2	118.6408	38.4	3959.0	992.62	2123.15	1.25	-372.27	134.88	0.0	0.0	0.0	51	8065
52	39.3522	21.1	118.6403	38.4	3960.2	991.84	2123.05	1.25	-372.38	134.92	0.0	0.0	0.0	52	8065
53	39.3507	21.0	118.6400	38.4	3961.3	991.29	2122.92	1.25	-372.49	134.96	0.0	0.0	0.0	53	8065
54	39.3492	21.0	118.6398	38.4	3964.6	990.54	2122.79	1.25	-372.80	135.07	0.0	0.0	0.0	54	8065
55	39.3477	20.9	118.6392	38.4	3966.4	989.85	2122.66	1.25	-372.97	135.13	0.0	0.0	0.0	55	8065
56	39.3467	20.8	118.6383	38.3	3966.1	989.25	2122.57	1.25	-372.94	135.12	0.0	0.0	0.0	56	8065
57	39.3452	20.7	118.6375	38.2	3966.2	989.00	2122.43	1.25	-372.95	135.13	0.0	0.0	0.0	57	8065
58	39.3442	20.7	118.6367	38.2	3968.5	908.42	2122.34	1.25	-373.16	135.20	0.0	0.0	0.0	58	8065
70	39.3427	20.6	118.6162	37.0	3954.1	990.56	2122.21	1.25	-371.81	134.71	0.0	0.0	0.0	70	8065
71	39.3427	20.6	118.6145	36.9	3959.5	989.92	2122.21	1.25	-372.32	134.90	0.0	0.0	0.0	71	8065
72	39.3427	20.6	118.6125	36.8	3967.1	989.74	2122.21	1.25	-373.03	135.16	0.0	0.0	0.0	72	8065
73	39.3427	20.6	118.6108	36.6	3975.9	989.50	2122.21	1.26	-373.86	135.46	0.0	0.0	0.0	73	8065
74	39.3427	20.6	118.6092	36.6	3979.2	989.25	2122.21	1.26	-374.17	135.57	0.0	0.0	0.0	74	8065
75	39.3427	20.6	118.6072	36.4	3981.6	988.99	2122.21	1.26	-374.40	135.65	0.0	0.0	0.0	75	8065
76	39.3427	20.6	118.6057	36.3	3979.3	988.92	2122.21	1.26	-374.18	135.57	0.0	0.0	0.0	76	8065
77	39.3427	20.6	118.6040	36.2	3976.9	988.57	2122.21	1.26	-373.95	135.49	0.0	0.0	0.0	77	8065
78	39.3440	20.6	118.6058	36.3	3969.5	989.57	2122.33	1.25	-373.26	135.24	0.0	0.0	0.0	78	8065
79	39.3447	20.7	118.6078	36.5	3964.1	990.09	2122.39	1.25	-372.75	135.05	0.0	0.0	0.0	79	8065
80	39.3455	20.7	118.6098	36.6	3958.0	990.14	2122.46	1.25	-372.18	134.85	0.0	0.0	0.0	80	8065
81	39.3462	20.8	118.6117	36.7	3952.2	989.87	2122.52	1.25	-371.63	134.65	0.0	0.0	0.0	81	8065
82	39.3473	20.9	118.6125	36.8	3946.5	990.08	2122.62	1.25	-371.10	134.45	0.0	0.0	0.0	82	8065
83	39.3483	20.9	118.6137	36.8	3940.9	990.07	2122.71	1.25	-370.57	134.26	0.0	0.0	0.0	83	8065
84	39.3497	21.0	118.6143	36.9	3937.6	990.04	2122.83	1.25	-370.26	134.15	0.0	0.0	0.0	84	8065
85	39.3508	21.0	118.6153	36.9	3936.7	990.22	2122.93	1.25	-370.17	134.12	0.0	0.0	0.0	85	8065
86	39.3518	21.1	118.6167	37.0	3936.3	990.51	2123.02	1.25	-370.14	134.11	0.0	0.0	0.0	86	8065
87	39.3527	21.2	118.6178	37.1	3936.0	990.82	2123.10	1.25	-370.11	134.10	0.0	0.0	0.0	87	8065
88	39.3537	21.2	118.6190	37.1	3935.9	991.20	2123.19	1.25	-370.10	134.09	0.0	0.0	0.0	88	8065
89	39.3548	21.3	118.6200	37.2	3935.9	991.78	2123.28	1.25	-370.10	134.09	0.0	0.0	0.0	89	8065
90	39.3558	21.3	118.6212	37.3	3935.8	992.15	2123.37	1.25	-370.09	134.09	0.0	0.0	0.0	90	8065
91	39.3569	21.4	118.6223	37.3	3935.8	993.17	2123.46	1.25	-370.09	134.09	0.0	0.0	0.0	91	8065
92	39.3583	21.5	118.6233	37.4	3935.7	994.19	2123.59	1.25	-370.08	134.09	0.0	0.0	0.0	92	8065
93	39.3592	21.6	118.6247	37.5	3935.7	994.90	2123.67	1.25	-370.08	134.09	0.0	0.0	0.0	93	8065
94	39.3602	21.6	118.6258	37.5	3935.7	995.45	2123.76	1.25	-370.08	134.09	0.0	0.0	0.0	94	8065

PROPRIETARY

BASIC GRAVITY CORRECTIONS FOR LATITUDE, CURVATURE, FREE AIR, BOUGUER, AND TERRAIN
BOUGUER DENSITY = 2.67 GM/CC, TERRAIN DENSITY MULTIPLIER = 1.00, NO TERRAIN CORRECTIONS APPLIED

CONFIDENTIAL

This document contains confidential information which is proprietary to Union Oil Co. of California. The contents of this document are not to be revealed to any person without the express written consent of Union Oil Co. of California.

CARSON, NEVADA

STA #	LATITUDE		LONGITUDE		ELEV	OBSERVED GRAVITY	CORRECTIONS							BOUG GRAV + 900.0	STA #	MAP #
	DEG	MIN	DEG	MIN			*LATITUDE	CURV	FREE AIR	BOUG	TERRAIN	*INNER	OUTER			
95	39.3615	21.7	118.6270	37.6	3935.7	996.08	2123.88	1.25	-370.08	134.09	0.0	0.0	0.0	6.96	95	8065
96	39.3627	21.8	118.6285	37.7	3935.8	996.95	2123.98	1.25	-370.09	134.09	0.0	0.0	0.0	7.72	96	8065
97	39.3637	21.8	118.6293	37.8	3935.8	995.95	2124.07	1.25	-370.09	134.09	0.0	0.0	0.0	6.64	97	8065
98	39.3648	21.9	118.6302	37.8	3936.7	995.83	2124.17	1.25	-370.17	134.12	0.0	0.0	0.0	6.47	98	8065
99	39.3658	21.9	118.6313	37.9	3947.5	995.60	2124.26	1.25	-371.19	134.49	0.0	0.0	0.0	6.79	99	8065
100	39.3673	22.0	118.6323	37.9	3954.5	995.90	2124.39	1.25	-371.85	134.73	0.0	0.0	0.0	7.38	100	8065
101	39.3685	22.1	118.6313	37.9	3953.4	996.47	2124.50	1.25	-371.74	134.69	0.0	0.0	0.0	7.78	101	8065
102	39.3700	22.2	118.6302	37.8	3962.0	997.29	2124.63	1.25	-372.55	134.98	0.0	0.0	0.0	8.98	102	8065
103	39.3717	22.3	118.6305	37.8	3948.8	1000.11	2124.78	1.25	-371.31	134.53	0.0	0.0	0.0	10.86	103	8065
104	39.3725	22.3	118.6305	37.8	3949.0	1000.74	2124.85	1.25	-371.33	134.54	0.0	0.0	0.0	11.44	104	8065
105	39.3790	22.7	118.6333	38.0	3932.2	999.93	2125.42	1.25	-369.75	133.97	0.0	0.0	0.0	9.04	105	8065
106	39.3792	22.8	118.6353	38.1	3931.6	1000.08	2125.44	1.25	-369.70	133.95	0.0	0.0	0.0	9.14	106	8065
107	39.3795	22.8	118.6373	38.2	3934.5	999.91	2125.47	1.25	-369.97	134.05	0.0	0.0	0.0	9.12	107	8065
108	39.3798	22.8	118.6395	38.4	3932.1	999.70	2125.50	1.25	-369.74	133.96	0.0	0.0	0.0	8.74	108	8065
109	39.3800	22.8	118.6417	38.5	3932.3	999.81	2125.51	1.25	-369.76	133.97	0.0	0.0	0.0	8.84	109	8065
110	39.3800	22.8	118.6435	38.6	3932.0	1000.15	2125.51	1.25	-369.73	133.96	0.0	0.0	0.0	9.16	110	8065
111	39.3800	22.8	118.6455	38.7	3925.7	1000.10	2125.51	1.25	-369.14	133.75	0.0	0.0	0.0	8.74	111	8065
113	39.3813	22.9	118.6483	38.9	3920.9	999.43	2125.63	1.25	-368.69	133.58	0.0	0.0	0.0	7.66	113	8065
114	39.3828	23.0	118.6492	39.0	3925.6	998.56	2125.76	1.25	-369.13	133.74	0.0	0.0	0.0	6.94	114	8065
115	39.3845	23.1	118.6500	39.0	3926.5	997.98	2125.91	1.25	-369.22	133.77	0.0	0.0	0.0	6.26	115	8065
116	39.3853	23.1	118.6508	39.0	3925.8	997.66	2126.03	1.25	-369.15	133.75	0.0	0.0	0.0	5.79	116	8065
117	39.3875	23.2	118.6517	39.1	3925.2	997.19	2126.18	1.25	-369.09	133.73	0.0	0.0	0.0	5.13	117	8065
118	39.3892	23.4	118.6523	39.1	3925.0	996.90	2126.33	1.25	-369.07	133.72	0.0	0.0	0.0	4.68	118	8065
119	39.3903	23.4	118.6530	39.2	3924.7	996.49	2126.42	1.25	-369.05	133.71	0.0	0.0	0.0	4.16	119	8065
120	39.3917	23.5	118.6537	39.2	3924.1	995.82	2126.55	1.25	-368.99	133.69	0.0	0.0	0.0	3.33	120	8065
121	39.3930	23.6	118.6545	39.3	3924.0	995.10	2126.66	1.25	-368.98	133.69	0.0	0.0	0.0	2.48	121	8065
122	39.3947	23.7	118.6553	39.3	3923.6	994.39	2126.81	1.25	-368.94	133.67	0.0	0.0	0.0	1.60	122	8065
123	39.3962	23.8	118.6562	39.4	3923.5	993.86	2126.95	1.25	-368.93	133.67	0.0	0.0	0.0	0.94	123	8065
124	39.3975	23.9	118.6568	39.4	3925.3	992.91	2127.06	1.25	-369.10	133.73	0.0	0.0	0.0	-0.02	124	8065
125	39.3988	23.9	118.6575	39.5	3926.3	992.31	2127.18	1.25	-369.20	133.77	0.0	0.0	0.0	-0.68	125	8065
126	39.4000	24.0	118.6590	39.5	3926.9	992.07	2127.28	1.25	-369.25	133.79	0.0	0.0	0.0	-0.99	126	8065
127	39.4010	24.1	118.6592	39.6	3924.7	991.80	2127.37	1.25	-369.05	133.71	0.0	0.0	0.0	-1.48	127	8065
129	39.4017	24.1	118.6587	39.5	3926.7	991.84	2127.43	1.25	-369.23	133.78	0.0	0.0	0.0	-1.38	129	8065
130	39.4017	24.1	118.6567	39.4	3928.2	992.34	2127.43	1.25	-369.38	133.83	0.0	0.0	0.0	-0.79	130	8065
131	39.4017	24.1	118.6545	39.3	3928.3	992.75	2127.43	1.25	-369.38	133.83	0.0	0.0	0.0	-0.38	131	8065
132	39.4012	24.1	118.6525	39.1	3928.7	993.47	2127.39	1.25	-369.42	133.85	0.0	0.0	0.0	0.41	132	8065
133	39.4005	24.0	118.6508	39.0	3928.7	994.49	2127.33	1.25	-369.42	133.85	0.0	0.0	0.0	1.49	133	8065
134	39.3993	24.0	118.6488	38.9	3929.9	995.77	2127.22	1.25	-369.53	133.89	0.0	0.0	0.0	2.95	134	8065
135	39.3987	23.9	118.6475	38.9	3932.3	996.63	2127.17	1.25	-369.76	133.97	0.0	0.0	0.0	4.00	135	8065
136	39.3975	23.9	118.6458	38.7	3936.6	997.11	2127.06	1.25	-370.16	134.12	0.0	0.0	0.0	4.85	136	8065
137	39.3965	23.8	118.6442	38.7	3936.5	998.29	2126.97	1.25	-370.16	134.11	0.0	0.0	0.0	6.12	137	8065
138	39.3952	23.7	118.6425	38.6	3938.2	999.39	2126.86	1.25	-370.32	134.17	0.0	0.0	0.0	7.43	138	8065
139	39.3942	23.7	118.6408	38.4	3942.0	998.99	2126.77	1.25	-370.67	134.30	0.0	0.0	0.0	7.34	139	8065
140	39.3932	23.6	118.6392	38.4	3946.6	999.33	2126.68	1.25	-371.10	134.46	0.0	0.0	0.0	8.05	140	8065
141	39.3923	23.5	118.6375	38.2	3947.7	1000.04	2126.60	1.25	-371.21	134.49	0.0	0.0	0.0	8.91	141	8065
142	39.3915	23.5	118.6360	38.2	3947.5	1000.72	2126.53	1.25	-371.19	134.49	0.0	0.0	0.0	9.64	142	8065
143	39.3903	23.4	118.6350	38.1	3957.1	999.40	2126.42	1.25	-372.09	134.82	0.0	0.0	0.0	9.00	143	8065
60	39.3427	20.6	118.6338	38.0	4019.4	984.78	2122.21	1.26	-377.95	136.94	0.0	0.0	0.0	2.31	60	8065
61	39.3427	20.6	118.6322	37.9	4038.4	984.10	2122.21	1.27	-379.74	137.59	0.0	0.0	0.0	2.77	61	8065
62	39.3427	20.6	118.6310	37.9	4015.9	986.43	2122.21	1.26	-377.62	136.82	0.0	0.0	0.0	3.75	62	8065
63	39.3427	20.6	118.6285	37.7	3993.1	987.71	2122.21	1.26	-375.48	136.04	0.0	0.0	0.0	3.68	63	8065
64	39.3427	20.6	118.6267	37.6	3994.2	988.26	2122.21	1.26	-375.58	136.08	0.0	0.0	0.0	4.29	64	8065

PROPRIETARY

BASIC GRAVITY CORRECTIONS FOR LATITUDE, CURVATURE, FREE AIR, BOUGUER, AND TERRAIN
 BOUGUER DENSITY = 2.67 GM/CC, TERRAIN DENSITY MULTIPLIER = 1.00, NO TERRAIN CORRECTIONS APPLIED

CARSON, NEVADA

CONFIDENTIAL

This document contains confidential information which is proprietary to Union Oil Co. of Calif.

The contents of this document are not to be revealed to any person

STA #	LATITUDE		LONGITUDE		ELEV OBSERVED GRAVITY	***** CORRECTIONS *****											STA #	MAP #
	DEG	MIN	DEG	MIN		*LATITUDE	CURV	FREE AIR	BOUG	*TERRAIN	*INNER	OUTER	TOTAL*	BOUG GRAY + 900.0				
65	39.3427	20.6	118.6250	37.5	3991.9	988.55	2122.21	1.26	-375.36	136.00	0.0	0.0	0.0	4.45	65	8065		
66	39.3427	20.6	118.6232	37.4	3981.9	990.92	2122.21	1.26	-374.42	135.66	0.0	0.0	0.0	6.22	66	8065		
67	39.3427	20.6	118.6215	37.3	3975.6	991.13	2122.21	1.26	-373.83	135.45	0.0	0.0	0.0	6.05	67	8065		
68	39.3427	20.6	118.6197	37.2	3963.2	991.69	2122.21	1.25	-372.67	135.02	0.0	0.0	0.0	5.87	68	8065		
69	39.3427	20.6	118.6178	37.1	3953.3	991.97	2122.21	1.25	-371.74	134.69	0.0	0.0	0.0	5.55	69	8065		
9001	39.3787	22.7	118.6317	37.9	3932.4	1000.00	2125.40	1.25	-369.77	133.97	0.0	0.0	0.0	9.15	9001	8065		
9001	39.3787	22.7	118.6317	37.9	3932.4	1000.00	2125.40	1.25	-369.77	133.97	0.0	0.0	0.0	9.15	9001	8065		
9001	39.3787	22.7	118.6317	37.9	3932.4	1000.00	2125.40	1.25	-369.77	133.97	0.0	0.0	0.0	9.15	9001	8065		
9001	39.3787	22.7	118.6317	37.9	3932.4	1000.00	2125.40	1.25	-369.77	133.97	0.0	0.0	0.0	9.15	9001	8065		
9059	39.3427	20.6	118.6362	38.2	3970.1	988.11	2122.21	1.25	-373.31	135.26	0.0	0.0	0.0	2.70	9059	8065		
9112	39.3800	22.8	118.6477	38.9	3920.4	999.63	2125.51	1.24	-368.54	133.56	0.0	0.0	0.0	7.95	9112	8065		
9128	39.4020	24.1	118.6607	39.6	3924.4	991.47	2127.46	1.25	-369.02	133.70	0.0	0.0	0.0	-1.92	9128	8065		
9173	39.2983	17.9	118.6400	38.4	3945.4	982.77	2118.29	1.25	-370.99	134.42	0.0	0.0	0.0	-0.19	9173	8065		
9179	39.2975	17.9	118.6483	38.9	3917.9	981.01	2118.22	1.24	-368.41	133.48	0.0	0.0	0.0	-3.52	9179	8065		
9192	39.3178	19.1	118.6455	38.7	3916.4	988.59	2120.01	1.24	-368.27	133.43	0.0	0.0	0.0	2.17	9192	8065		
9203	39.3333	20.0	118.6475	38.9	3916.0	987.66	2121.43	1.24	-368.23	133.41	0.0	0.0	0.0	-0.20	9203	8065		
9209	39.3430	20.6	118.6508	39.0	3916.0	989.32	2122.24	1.24	-368.23	133.41	0.0	0.0	0.0	0.65	9209	8065		
9266	39.3800	22.8	118.6555	39.3	3918.1	996.48	2125.51	1.24	-368.43	133.49	0.0	0.0	0.0	4.66	9266	8065		
9260	39.3800	22.8	118.6555	39.3	3918.1	996.46	2125.51	1.24	-368.43	133.49	0.0	0.0	0.0	4.64	9260	8065		
9238	39.3635	21.8	118.6867	41.2	3914.0	985.39	2124.05	1.24	-368.04	133.35	0.0	0.0	0.0	-5.21	9238	8065		
9300	39.3798	22.8	118.6867	41.2	3919.0	986.41	2125.50	1.24	-368.51	133.52	0.0	0.0	0.0	-5.34	9300	8065		
9331	39.3875	23.2	118.7058	42.3	3922.7	983.34	2126.18	1.25	-368.86	133.64	0.0	0.0	0.0	-8.87	9331	8065		
9365	39.4020	24.1	118.7058	42.3	3926.0	984.28	2127.46	1.25	-369.17	133.76	0.0	0.0	0.0	-9.01	9365	8065		
9387	39.3335	20.0	118.6717	40.3	3910.0	983.31	2121.40	1.24	-367.67	133.21	0.0	0.0	0.0	-4.88	9387	8065		
9321	39.3975	23.2	118.6867	41.2	3919.6	986.42	2126.18	1.24	-368.57	133.54	0.0	0.0	0.0	-5.97	9321	8065		
9336	39.3800	22.8	118.7058	42.3	3919.0	983.03	2125.51	1.24	-368.51	133.52	0.0	0.0	0.0	-8.73	9336	8065		

PROPRIETARY

BASIC GRAVITY CORRECTIONS FOR LATITUDE, CURVATURE, FREE AIR, BOUGUER, AND TERRAIN
 BOUGUER DENSITY = 2.67 GM/CC, TERRAIN DENSITY MULTIPLIER = 1.00, NO TERRAIN CORRECTIONS APPLIED

CARSON, NEVADA

STA #	LATITUDE		LONGITUDE		ELEV FE	OBSERVED GRAVITY	CORRECTIONS						BOUG GRAV + 900.0	STA #	MAP #	
	DEG	MIN	DEG	MIN			*LATITUDE	CURV	FREE AIR	BOUG	***** TERRAIN ***** *INNER OUTER TOTAL*					
144	39.3412	20.5	118.6353	38.1	3969.0	987.90	2122.08	1.25	-373.21	135.22	0.0	0.0	0.0	2.56	144	8065
145	39.3400	20.4	118.6343	38.1	3968.1	988.18	2121.97	1.25	-373.13	135.19	0.0	0.0	0.0	2.88	145	8065
146	39.3387	20.3	118.6333	38.0	3965.0	988.12	2121.86	1.25	-372.84	135.08	0.0	0.0	0.0	2.75	146	8065
147	39.3370	20.2	118.6325	38.0	3962.7	988.69	2121.71	1.25	-372.62	135.01	0.0	0.0	0.0	3.34	147	8065
148	39.3357	20.1	118.6317	37.9	3959.6	988.84	2121.59	1.25	-372.33	134.90	0.0	0.0	0.0	3.42	148	8065
149	39.3345	20.1	118.6306	37.8	3958.8	988.53	2121.49	1.25	-372.25	134.87	0.0	0.0	0.0	3.17	149	8065
150	39.3327	20.0	118.6300	37.8	3960.6	987.94	2121.33	1.25	-372.42	134.93	0.0	0.0	0.0	2.85	150	8065
151	39.3309	19.9	118.6300	37.8	3961.1	987.68	2121.16	1.25	-372.47	134.95	0.0	0.0	0.0	2.78	151	8065
152	39.3292	19.8	118.6307	37.8	3959.4	987.33	2121.02	1.25	-372.31	134.89	0.0	0.0	0.0	2.48	152	8065
153	39.3275	19.6	118.6308	37.8	3958.9	986.97	2120.87	1.25	-372.26	134.88	0.0	0.0	0.0	2.24	153	8065
154	39.3258	19.5	118.6303	37.8	3958.3	986.84	2120.72	1.25	-372.21	134.86	0.0	0.0	0.0	2.22	154	8065
155	39.3242	19.5	118.6317	37.9	3958.7	986.58	2120.58	1.25	-372.24	134.87	0.0	0.0	0.0	2.12	155	8065
156	39.3225	19.3	118.6320	37.9	3958.6	986.33	2120.43	1.25	-372.23	134.87	0.0	0.0	0.0	2.02	156	8065
157	39.3203	19.2	118.6323	37.9	3958.6	986.03	2120.28	1.25	-372.23	134.87	0.0	0.0	0.0	1.87	157	8065
158	39.3193	19.2	118.6325	38.0	3960.2	985.74	2120.14	1.25	-372.38	134.92	0.0	0.0	0.0	1.81	158	8065
159	39.3183	19.1	118.6327	38.0	3960.9	985.66	2120.06	1.25	-372.45	134.94	0.0	0.0	0.0	1.86	159	8065
160	39.3175	19.1	118.6330	38.0	3962.5	985.55	2119.99	1.25	-372.60	135.00	0.0	0.0	0.0	1.91	160	8065
161	39.3155	18.9	118.6337	38.0	3962.6	985.83	2119.81	1.25	-372.61	135.00	0.0	0.0	0.0	2.38	161	8065
162	39.3145	18.9	118.6342	38.1	3961.0	986.28	2119.72	1.25	-372.46	134.95	0.0	0.0	0.0	2.82	162	8065
163	39.3128	18.8	118.6350	38.1	3960.3	986.21	2119.57	1.25	-372.39	134.92	0.0	0.0	0.0	2.86	163	8065
164	39.3112	18.7	118.6358	38.1	3958.1	986.21	2119.43	1.25	-372.19	134.85	0.0	0.0	0.0	2.87	164	8065
165	39.3097	18.6	118.6360	38.2	3960.9	985.79	2119.29	1.25	-372.45	134.94	0.0	0.0	0.0	2.75	165	8065
166	39.3083	18.5	118.6367	38.2	3961.4	985.58	2119.17	1.25	-372.50	134.96	0.0	0.0	0.0	2.69	166	8065
167	39.3072	18.4	118.6370	38.2	3957.6	985.67	2119.07	1.25	-372.14	134.83	0.0	0.0	0.0	2.65	167	8065
168	39.3055	18.3	118.6375	38.2	3952.3	985.44	2118.92	1.25	-371.64	134.65	0.0	0.0	0.0	2.25	168	8065
169	39.3040	18.2	118.6383	38.3	3951.2	985.44	2118.79	1.25	-371.54	134.61	0.0	0.0	0.0	2.32	169	8065
170	39.3025	18.2	118.6392	38.4	3951.2	985.00	2118.66	1.25	-371.54	134.61	0.0	0.0	0.0	2.01	170	8065
171	39.3003	18.0	118.6395	38.4	3950.8	984.35	2118.51	1.25	-371.50	134.60	0.0	0.0	0.0	1.49	171	8065
172	39.2995	18.0	118.6400	38.4	3949.2	983.62	2118.39	1.25	-371.35	134.55	0.0	0.0	0.0	0.78	172	8065
173	39.2978	17.9	118.6412	38.5	3938.6	982.85	2118.24	1.25	-370.35	134.18	0.0	0.0	0.0	-0.47	173	8065
174	39.2978	17.9	118.6425	38.6	3931.4	982.19	2118.22	1.25	-369.68	133.94	0.0	0.0	0.0	-1.53	174	8065
175	39.2975	17.9	118.6438	38.6	3927.5	981.80	2118.24	1.25	-369.31	133.81	0.0	0.0	0.0	-2.18	175	8065
176	39.2973	17.9	118.6460	38.8	3916.9	981.82	2118.24	1.24	-368.31	133.45	0.0	0.0	0.0	-2.80	176	8065
177	39.2978	17.9	118.6475	38.9	3918.7	981.17	2118.24	1.24	-368.48	133.51	0.0	0.0	0.0	-3.34	177	8065
178	39.2978	17.9	118.6477	38.9	3918.7	981.80	2118.37	1.24	-368.40	133.48	0.0	0.0	0.0	-2.89	178	8065
179	39.2992	18.0	118.6477	38.9	3917.7	982.68	2118.48	1.24	-368.39	133.47	0.0	0.0	0.0	-2.13	179	8065
180	39.3005	18.0	118.6477	38.9	3917.7	982.68	2118.48	1.24	-368.39	133.47	0.0	0.0	0.0	-1.35	180	8065
181	39.3023	18.1	118.6475	38.9	3917.6	983.62	2118.64	1.24	-368.38	133.47	0.0	0.0	0.0	-1.35	181	8065
182	39.3023	18.1	118.6475	38.9	3917.6	983.62	2118.64	1.24	-368.38	133.47	0.0	0.0	0.0	-0.55	182	8065
183	39.3040	18.2	118.6473	38.8	3917.5	984.58	2118.79	1.24	-368.37	133.47	0.0	0.0	0.0	0.16	183	8065
184	39.3057	18.3	118.6470	38.8	3917.4	985.44	2118.94	1.24	-368.36	133.46	0.0	0.0	0.0	0.64	184	8065
185	39.3070	18.4	118.6467	38.8	3917.2	986.06	2119.06	1.24	-368.34	133.46	0.0	0.0	0.0	0.85	185	8065
186	39.3087	18.5	118.6465	38.8	3917.1	986.42	2119.21	1.24	-368.33	133.45	0.0	0.0	0.0	1.19	186	8065
187	39.3100	18.6	118.6462	38.8	3917.0	986.88	2119.32	1.24	-368.32	133.45	0.0	0.0	0.0	1.60	187	8065
188	39.3117	18.7	118.6458	38.7	3916.9	987.45	2119.47	1.24	-368.31	133.45	0.0	0.0	0.0	2.08	188	8065
189	39.3130	18.8	118.6458	38.7	3916.8	988.05	2119.59	1.24	-368.30	133.44	0.0	0.0	0.0	2.45	189	8065
190	39.3142	18.9	118.6457	38.7	3916.6	988.53	2119.69	1.24	-368.29	133.44	0.0	0.0	0.0	2.52	190	8065
191	39.3158	18.9	118.6455	38.7	3916.5	988.75	2119.83	1.24	-368.28	133.43	0.0	0.0	0.0	2.01	191	8065
192	39.3193	19.2	118.6453	38.7	3916.4	988.56	2120.14	1.24	-368.27	133.43	0.0	0.0	0.0	2.18	192	8065
193	39.3208	19.2	118.6453	38.7	3916.3	988.87	2120.28	1.24	-368.26	133.43	0.0	0.0	0.0	2.06	193	8065
194	39.3223	19.3	118.6453	38.7	3916.3	988.88	2120.41	1.24	-368.26	133.43	0.0	0.0	0.0	1.55	194	8065
195	39.3240	19.4	118.6453	38.7	3916.3	988.52	2120.56	1.24	-368.26	133.43	0.0	0.0	0.0	1.03	195	8065
196	39.3255	19.5	118.6452	38.7	3916.2	988.14	2120.69	1.24	-368.25	133.42	0.0	0.0	0.0	0.72	196	8065
197	39.3270	19.6	118.6452	38.7	3916.2	987.96	2120.82	1.24	-368.25	133.42	0.0	0.0	0.0		197	8065

CONFIDENTIAL

This document contains confidential information which is proprietary to Union Oil Co. of Calif. The contents of this document are not to be revealed to any person without the express written consent of Union Oil Co. of California.

PROPRIETARY

BASIC GRAVITY CORRECTIONS FOR LATITUDE, CURVATURE, FREE AIR, BOUGUER, AND TERRAIN
 BOUGUER DENSITY = 2.67 GM/CC, TERRAIN DENSITY MULTIPLIER = 1.00, NO TERRAIN CORRECTIONS APPLIED

CARSON, NEVADA

STA #	LATITUDE		LONGITUDE		ELEV	OBSERVED GRAVITY	CORRECTIONS							BOUG GRAV 900.0	STA #	MAP #
	DEG	MIN	DEG	MIN			*LATITUDE	CURV	FREE AIR	BOUG	TERRAIN					
							*				*INNER	OUTER	TOTAL*	+		
199	39.3283	19.7	118.6453	38.7	3916.2	987.88	2120.94	1.24	-368.25	133.42	0.0	0.0	0.0	0.53	199	8065
200	39.3300	19.8	118.6458	38.7	3916.1	987.69	2121.09	1.24	-368.24	133.42	0.0	0.0	0.0	0.17	200	8065
201	39.3315	19.9	118.6467	38.8	3916.1	987.66	2121.22	1.24	-368.24	133.42	0.0	0.0	0.0	0.01	201	8065
202	39.3327	20.0	118.6470	38.8	3916.1	987.65	2121.33	1.24	-368.24	133.42	0.0	0.0	0.0	-0.10	202	8065
204	39.3353	20.1	118.6475	38.9	3917.5	987.66	2121.56	1.24	-368.37	133.47	0.0	0.0	0.0	-0.24	204	8065
205	39.3372	20.2	118.6485	38.9	3916.5	987.90	2121.73	1.24	-368.28	133.43	0.0	0.0	0.0	-0.22	205	8065
206	39.3368	20.3	118.6490	38.9	3916.4	988.17	2121.87	1.24	-368.27	133.43	0.0	0.0	0.0	-0.11	206	8065
207	39.3405	20.4	118.6492	39.0	3916.6	988.54	2122.02	1.24	-368.29	133.44	0.0	0.0	0.0	0.13	207	8065
208	39.3420	20.5	118.6500	39.0	3916.6	989.03	2122.15	1.24	-368.29	133.44	0.0	0.0	0.0	0.49	208	8065
210	39.3430	20.6	118.6483	38.9	3917.1	989.60	2122.24	1.24	-368.33	133.45	0.0	0.0	0.0	1.00	210	8065
211	39.3430	20.6	118.6465	38.8	3924.9	989.36	2122.24	1.25	-369.07	133.72	0.0	0.0	0.0	1.23	211	8065
212	39.3430	20.6	118.6445	38.7	3929.4	989.81	2122.24	1.25	-369.49	133.87	0.0	0.0	0.0	1.95	212	8065
213	39.3430	20.6	118.6425	38.6	3935.4	989.76	2122.24	1.25	-370.05	134.08	0.0	0.0	0.0	2.25	213	8065
214	39.3430	20.6	118.6410	38.5	3940.4	989.76	2122.24	1.25	-370.52	134.25	0.0	0.0	0.0	2.55	214	8065
215	39.3430	20.6	118.6392	38.4	3960.4	988.52	2122.24	1.25	-372.40	134.93	0.0	0.0	0.0	2.50	215	8065
216	39.3430	20.6	118.6375	38.2	3968.7	987.85	2122.24	1.25	-373.18	135.21	0.0	0.0	0.0	2.33	216	8065
217	39.3338	20.0	118.6448	38.7	3918.9	987.74	2121.43	1.24	-368.50	133.51	0.0	0.0	0.0	0.06	217	8065
218	39.3337	20.0	118.6428	38.6	3919.9	988.29	2121.42	1.24	-368.60	133.55	0.0	0.0	0.0	0.68	218	8065
219	39.3335	20.0	118.6412	38.5	3928.4	988.74	2121.40	1.25	-369.39	133.84	0.0	0.0	0.0	1.65	219	8065
220	39.3335	20.0	118.6392	38.4	3929.7	989.40	2121.40	1.25	-369.52	133.88	0.0	0.0	0.0	2.39	220	8065
221	39.3333	20.0	118.6373	38.2	3937.5	989.13	2121.38	1.25	-370.25	134.15	0.0	0.0	0.0	2.60	221	8065
222	39.3333	20.0	118.6357	38.1	3944.3	989.13	2121.38	1.25	-370.89	134.38	0.0	0.0	0.0	3.01	222	8065
223	39.3333	20.0	118.6337	38.0	3949.2	989.78	2121.38	1.25	-371.35	134.55	0.0	0.0	0.0	3.95	223	8065
224	39.3333	20.0	118.6318	37.9	3953.9	989.56	2121.38	1.25	-371.79	134.71	0.0	0.0	0.0	4.01	224	8065
225	39.3168	19.0	118.6440	38.6	3916.1	988.62	2119.92	1.24	-368.24	133.42	0.0	0.0	0.0	2.27	225	8065
226	39.3167	19.0	118.6423	38.5	3916.7	988.17	2119.91	1.24	-368.30	133.44	0.0	0.0	0.0	1.87	226	8065
227	39.3160	19.0	118.6403	38.4	3930.0	987.08	2119.85	1.25	-369.55	133.89	0.0	0.0	0.0	1.63	227	8065
228	39.3158	18.9	118.6392	38.4	3936.6	986.63	2119.83	1.25	-370.17	134.12	0.0	0.0	0.0	1.59	228	8065
229	39.3155	18.9	118.6370	38.2	3942.5	986.71	2119.81	1.25	-370.72	134.32	0.0	0.0	0.0	2.05	229	8065
230	39.3153	18.9	118.6353	38.1	3955.1	986.00	2119.79	1.25	-371.90	134.75	0.0	0.0	0.0	2.11	230	8065
231	39.3155	18.9	118.6322	37.9	3975.6	985.56	2119.81	1.26	-373.83	135.45	0.0	0.0	0.0	2.88	231	8065
232	39.3155	18.9	118.6307	37.8	4007.6	983.77	2119.81	1.26	-376.84	136.54	0.0	0.0	0.0	3.01	232	8065
233	39.3157	18.9	118.6290	37.7	4050.1	981.33	2119.83	1.27	-380.84	137.98	0.0	0.0	0.0	3.09	233	8065
234	39.3158	18.9	118.6275	37.7	4118.9	977.34	2119.83	1.28	-387.30	140.33	0.0	0.0	0.0	3.20	234	8065
235	39.3160	19.0	118.6260	37.6	4186.8	972.54	2119.85	1.29	-393.69	142.64	0.0	0.0	0.0	2.44	235	8065
236	39.3440	20.6	118.6517	39.1	3916.6	989.73	2122.33	1.24	-368.29	133.44	0.0	0.0	0.0	1.01	236	8065
237	39.3450	20.7	118.6518	39.1	3917.2	990.07	2122.42	1.24	-368.34	133.46	0.0	0.0	0.0	1.30	237	8065
238	39.3462	20.8	118.6523	39.1	3917.9	990.18	2122.52	1.24	-368.41	133.48	0.0	0.0	0.0	1.34	238	8065
239	39.3473	20.8	118.6535	39.2	3917.1	990.36	2122.62	1.24	-368.33	133.45	0.0	0.0	0.0	1.40	239	8065
240	39.3483	20.9	118.6533	39.2	3916.9	990.39	2122.71	1.24	-368.31	133.45	0.0	0.0	0.0	1.30	240	8065
241	39.3500	21.0	118.6532	39.2	3916.4	990.39	2122.86	1.24	-368.27	133.43	0.0	0.0	0.0	1.12	241	8065
242	39.3512	21.1	118.6537	39.2	3917.9	990.54	2122.96	1.24	-368.41	133.48	0.0	0.0	0.0	1.26	242	8065
243	39.3525	21.1	118.6543	39.3	3916.8	990.69	2123.08	1.24	-368.30	133.44	0.0	0.0	0.0	1.23	243	8065
244	39.3533	21.2	118.6553	39.3	3916.5	990.69	2123.15	1.24	-368.28	133.43	0.0	0.0	0.0	1.14	244	8065
245	39.3545	21.3	118.6560	39.4	3916.0	990.97	2123.26	1.24	-368.23	133.41	0.0	0.0	0.0	1.29	245	8065
246	39.3562	21.4	118.6568	39.4	3916.2	991.19	2123.41	1.24	-368.25	133.42	0.0	0.0	0.0	1.36	246	8065
247	39.3567	21.4	118.6583	39.5	3916.4	991.43	2123.45	1.24	-368.27	133.43	0.0	0.0	0.0	1.57	247	8065
248	39.3575	21.4	118.6592	39.6	3916.6	991.71	2123.52	1.24	-368.29	133.44	0.0	0.0	0.0	1.79	248	8065
249	39.3588	21.5	118.6590	39.5	3916.3	992.09	2123.64	1.24	-368.26	133.43	0.0	0.0	0.0	2.04	249	8065
250	39.3595	21.6	118.6582	39.5	3918.8	992.05	2123.70	1.24	-368.49	133.51	0.0	0.0	0.0	2.09	250	8065
251	39.3600	21.6	118.6565	39.4	3918.4	992.35	2123.74	1.24	-368.45	133.50	0.0	0.0	0.0	2.32	251	8065
252	39.3608	21.6	118.6550	39.3	3917.0	992.90	2123.81	1.24	-368.32	133.45	0.0	0.0	0.0	2.72	252	8065

CONFIDENTIAL
 This document contains confidential information which is proprietary to Union Oil Co. of Calif. The contents of this document are not to be revealed to any person without the express written consent of Union Oil Co. of California.

PROPRIETARY

BASIC GRAVITY CORRECTIONS FOR LATITUDE, CURVATURE, FREE AIR, BOUGUER, AND TERRAIN
BOUGUER DENSITY = 2.67 GM/CC, TERRAIN DENSITY MULTIPLIER = 1.00, NO TERRAIN CORRECTIONS APPLIED

CARSON, NEVADA

STA #	LATITUDE		LONGITUDE		ELEV	OBSERVED GRAVITY	CORRECTIONS							BOUG GRAY + 900.0	STA #
	DEG	MIN	DEG	MIN			*LATITUDE	CURV	FREE AIR	BOUG	TERRAIN	BOUG			
											****	****	****		
253	39.3622	21.7	118.6533	39.2	3917.6	993.52	2123.94	1.24	-368.38	133.47	0.0	0.0	0.0	3.25	253
254	39.3633	21.8	118.6520	39.1	3917.3	994.31	2124.03	1.24	-368.35	133.46	0.0	0.0	0.0	3.92	254
255	39.3643	21.9	118.6508	39.0	3919.2	994.92	2124.12	1.24	-368.53	133.52	0.0	0.0	0.0	4.55	255
256	39.3657	21.9	118.6503	39.0	3919.1	995.19	2124.25	1.24	-368.52	133.52	0.0	0.0	0.0	4.70	256
257	39.3673	22.0	118.6500	39.0	3918.8	995.64	2124.39	1.24	-368.49	133.51	0.0	0.0	0.0	4.99	257
258	39.3687	22.1	118.6500	39.0	3919.1	995.87	2124.51	1.24	-368.52	133.52	0.0	0.0	0.0	5.11	258
259	39.3700	22.2	118.6500	39.0	3919.1	996.11	2124.63	1.24	-368.52	133.52	0.0	0.0	0.0	5.24	259
260	39.3715	22.3	118.6500	39.0	3919.3	996.48	2124.76	1.24	-368.54	133.53	0.0	0.0	0.0	5.48	260
261	39.3728	22.4	118.6503	39.0	3919.3	996.66	2124.88	1.24	-368.54	133.53	0.0	0.0	0.0	5.55	261
262	39.3743	22.5	118.6513	39.1	3919.4	996.47	2125.01	1.24	-368.55	133.53	0.0	0.0	0.0	5.23	262
263	39.3755	22.5	118.6533	39.2	3919.3	996.46	2125.12	1.24	-368.54	133.53	0.0	0.0	0.0	5.11	263
264	39.3768	22.6	118.6542	39.3	3919.0	996.45	2125.23	1.24	-368.51	133.52	0.0	0.0	0.0	4.97	264
265	39.3780	22.7	118.6552	39.3	3919.3	996.44	2125.34	1.24	-368.54	133.53	0.0	0.0	0.0	4.87	265
266	39.3800	22.8	118.6540	39.2	3918.3	996.88	2125.51	1.24	-368.45	133.49	0.0	0.0	0.0	5.08	266
267	39.3800	22.8	118.6523	39.1	3918.2	997.31	2125.51	1.24	-368.44	133.49	0.0	0.0	0.0	5.50	267
268	39.3900	22.9	118.6508	39.0	3918.4	997.88	2125.51	1.24	-368.45	133.50	0.0	0.0	0.0	6.08	268
269	39.3900	22.9	118.6493	39.0	3919.2	998.61	2125.51	1.24	-368.53	133.52	0.0	0.0	0.0	6.85	269
270	39.3800	22.8	118.6493	39.0	3919.2	998.61	2125.51	1.24	-368.53	133.52	0.0	0.0	0.0	6.85	270
271	39.3567	21.4	118.6600	39.6	3915.0	991.20	2123.45	1.24	-368.13	133.38	0.0	0.0	0.0	1.26	271
272	39.3560	21.4	118.6608	39.6	3915.0	991.06	2123.39	1.24	-368.13	133.38	0.0	0.0	0.0	1.18	272
273	39.3557	21.3	118.6625	39.8	3914.9	990.75	2123.36	1.24	-368.13	133.38	0.0	0.0	0.0	0.89	273
274	39.3558	21.3	118.6642	39.9	3914.9	990.39	2123.37	1.24	-368.13	133.38	0.0	0.0	0.0	0.52	274
275	39.3567	21.4	118.6658	39.9	3914.8	990.21	2123.45	1.24	-368.12	133.37	0.0	0.0	0.0	0.25	275
276	39.3572	21.4	118.6667	40.0	3914.7	989.94	2123.50	1.24	-368.11	133.37	0.0	0.0	0.0	-0.06	276
277	39.3577	21.5	118.6678	40.1	3914.7	989.55	2123.54	1.24	-368.11	133.37	0.0	0.0	0.0	-0.50	277
278	39.3573	21.5	118.6693	40.2	3914.6	989.02	2123.55	1.24	-368.10	133.37	0.0	0.0	0.0	-1.04	278
279	39.3583	21.5	118.6710	40.3	3914.5	988.45	2123.59	1.24	-368.09	133.36	0.0	0.0	0.0	-1.67	279
280	39.3592	21.6	118.6730	40.4	3914.5	988.03	2123.67	1.24	-368.09	133.36	0.0	0.0	0.0	-2.16	280
281	39.3593	21.6	118.6747	40.5	3914.4	987.52	2123.68	1.24	-368.08	133.36	0.0	0.0	0.0	-2.69	281
282	39.3595	21.6	118.6767	40.6	3914.4	986.92	2123.70	1.24	-368.08	133.36	0.0	0.0	0.0	-3.30	282
283	39.3600	21.6	118.6785	40.7	3914.3	986.60	2123.74	1.24	-368.07	133.36	0.0	0.0	0.0	-3.67	283
284	39.3600	21.6	118.6803	40.8	3914.2	986.10	2123.74	1.24	-368.06	133.35	0.0	0.0	0.0	-4.18	284
285	39.3600	21.6	118.6823	40.9	3914.2	985.72	2123.74	1.24	-368.06	133.35	0.0	0.0	0.0	-4.56	285
286	39.3603	21.6	118.6842	41.1	3914.1	985.53	2123.77	1.24	-368.05	133.35	0.0	0.0	0.0	-4.79	286
287	39.3613	21.7	118.6858	41.1	3914.1	985.52	2123.86	1.24	-368.05	133.35	0.0	0.0	0.0	-4.88	287
288	39.3647	21.9	118.6867	41.2	3914.4	985.48	2124.16	1.24	-368.08	133.36	0.0	0.0	0.0	-5.20	288
289	39.3647	21.9	118.6867	41.2	3914.4	985.48	2124.16	1.24	-368.08	133.36	0.0	0.0	0.0	-5.13	289
290	39.3662	22.0	118.6867	41.2	3914.8	985.66	2124.29	1.24	-368.12	133.37	0.0	0.0	0.0	-5.13	290
291	39.3675	22.0	118.6867	41.2	3915.2	985.81	2124.41	1.24	-368.15	133.39	0.0	0.0	0.0	-5.08	291
292	39.3688	22.1	118.6867	41.2	3915.7	986.05	2124.52	1.24	-368.20	133.40	0.0	0.0	0.0	-4.92	292
293	39.3700	22.2	118.6867	41.2	3916.1	986.16	2124.63	1.24	-368.24	133.42	0.0	0.0	0.0	-4.89	293
294	39.3715	22.3	118.6867	41.2	3916.5	986.14	2124.76	1.24	-368.28	133.43	0.0	0.0	0.0	-5.02	294
295	39.3730	22.4	118.6867	41.2	3916.9	986.33	2124.89	1.24	-368.31	133.45	0.0	0.0	0.0	-4.94	295
296	39.3743	22.5	118.6867	41.2	3917.3	986.33	2125.01	1.24	-368.35	133.46	0.0	0.0	0.0	-5.03	296
297	39.3758	22.5	118.6867	41.2	3917.7	986.42	2125.14	1.24	-368.39	133.47	0.0	0.0	0.0	-5.05	297
298	39.3772	22.6	118.6867	41.2	3918.2	986.43	2125.26	1.24	-368.44	133.49	0.0	0.0	0.0	-5.13	298
299	39.3785	22.7	118.6867	41.2	3918.6	986.41	2125.38	1.24	-368.47	133.50	0.0	0.0	0.0	-5.24	299
300	39.3798	22.8	118.6845	41.1	3919.1	986.88	2125.50	1.24	-368.52	133.52	0.0	0.0	0.0	-4.86	300
301	39.3798	22.8	118.6845	41.1	3919.1	986.88	2125.50	1.24	-368.52	133.52	0.0	0.0	0.0	-4.34	301
302	39.3793	22.8	118.6827	41.0	3919.1	987.40	2125.50	1.24	-368.52	133.52	0.0	0.0	0.0	-3.95	302
303	39.3793	22.8	118.6808	40.8	3919.2	987.78	2125.50	1.24	-368.53	133.52	0.0	0.0	0.0	-3.48	303
304	39.3798	22.8	118.6788	40.7	3919.2	988.26	2125.50	1.24	-368.53	133.52	0.0	0.0	0.0	-3.12	304
305	39.3798	22.9	118.6767	40.6	3919.3	988.61	2125.50	1.24	-368.54	133.53	0.0	0.0	0.0	-2.73	305
306	39.3798	22.8	118.6750	40.5	3919.3	989.00	2125.50	1.24	-368.54	133.53	0.0	0.0	0.0	-2.73	306
307	39.3798	22.8	118.6733	40.4	3919.4	989.41	2125.50	1.24	-368.55	133.53	0.0	0.0	0.0	-2.31	307

CONFIDENTIAL
This document contains confidential information which is proprietary to Union Oil Co. of Calif.
The contents of this document are not to be revealed to any person without the express written consent of Union Oil Co. of California.

PROPRIETARY

BASIC GRAVITY CORRECTIONS FOR LATITUDE, CURVATURE, FREE AIR, BOUGUER, AND TERRAIN
BOUGUER DENSITY = 2.67 GM/CC, TERRAIN DENSITY MULTIPLIER = 1.00, NO TERRAIN CORRECTIONS APPLIED

CARSON, NEVADA

STA #	LATITUDE		LONGITUDE		ELEV OBSERVED GRAVITY	***** CORRECTIONS *****							BOUG GRAV + 900.0	STA #	MAP #	
	DEG	MIN	DEG	MIN		*LATITUDE	CURV	FREE AIR	BOUG	***** TERRAIN *****	*****					
308	39.3799	22.8	118.6715	40.3	3919.4	989.92	2125.50	1.24	-368.55	133.53	0.0	0.0	0.0	-1.80	308	8065
309	39.3798	22.8	118.6693	40.2	3919.5	990.43	2125.50	1.24	-368.56	133.53	0.0	0.0	0.0	-1.29	309	8065
310	39.3799	22.8	118.6678	40.1	3919.5	991.04	2125.50	1.24	-368.56	133.53	0.0	0.0	0.0	-0.68	310	8065
311	39.3799	22.8	118.6667	40.0	3919.6	991.56	2125.50	1.24	-368.57	133.54	0.0	0.0	0.0	-0.15	311	8065
312	39.3798	22.8	118.6650	39.9	3919.6	992.24	2125.50	1.24	-368.57	133.54	0.0	0.0	0.0	0.52	312	8065
313	39.3798	22.8	118.6632	39.8	3919.7	993.01	2125.50	1.24	-368.58	133.54	0.0	0.0	0.0	1.30	313	8065
314	39.3799	22.8	118.6613	39.7	3919.7	994.17	2125.50	1.24	-368.58	133.54	0.0	0.0	0.0	2.47	314	8065
315	39.3799	22.8	118.6593	39.6	3919.8	994.95	2125.50	1.24	-368.59	133.54	0.0	0.0	0.0	3.25	315	8065
316	39.3799	22.8	118.6577	39.5	3919.8	996.00	2125.50	1.24	-368.59	133.54	0.0	0.0	0.0	4.30	316	8065
317	39.3818	22.9	118.6867	41.2	3918.4	986.46	2125.67	1.24	-368.45	133.50	0.0	0.0	0.0	-5.50	317	8065
318	39.3833	23.0	118.6867	41.2	3918.6	986.50	2125.80	1.24	-368.47	133.50	0.0	0.0	0.0	-5.58	318	8065
319	39.3849	23.1	118.6867	41.2	3920.0	986.41	2125.94	1.24	-368.60	133.55	0.0	0.0	0.0	-5.72	319	8065
320	39.3863	23.2	118.6867	41.2	3919.4	986.43	2126.07	1.24	-368.55	133.53	0.0	0.0	0.0	-5.87	320	8065
322	39.3875	23.2	118.6892	41.4	3919.5	986.05	2126.18	1.24	-368.56	133.53	0.0	0.0	0.0	-6.35	322	8065
323	39.3875	23.2	118.6912	41.5	3920.1	985.74	2126.18	1.24	-368.61	133.55	0.0	0.0	0.0	-6.62	323	8065
324	39.3875	23.2	118.6932	41.6	3920.9	985.37	2126.18	1.25	-368.69	133.58	0.0	0.0	0.0	-6.95	324	8065
325	39.3875	23.2	118.6948	41.7	3921.5	985.09	2126.18	1.25	-368.75	133.60	0.0	0.0	0.0	-7.19	325	8065
326	39.3875	23.2	118.6965	41.8	3921.3	984.72	2126.18	1.25	-368.73	133.60	0.0	0.0	0.0	-7.57	326	8065
327	39.3875	23.2	118.6982	41.9	3922.8	984.28	2126.18	1.25	-368.87	133.65	0.0	0.0	0.0	-7.92	327	8065
329	39.3875	23.2	118.7002	42.0	3923.7	983.97	2126.18	1.25	-368.95	133.68	0.0	0.0	0.0	-8.18	329	8065
329	39.3875	23.2	118.7020	42.1	3924.4	983.58	2126.18	1.25	-369.02	133.70	0.0	0.0	0.0	-8.52	329	8065
330	39.3875	23.2	118.7037	42.2	3923.8	983.37	2126.18	1.25	-368.96	133.68	0.0	0.0	0.0	-8.77	330	8065
332	39.3863	23.2	118.7058	42.3	3922.0	983.26	2126.07	1.25	-368.79	133.62	0.0	0.0	0.0	-8.88	332	8065
333	39.3849	23.1	118.7058	42.3	3921.2	983.26	2125.94	1.25	-368.72	133.59	0.0	0.0	0.0	-8.80	333	8065
334	39.3833	23.0	118.7058	42.3	3920.5	983.15	2125.80	1.24	-368.65	133.57	0.0	0.0	0.0	-8.81	334	8065
335	39.3818	22.9	118.7058	42.3	3919.7	983.10	2125.67	1.24	-368.58	133.54	0.0	0.0	0.0	-8.78	335	8065
337	39.3800	22.9	118.7037	42.2	3919.0	983.51	2125.51	1.24	-368.51	133.52	0.0	0.0	0.0	-8.26	337	8065
338	39.3799	22.8	118.7020	42.1	3919.0	983.77	2125.50	1.24	-368.51	133.52	0.0	0.0	0.0	-7.98	338	8065
339	39.3800	22.8	118.7002	42.0	3919.0	984.03	2125.51	1.24	-368.51	133.52	0.0	0.0	0.0	-7.73	339	8065
340	39.3800	22.8	118.6982	41.9	3919.0	984.34	2125.51	1.24	-368.51	133.52	0.0	0.0	0.0	-7.43	340	8065
341	39.3800	22.8	118.6965	41.8	3919.0	984.69	2125.51	1.24	-368.51	133.52	0.0	0.0	0.0	-7.08	341	8065
342	39.3800	22.8	118.6948	41.7	3919.0	985.07	2125.51	1.24	-368.51	133.52	0.0	0.0	0.0	-6.69	342	8065
343	39.3800	22.8	118.6932	41.6	3919.0	985.40	2125.51	1.24	-368.51	133.52	0.0	0.0	0.0	-6.36	343	8065
344	39.3800	22.8	118.6912	41.5	3919.0	985.72	2125.51	1.24	-368.51	133.52	0.0	0.0	0.0	-6.04	344	8065
345	39.3800	22.8	118.6892	41.4	3919.0	986.17	2125.51	1.24	-368.51	133.52	0.0	0.0	0.0	-5.59	345	8065
346	39.3875	23.2	118.7245	43.5	3924.5	980.83	2126.18	1.25	-369.03	133.70	0.0	0.0	0.0	-11.27	346	8065
347	39.3875	23.2	118.7225	43.4	3922.2	981.17	2126.18	1.25	-368.81	133.63	0.0	0.0	0.0	-11.07	347	8065
348	39.3875	23.2	118.7205	43.2	3922.9	981.38	2126.18	1.25	-368.88	133.65	0.0	0.0	0.0	-10.82	348	8065
349	39.3875	23.2	118.7187	43.1	3922.9	981.56	2126.18	1.25	-368.88	133.65	0.0	0.0	0.0	-10.64	349	8065
350	39.3875	23.2	118.7170	43.0	3924.0	981.71	2126.18	1.25	-368.98	133.69	0.0	0.0	0.0	-10.42	350	8065
351	39.3875	23.2	118.7152	42.9	3923.3	982.04	2126.18	1.25	-368.91	133.66	0.0	0.0	0.0	-10.13	351	8065
352	39.3875	23.2	118.7133	42.8	3923.6	982.35	2126.18	1.25	-368.94	133.67	0.0	0.0	0.0	-9.80	352	8065
353	39.3875	23.2	118.7117	42.7	3923.1	982.62	2126.18	1.25	-368.90	133.66	0.0	0.0	0.0	-9.56	353	8065
354	39.3875	23.2	118.7098	42.6	3924.1	982.78	2126.18	1.25	-368.99	133.69	0.0	0.0	0.0	-9.34	354	8065
355	39.3875	23.2	118.7078	42.5	3923.7	983.06	2126.18	1.25	-368.95	133.68	0.0	0.0	0.0	-9.09	355	8065
356	39.3892	23.4	118.7058	42.3	3923.0	983.58	2126.33	1.25	-368.89	133.65	0.0	0.0	0.0	-8.75	356	8065
357	39.3905	23.4	118.7058	42.3	3923.4	983.71	2126.44	1.25	-368.92	133.67	0.0	0.0	0.0	-8.72	357	8065
358	39.3918	23.5	118.7058	42.3	3923.7	983.77	2126.56	1.25	-368.95	133.68	0.0	0.0	0.0	-8.76	358	8065
359	39.3932	23.6	118.7058	42.3	3924.0	983.85	2126.68	1.25	-368.98	133.69	0.0	0.0	0.0	-8.78	359	8065
360	39.3945	23.7	118.7058	42.3	3924.4	984.06	2126.80	1.25	-369.02	133.70	0.0	0.0	0.0	-8.66	360	8065
361	39.3960	23.8	118.7058	42.3	3924.7	984.17	2126.93	1.25	-369.05	133.71	0.0	0.0	0.0	-8.67	361	8065
362	39.3973	23.8	118.7058	42.3	3925.0	984.23	2127.04	1.25	-369.07	133.72	0.0	0.0	0.0	-8.71	362	8065

This document contains confidential information which is proprietary to Union Oil Co. of California. The contents of this document are not to be revealed to any person without the express written consent of Union Oil Co. of California.

PROPRIETARY

BASIC GRAVITY CORRECTIONS FOR LATITUDE, CURVATURE, FREE AIR, BOUGUER, AND TERRAIN
BOUGUER DENSITY = 2.67 GM/CC, TERRAIN DENSITY MULTIPLIER = 1.00, NO TERRAIN CORRECTIONS APPLIED

CARSON, NEVADA

This document contains confidential information which is proprietary to Union Oil Co. of Calif. The contents of this document are not to be revealed to any person without the express written consent of Union Oil Co. of California.

***** CORRECTIONS *****

STA #	LATITUDE DEG	MIN	LONGITUDE DEG	MIN	ELEV	OBSERVED GRAVITY	*LATITUDE *	CURV	FREE AIR	BOUG	TERRAIN *WINNER	BOUG GRAV + 900.0	STA #	MAP #	
363	39.3987	23.9	118.7058	42.3	3925.3	984.22	2127.17	1.25	-369.10	133.73	0.0	0.0	0.0	-8.82	363 8065
364	39.4002	24.0	118.7058	42.3	3925.7	984.30	2127.30	1.25	-369.14	133.75	0.0	0.0	0.0	-8.85	364 8065
366	39.4020	24.1	118.7078	42.5	3926.1	984.07	2127.46	1.25	-369.18	133.76	0.0	0.0	0.0	-9.22	366 8065
367	39.4020	24.1	118.7098	42.6	3926.2	983.88	2127.46	1.25	-369.19	133.76	0.0	0.0	0.0	-9.40	367 8065
369	39.4020	24.1	118.7117	42.7	3926.3	983.74	2127.46	1.25	-369.20	133.77	0.0	0.0	0.0	-9.53	369 8065
369	39.4020	24.1	118.7133	42.8	3926.4	983.56	2127.46	1.25	-369.21	133.77	0.0	0.0	0.0	-9.71	369 8065
370	39.4020	24.1	118.7152	42.9	3926.5	983.35	2127.46	1.25	-369.22	133.77	0.0	0.0	0.0	-9.91	370 8065
371	39.4020	24.1	118.7170	43.0	3926.6	983.18	2127.46	1.25	-369.22	133.78	0.0	0.0	0.0	-10.07	371 8065
372	39.4020	24.1	118.7187	43.1	3926.7	983.05	2127.46	1.25	-369.23	133.78	0.0	0.0	0.0	-10.20	372 8065
373	39.4020	24.1	118.7205	43.2	3926.8	982.88	2127.46	1.25	-369.24	133.78	0.0	0.0	0.0	-10.37	373 8065
374	39.4020	24.1	118.7225	43.4	3926.9	982.73	2127.46	1.25	-369.25	133.79	0.0	0.0	0.0	-10.51	374 8065
375	39.4020	24.1	118.7245	43.5	3927.0	982.59	2127.46	1.25	-369.26	133.79	0.0	0.0	0.0	-10.64	375 8065
376	39.3327	20.0	118.6492	39.0	3912.8	987.77	2121.33	1.24	-367.93	133.31	0.0	0.0	0.0	-0.18	376 8065
377	39.3335	20.0	118.6509	39.0	3910.9	987.66	2121.40	1.24	-367.75	133.24	0.0	0.0	0.0	-0.48	377 8065
378	39.3335	20.0	118.6527	39.2	3909.9	987.37	2121.40	1.24	-367.66	133.21	0.0	0.0	0.0	-0.82	378 8065
379	39.3335	20.0	118.6550	39.3	3909.6	986.90	2121.40	1.24	-367.63	133.20	0.0	0.0	0.0	-1.32	379 8065
380	39.3335	20.0	118.6573	39.4	3909.5	986.55	2121.40	1.24	-367.62	133.19	0.0	0.0	0.0	-1.66	380 8065
381	39.3335	20.0	118.6592	39.6	3909.6	986.07	2121.40	1.24	-367.63	133.20	0.0	0.0	0.0	-2.14	381 8065
382	39.3335	20.0	118.6615	39.7	3909.9	985.54	2121.40	1.24	-367.66	133.21	0.0	0.0	0.0	-2.65	382 8065
383	39.3335	20.0	118.6635	39.8	3910.0	985.11	2121.40	1.24	-367.67	133.21	0.0	0.0	0.0	-3.07	383 8065
384	39.3335	20.0	118.6657	39.9	3910.0	984.58	2121.40	1.24	-367.67	133.21	0.0	0.0	0.0	-3.51	384 8065
385	39.3335	20.0	118.6675	40.0	3910.0	984.08	2121.40	1.24	-367.67	133.21	0.0	0.0	0.0	-4.11	385 8065
386	39.3335	20.0	118.6695	40.2	3910.0	983.68	2121.40	1.24	-367.67	133.21	0.0	0.0	0.0	-4.51	386 8065
388	39.3335	20.0	118.6735	40.4	3910.0	982.88	2121.40	1.24	-367.67	133.21	0.0	0.0	0.0	-5.31	388 8065
389	39.3335	20.0	118.6753	40.5	3910.0	982.48	2121.40	1.24	-367.67	133.21	0.0	0.0	0.0	-5.70	389 8065
390	39.3337	20.0	118.6775	40.7	3910.0	982.10	2121.42	1.24	-367.67	133.21	0.0	0.0	0.0	-6.10	390 8065
391	39.3338	20.0	118.6795	40.8	3910.0	981.58	2121.43	1.24	-367.67	133.21	0.0	0.0	0.0	-6.63	391 8065
392	39.3333	20.0	118.6915	40.9	3910.0	981.04	2121.43	1.24	-367.67	133.21	0.0	0.0	0.0	-7.18	392 8065
393	39.3340	20.0	118.6835	41.0	3910.0	980.71	2121.44	1.24	-367.67	133.21	0.0	0.0	0.0	-7.52	393 8065
394	39.3340	20.0	118.6858	41.1	3910.0	980.18	2121.44	1.24	-367.67	133.21	0.0	0.0	0.0	-8.05	394 8065
395	39.3340	20.0	118.6980	41.3	3910.0	979.77	2121.44	1.24	-367.67	133.21	0.0	0.0	0.0	-8.46	395 8065
396	39.3342	20.1	118.6898	41.4	3910.0	979.19	2121.46	1.24	-367.67	133.21	0.0	0.0	0.0	-9.06	396 8065
397	39.3342	20.1	118.6918	41.5	3910.0	978.58	2121.46	1.24	-367.67	133.21	0.0	0.0	0.0	-9.67	397 8065
398	39.3342	20.1	118.6937	41.6	3910.0	978.31	2121.46	1.24	-367.67	133.21	0.0	0.0	0.0	-9.94	398 8065
399	39.3342	20.1	118.6957	41.7	3910.0	977.86	2121.46	1.24	-367.67	133.21	0.0	0.0	0.0	-10.39	399 8065
400	39.3342	20.1	118.6975	41.8	3910.0	977.46	2121.46	1.24	-367.67	133.21	0.0	0.0	0.0	-10.79	400 8065
401	39.3343	20.1	118.6995	42.0	3910.0	977.29	2121.47	1.24	-367.67	133.21	0.0	0.0	0.0	-10.97	401 8065
402	39.3345	20.1	118.7017	42.1	3910.0	976.85	2121.49	1.24	-367.67	133.21	0.0	0.0	0.0	-11.43	402 8065
403	39.3345	20.1	118.7035	42.2	3910.0	976.49	2121.49	1.24	-367.67	133.21	0.0	0.0	0.0	-11.78	403 8065
404	39.3347	20.1	118.7057	42.3	3910.0	976.10	2121.51	1.24	-367.67	133.21	0.0	0.0	0.0	-12.19	404 8065
405	39.3347	20.1	118.7077	42.5	3910.0	975.72	2121.51	1.24	-367.67	133.21	0.0	0.0	0.0	-12.58	405 8065
406	39.3347	20.1	118.6708	40.2	3908.3	983.72	2121.51	1.24	-367.51	133.15	0.0	0.0	0.0	-4.67	406 8065
407	39.3360	20.2	118.6707	40.2	3908.5	984.05	2121.62	1.24	-367.52	133.16	0.0	0.0	0.0	-4.45	407 8065
408	39.3375	20.2	118.6705	40.2	3908.6	984.31	2121.75	1.24	-367.53	133.16	0.0	0.0	0.0	-4.31	408 8065
409	39.3392	20.4	118.6708	40.2	3908.7	984.60	2121.90	1.24	-367.54	133.17	0.0	0.0	0.0	-4.17	409 8065
410	39.3405	20.4	118.6710	40.3	3908.9	984.95	2122.02	1.24	-367.56	133.17	0.0	0.0	0.0	-3.92	410 8065
411	39.3417	20.5	118.6717	40.3	3909.0	985.29	2122.12	1.24	-367.57	133.18	0.0	0.0	0.0	-3.68	411 8065
412	39.3430	20.6	118.6718	40.3	3909.1	985.61	2122.24	1.24	-367.58	133.18	0.0	0.0	0.0	-3.47	412 8065
413	39.3445	20.7	118.6725	40.4	3909.3	985.90	2122.37	1.24	-367.60	133.19	0.0	0.0	0.0	-3.30	413 8065
414	39.3460	20.8	118.6723	40.3	3909.5	986.26	2122.50	1.24	-367.62	133.19	0.0	0.0	0.0	-3.07	414 8065
415	39.3472	20.8	118.6728	40.4	3909.6	986.61	2122.61	1.24	-367.63	133.20	0.0	0.0	0.0	-2.81	415 8065
416	39.3483	20.9	118.6733	40.4	3909.7	986.69	2122.71	1.24	-367.64	133.20	0.0	0.0	0.0	-2.82	416 8065

PROPRIETARY

BASIC GRAVITY CORRECTIONS FOR LATITUDE, CURVATURE, FREE AIR, BOUGUER, AND TERRAIN
BOUGUER DENSITY = 2.67 GM/CC, TERRAIN DENSITY MULTIPLIER = 1.00, NO TERRAIN CORRECTIONS APPLIED

CARSON, NEVADA

This document contains confidential information which is proprietary to Union Oil Co. of California. The contents of this

document are not to be revealed to any person without the express written consent of Union Oil Co. of California.

STA #	LATITUDE		LONGITUDE		ELEV	OBSERVED GRAVITY	CORRECTIONS						BOUG GRAV + 900.0	STA #	MAP #	
	DEG	MIN	DEG	MIN			*LATITUDE *	CURV	FREE AIR	BOUG	***** TERRAIN ***** *INNER OUTER TOTAL*					
417	39.3498	21.0	118.6742	40.5	3909.9	986.61	2122.84	1.24	-367.66	133.21	0.0	0.0	0.0	-3.03	417	806
418	39.3508	21.0	118.6750	40.5	3910.1	986.43	2122.93	1.24	-367.67	133.21	0.0	0.0	0.0	-3.28	418	806
419	39.3517	21.1	118.6762	40.6	3910.2	986.35	2123.01	1.24	-367.68	133.22	0.0	0.0	0.0	-3.43	419	806
420	39.3528	21.2	118.6777	40.7	3910.3	986.14	2123.11	1.24	-367.69	133.22	0.0	0.0	0.0	-3.74	420	806
421	39.3540	21.2	118.6785	40.7	3910.5	986.14	2123.21	1.24	-367.71	133.23	0.0	0.0	0.0	-3.83	421	806
422	39.3553	21.3	118.6785	40.7	3910.6	986.33	2123.33	1.24	-367.72	133.23	0.0	0.0	0.0	-3.75	422	806
423	39.3567	21.4	118.6792	40.8	3910.7	986.38	2123.45	1.24	-367.73	133.23	0.0	0.0	0.0	-3.82	423	806
424	39.3583	21.5	118.6788	40.7	3911.1	986.52	2123.59	1.24	-367.77	133.25	0.0	0.0	0.0	-3.80	424	806
425	39.4020	24.1	118.7035	42.2	3925.9	984.56	2127.46	1.25	-369.16	133.75	0.0	0.0	0.0	-8.74	425	806
426	39.4020	24.1	118.7017	42.1	3925.7	984.79	2127.46	1.25	-369.14	133.75	0.0	0.0	0.0	-8.52	426	806
427	39.4020	24.1	118.6995	42.0	3925.6	984.99	2127.46	1.25	-369.13	133.74	0.0	0.0	0.0	-8.33	427	806
428	39.4020	24.1	118.6975	41.8	3925.5	985.25	2127.46	1.25	-369.12	133.74	0.0	0.0	0.0	-8.07	428	806
429	39.4020	24.1	118.6955	41.7	3925.4	985.49	2127.46	1.25	-369.11	133.74	0.0	0.0	0.0	-7.84	429	806
430	39.4020	24.1	118.6935	41.6	3925.2	985.71	2127.46	1.25	-369.09	133.73	0.0	0.0	0.0	-7.63	430	806
431	39.4020	24.1	118.6917	41.5	3925.1	985.86	2127.46	1.25	-369.08	133.72	0.0	0.0	0.0	-7.48	431	806
432	39.4020	24.1	118.6895	41.4	3925.0	986.09	2127.46	1.25	-369.07	133.72	0.0	0.0	0.0	-7.26	432	806
433	39.4020	24.1	118.6873	41.3	3924.9	986.32	2127.46	1.25	-368.99	133.72	0.0	0.0	0.0	-7.05	433	806
434	39.4020	24.1	118.6851	41.2	3924.8	986.55	2127.46	1.25	-368.97	133.72	0.0	0.0	0.0	-6.84	434	806
435	39.4020	24.1	118.6829	41.1	3924.7	986.78	2127.46	1.25	-368.95	133.72	0.0	0.0	0.0	-6.63	435	806
436	39.4020	24.1	118.6807	41.0	3924.6	987.01	2127.46	1.25	-368.93	133.72	0.0	0.0	0.0	-6.42	436	806
437	39.4020	24.1	118.6785	40.9	3924.5	987.24	2127.46	1.25	-368.91	133.72	0.0	0.0	0.0	-6.21	437	806
438	39.4020	24.1	118.6763	40.8	3924.4	987.47	2127.46	1.25	-368.89	133.72	0.0	0.0	0.0	-6.00	438	806
439	39.4020	24.1	118.6741	40.7	3924.3	987.70	2127.46	1.25	-368.87	133.72	0.0	0.0	0.0	-5.79	439	806
440	39.4020	24.1	118.6719	40.6	3924.2	987.93	2127.46	1.25	-368.85	133.72	0.0	0.0	0.0	-5.58	440	806
441	39.4020	24.1	118.6697	40.5	3924.1	988.16	2127.46	1.25	-368.83	133.72	0.0	0.0	0.0	-5.37	441	806
442	39.4020	24.1	118.6675	40.4	3924.0	988.39	2127.46	1.25	-368.81	133.72	0.0	0.0	0.0	-5.16	442	806
443	39.4020	24.1	118.6653	40.3	3923.9	988.62	2127.46	1.25	-368.79	133.72	0.0	0.0	0.0	-4.95	443	806
444	39.4020	24.1	118.6631	40.2	3923.8	988.85	2127.46	1.25	-368.77	133.72	0.0	0.0	0.0	-4.74	444	806
445	39.4020	24.1	118.6609	40.1	3923.7	989.08	2127.46	1.25	-368.75	133.72	0.0	0.0	0.0	-4.53	445	806
446	39.4020	24.1	118.6587	40.0	3923.6	989.31	2127.46	1.25	-368.73	133.72	0.0	0.0	0.0	-4.32	446	806
447	39.4020	24.1	118.6565	39.9	3923.5	989.54	2127.46	1.25	-368.71	133.72	0.0	0.0	0.0	-4.11	447	806
448	39.4020	24.1	118.6543	39.8	3923.4	989.77	2127.46	1.25	-368.69	133.72	0.0	0.0	0.0	-3.90	448	806
449	39.4020	24.1	118.6521	39.7	3923.3	990.00	2127.46	1.25	-368.67	133.72	0.0	0.0	0.0	-3.69	449	806
450	39.4020	24.1	118.6499	39.6	3923.2	990.23	2127.46	1.25	-368.65	133.72	0.0	0.0	0.0	-3.48	450	806
451	39.3993	23.4	118.6867	41.2	3917.3	986.59	2126.33	1.24	-368.35	133.46	0.0	0.0	0.0	-6.09	451	806
452	39.3903	23.4	118.6867	41.2	3915.8	986.69	2126.47	1.24	-368.21	133.41	0.0	0.0	0.0	-6.22	452	806
453	39.3925	23.6	118.6867	41.2	3918.6	986.52	2126.62	1.24	-368.47	133.50	0.0	0.0	0.0	-6.37	453	806
454	39.3940	23.6	118.6867	41.2	3917.6	986.65	2126.75	1.24	-368.38	133.47	0.0	0.0	0.0	-6.44	454	806
455	39.3957	23.7	118.6867	41.2	3920.8	986.44	2126.90	1.25	-368.68	133.58	0.0	0.0	0.0	-6.61	455	806
456	39.3973	23.8	118.6867	41.2	3919.2	986.62	2127.04	1.24	-368.53	133.52	0.0	0.0	0.0	-6.66	456	806
457	39.3990	23.9	118.6867	41.2	3918.5	986.69	2127.19	1.24	-368.46	133.50	0.0	0.0	0.0	-6.78	457	806
458	39.4000	24.0	118.6867	41.2	3921.1	986.67	2127.28	1.25	-368.71	133.59	0.0	0.0	0.0	-6.74	458	806
433	39.4013	24.1	118.6883	41.3	3922.0	986.37	2127.40	1.25	-368.79	133.62	0.0	0.0	0.0	-7.10	433	806
434	39.4005	24.0	118.6875	41.3	3921.3	986.46	2127.33	1.25	-368.73	133.60	0.0	0.0	0.0	-6.90	434	806
435	39.4000	24.0	118.6862	41.2	3920.7	986.62	2127.28	1.24	-368.67	133.58	0.0	0.0	0.0	-6.81	435	806
436	39.4009	24.0	118.6847	41.1	3920.4	986.91	2127.35	1.24	-368.64	133.56	0.0	0.0	0.0	-6.61	436	806
437	39.4017	24.1	118.6930	41.0	3922.0	986.92	2127.43	1.25	-368.79	133.62	0.0	0.0	0.0	-6.58	437	806
438	39.4020	24.1	118.6912	40.9	3920.3	987.47	2127.46	1.24	-368.63	133.56	0.0	0.0	0.0	-6.16	438	806
459	39.3625	21.8	118.6862	41.2	3913.4	985.16	2123.96	1.24	-367.98	133.33	0.0	0.0	0.0	-5.39	459	806
460	39.3623	21.7	118.6870	41.2	3914.0	984.79	2123.95	1.24	-368.04	133.35	0.0	0.0	0.0	-5.71	460	806
461	39.3623	21.8	118.6987	41.3	3913.8	984.53	2123.99	1.24	-368.02	133.34	0.0	0.0	0.0	-6.02	461	806
462	39.3633	21.8	118.6903	41.4	3913.7	984.18	2124.03	1.24	-368.01	133.34	0.0	0.0	0.0	-6.42	462	806
463	39.3642	21.9	118.6925	41.6	3913.5	983.83	2124.12	1.24	-367.99	133.33	0.0	0.0	0.0	-6.86	463	806
464	39.3645	21.9	118.6942	41.7	3913.4	983.49	2124.14	1.24	-367.98	133.33	0.0	0.0	0.0	-7.23	464	806
465	39.3650	21.9	118.6958	41.7	3913.2	983.23	2124.19	1.24	-367.97	133.32	0.0	0.0	0.0	-7.56	465	806
466	39.3655	21.9	118.6975	41.8	3913.1	982.89	2124.23	1.24	-367.96	133.32	0.0	0.0	0.0	-7.94	466	806
467	39.3660	22.0	118.6992	42.0	3912.9	982.60	2124.27	1.24	-367.94	133.31	0.0	0.0	0.0	-8.29	467	806
468	39.3667	22.0	118.7012	42.1	3912.8	982.39	2124.34	1.24	-367.93	133.31	0.0	0.0	0.0	-8.56	468	806

PROPRIETARY

BASIC GRAVITY CORRECTIONS FOR LATITUDE, CURVATURE, FREE AIR, BOUGUER, AND TERRAIN
 BOUGUER DENSITY = 2.67 GM/CC, TERRAIN DENSITY MULTIPLIER = 1.00, NO TERRAIN CORRECTIONS APPLIED

CARSON, NEVADA

CONFIDENTIAL

This document contains confidential information which is proprietary to Union Oil Co. of Calif.

The contents of this document are not to be revealed to any person without the express written consent of Union Oil Co. of California.

STA #	LATITUDE		LONGITUDE		ELEV	OBSERVED GRAVITY	CORRECTIONS							BOUG GRAV + 900.0	STA #
	DEG	MIN	DEG	MIN			*LATITUDE *	CURV	FREE AIR	BOUG	TERRAIN		BOUG		
										INNER	OUTER	TOTAL			
469	39.3667	22.0	118.7033	42.2	3912.6	982.19	2124.34	1.24	-367.91	133.30	0.0	0.0	0.0	-8.78	469
470	39.3665	22.0	118.7050	42.3	3912.5	981.95	2124.32	1.24	-367.90	133.30	0.0	0.0	0.0	-9.01	470
471	39.3658	21.9	118.7062	42.4	3912.3	981.60	2124.26	1.24	-367.88	133.29	0.0	0.0	0.0	-9.30	471
472	39.3645	21.9	118.7077	42.5	3912.2	981.22	2124.14	1.24	-367.87	133.29	0.0	0.0	0.0	-9.58	472
473	39.3632	21.8	118.7092	42.6	3912.0	980.88	2124.03	1.24	-367.85	133.28	0.0	0.0	0.0	-9.82	473
474	39.3617	21.7	118.7100	42.6	3911.9	980.50	2123.89	1.24	-367.84	133.28	0.0	0.0	0.0	-10.06	474
475	39.3603	21.6	118.7117	42.7	3911.7	980.17	2123.77	1.24	-367.82	133.27	0.0	0.0	0.0	-10.29	475
476	39.3592	21.6	118.7127	42.8	3911.6	979.80	2123.67	1.24	-367.82	133.27	0.0	0.0	0.0	-10.56	476
477	39.3575	21.4	118.7142	42.9	3911.4	979.49	2123.52	1.24	-367.80	133.26	0.0	0.0	0.0	-10.74	477
478	39.3560	21.4	118.7153	42.9	3911.3	979.24	2123.39	1.24	-367.79	133.25	0.0	0.0	0.0	-10.86	478
479	39.3550	21.3	118.7165	43.0	3911.1	978.92	2123.30	1.24	-367.77	133.25	0.0	0.0	0.0	-11.10	479
480	39.3537	21.2	118.7177	43.1	3911.0	978.60	2123.19	1.24	-367.76	133.24	0.0	0.0	0.0	-11.23	480
481	39.3533	21.2	118.7192	43.2	3910.2	978.49	2123.15	1.24	-367.68	133.22	0.0	0.0	0.0	-11.44	481
482	39.3539	21.2	118.7203	43.2	3910.1	978.23	2123.19	1.24	-367.67	133.21	0.0	0.0	0.0	-11.75	482
483	39.3538	21.2	118.7225	43.4	3910.1	977.97	2123.19	1.24	-367.67	133.21	0.0	0.0	0.0	-12.01	483
484	39.3538	21.2	118.7243	43.5	3910.1	977.54	2123.19	1.24	-367.67	133.21	0.0	0.0	0.0	-12.44	484
485	39.3160	19.0	118.6468	38.8	3912.1	988.80	2119.85	1.24	-367.86	133.28	0.0	0.0	0.0	2.29	485
486	39.3160	19.0	118.6485	38.9	3909.1	988.30	2119.85	1.24	-367.58	133.18	0.0	0.0	0.0	1.61	486
487	39.3160	19.0	118.6502	39.0	3908.4	987.52	2119.85	1.24	-367.51	133.16	0.0	0.0	0.0	0.78	487
488	39.3160	19.0	118.6518	39.1	3907.3	987.22	2119.85	1.24	-367.41	133.12	0.0	0.0	0.0	0.42	488
489	39.3160	19.0	118.6535	39.2	3907.3	986.87	2119.85	1.24	-367.41	133.12	0.0	0.0	0.0	0.07	489
490	39.3160	19.0	118.6552	39.3	3907.3	986.45	2119.85	1.24	-367.41	133.12	0.0	0.0	0.0	-0.35	490
491	39.3160	19.0	118.6570	39.4	3907.3	985.68	2119.85	1.24	-367.41	133.12	0.0	0.0	0.0	-1.12	491
492	39.3160	19.0	118.6585	39.5	3906.9	984.76	2119.85	1.24	-367.37	133.10	0.0	0.0	0.0	-2.07	492
493	39.3163	19.0	118.6602	39.6	3909.7	983.93	2119.88	1.24	-367.64	133.20	0.0	0.0	0.0	-2.76	493
494	39.3163	19.0	118.6618	39.7	3909.1	983.20	2119.88	1.24	-367.58	133.18	0.0	0.0	0.0	-3.52	494
495	39.3163	19.0	118.6635	39.8	3909.1	982.38	2119.88	1.24	-367.58	133.18	0.0	0.0	0.0	-4.34	495
496	39.3163	19.0	118.6652	39.9	3909.1	981.65	2119.88	1.24	-367.58	133.18	0.0	0.0	0.0	-5.07	496
497	39.3163	19.0	118.6668	40.0	3909.1	980.59	2119.88	1.24	-367.58	133.18	0.0	0.0	0.0	-6.13	497
498	39.3163	19.0	118.6685	40.1	3909.1	979.95	2119.88	1.24	-367.58	133.18	0.0	0.0	0.0	-6.77	498
499	39.3163	19.0	118.6702	40.2	3909.1	979.22	2119.88	1.24	-367.58	133.18	0.0	0.0	0.0	-7.51	499
500	39.3160	19.0	118.6718	40.3	3909.1	978.45	2119.85	1.24	-367.58	133.18	0.0	0.0	0.0	-8.25	500
501	39.3160	19.0	118.6735	40.4	3909.1	977.70	2119.85	1.24	-367.58	133.18	0.0	0.0	0.0	-8.99	501
502	39.2962	17.8	118.6483	38.9	3917.8	980.41	2118.10	1.24	-368.40	133.48	0.0	0.0	0.0	-4.02	502
503	39.2953	17.7	118.6488	38.9	3917.7	979.64	2118.02	1.24	-368.39	133.47	0.0	0.0	0.0	-4.71	503
504	39.2942	17.7	118.6497	39.0	3917.6	978.98	2117.92	1.24	-368.38	133.47	0.0	0.0	0.0	-5.28	504
505	39.2933	17.6	118.6508	39.0	3917.5	978.45	2117.84	1.24	-368.37	133.47	0.0	0.0	0.0	-5.74	505
506	39.2928	17.6	118.6523	39.1	3917.4	977.93	2117.80	1.24	-368.36	133.46	0.0	0.0	0.0	-6.22	506
507	39.2925	17.5	118.6538	39.2	3917.3	977.60	2117.77	1.24	-368.35	133.46	0.0	0.0	0.0	-6.52	507
508	39.2917	17.5	118.6553	39.3	3917.2	977.47	2117.70	1.24	-368.34	133.46	0.0	0.0	0.0	-6.60	508
509	39.2910	17.5	118.6567	39.4	3917.1	977.06	2117.64	1.24	-368.33	133.45	0.0	0.0	0.0	-6.94	509
510	39.2903	17.4	118.6582	39.5	3917.0	976.82	2117.58	1.24	-368.32	133.45	0.0	0.0	0.0	-7.13	510
511	39.2898	17.4	118.6598	39.6	3916.9	976.47	2117.53	1.24	-368.31	133.45	0.0	0.0	0.0	-7.45	511
512	39.2892	17.4	118.6612	39.7	3916.8	976.25	2117.48	1.24	-368.30	133.44	0.0	0.0	0.0	-7.61	512
513	39.2885	17.3	118.6627	39.8	3916.7	975.96	2117.42	1.24	-368.30	133.44	0.0	0.0	0.0	-7.84	513
514	39.2880	17.3	118.6642	39.9	3916.6	975.86	2117.38	1.24	-368.29	133.44	0.0	0.0	0.0	-7.91	514
515	39.2875	17.3	118.6657	39.9	3916.5	975.90	2117.33	1.24	-368.28	133.43	0.0	0.0	0.0	-7.84	515
516	39.2867	17.2	118.6667	40.0	3916.4	975.97	2117.26	1.24	-368.27	133.43	0.0	0.0	0.0	-7.70	516
517	39.2863	17.2	118.6680	40.1	3916.3	976.21	2117.23	1.24	-368.26	133.43	0.0	0.0	0.0	-7.43	517
518	39.2853	17.1	118.6695	40.2	3916.2	976.43	2117.18	1.24	-368.25	133.42	0.0	0.0	0.0	-7.17	518
519	39.2853	17.1	118.6712	40.3	3916.1	976.85	2117.14	1.24	-368.24	133.42	0.0	0.0	0.0	-6.71	519
520	39.2845	17.1	118.6728	40.4	3916.0	977.14	2117.07	1.24	-368.23	133.41	0.0	0.0	0.0	-6.36	520

CONFIDENTIAL