

GL02971-39

End of  
Section 1 4600'  
1 of 2

4650'

4700'

4750'

4800'

4837' ind.  
TD

4800'

4750'

4700'

4650'

4600'

10ft/MIN

16:35

10/14/82

9230-0264

10-14-82 0120  
CHANGED TO TIME SCALE  
2"/HR GMT

10-14-82 0120  
CHANGED TO TIME SCALE  
2"/HR GMT

- 4700'

- 4800'

TD 4842'

- 4800'

10-14-82 0652  
CHANGED TO DEPTH SCALE  
50"/IN" GMT  
RATE FT/MIN = 15

- 4200'

10-14-82 0100  
CHANGED TO TIME SCALE  
2" / WK GMT

-4200'

-4700'

-4800'

TD 4842'

-4900'

-5000'

10-14-82  
0030  
CHANGED TO DEPTH SCALE  
50' / IN.  
RATE FT / MIN GMT

-4600'

10-14-82  
0030

CHANGED TO DEPTH SCALE

50' / IN'

RATE FT/HR 15 G.M.

4600'

20:47

TIME 10/13/82

18:12

15' / IN'

4600'

4630'

4680'

4730'


4780'

4830'

4880'

4930'

4980'



3200'

3000'

2800'

100 ft/MIN


2600'

2400'

2200'

2000'

1800'



1400'

1200'

1000'

900'

800'

700'

600'

500'

400'

300'

200'

200'

Injection Test 4D  
Changel Tools

10/13/82

4:45 PM

Start of Section  
1 of 2