

Cove Fort  
42-7

L. Kawensky  
B. Miller  
3/31/81  
GL04245-1

EFFICIENCY LINE No. 2636  
AMPAC

	1 Sample	2 ppb	3	4 Sample	5 ppb	6	7 Sample	8 ppb	9
1	0-100	60		3200-3300	<del>40</del> 40 (R)	40	7300-7400	20 <del>40</del>	
2	100-200	75		3300-3400	30 <del>50</del>		7400-7500	<del>45</del> (R)	45
3	200-300	55		3400-3500	<del>50</del> (R)	50	7500-7600	30	
4	300-400	<del>75</del> 70 (R)	75	3600-3700	<del>27</del> 37 (R)	30	7600-7700	35 <del>70</del>	
5	400-500	<del>35</del> 25 (R)	30	3700-3800	20 <del>15</del>		7700-7800	<del>65</del> (R)	70
6	500-600	20		3800-4000	<del>20</del> (R)	20			
7	600-700	20		4000-4100	20				
8	700-800	25		4100-4400	30				
9	800-900	15		4400-4500	<del>40</del> 45 (R)	45			
10	900-1000	<del>15</del> 15 (R)	15	4500-4600	120				
11	1000-1100	<del>15</del> 25 (R)	20	4800-4900	<del>20</del> 25 (R)	25			
12	1100-1200	<del>100</del> 110 (R)	110	4900-5000	10				
13	1200-1300	<del>15</del> 20 (R)	20	5000-5100	10 <del>60</del>				
14	1300-1400	15		5100-5200	<del>50</del> (R)	60			
15	1400-1500	20		5200-5300	<del>35</del> 40 (R)	40			
16	1500-1600	<del>35</del> 40 (R)	40	5300-5400	10				
17	1600-1700	<del>45</del> 50 (R)	50	5500-5600	15				
18	1700-1800	25		5600-5700	35				
19	1800-1900	20		5700-5800	30				
20	1900-2000	<del>25</del> 25 (R)	25	5800-5900	<del>70</del> 40 (R)	65			
21	2000-2100	30		5900-6000	<del>30</del> 30 (R)	30			
22	2100-2200	<del>55</del> 55 (R)	55	6000-6100	10				
23	2300-2400	<del>210</del> 240 (R)	230	6100-6200	15				
24	2400-2500	<del>55</del> 50 (R)	55	6200-6300	10 <del>25</del>				
25	2500-2600	40 <del>170</del>		6400-6500	<del>25</del> (R)	25			
26	2600-2700	<del>160</del> (R)	170	6500-6600	10 <del>15</del>				
27	2700-2800	120		6600-6700	<del>15</del> (R)	15			
28	2800-2900	70		6700-6800	<del>30</del> 20 (R)	20			
29	2900-3000	90		6800-6900	15				
30	3000-3100	35		6900-7000	25				
31	3100-3200	30		7000-7100	20				

PROJECT Cove fort 42-7

Blahh Sample name

no. Blk

PPHAs

AD049

1 gr / 50 ml

1	1001 FT 100				2	
2	1002 FT 200				1	
3	1003 FT 300				1	
4	1004 FT 400				<1	
5	1005 FT 500				<1	
6	1006 FT 600				<1	
7	1007 FT 700				1	
8	1008 FT 800				<1	
9	1009 FT 900				<1	
10	1010 FT 1000				<1	
11	1011 FT 1100				<1	
12	1012 FT 1200				2	
13	1013 FT 1300 <sup>21</sup>				2	
14	1014 FT 1400				3	
15	1015 FT 1500				3	
10 16	1015 FT 1500 (R)				<del>2</del>	
17	1016 FT 1600				4	
18	1017 FT 1700				2	
19	1018 FT 1800				6	
20	1019 FT 1900				5	
21	1020 FT 2000				50	
22	1021 FT 2100				40	
23	1022 FT 2200			1 ml 3.5	175	
24	1023 FT 2400			0.5 4	400	
25	1024 FT 2500			2.5 3.5	70	
26	1025 FT 2600 <sup>21</sup>			1 3.5	175	
27	1026 FT 2800			1 3.5	175	
28	1027 FT 2800			1 5	250	
29	1028 FT 3000				60	
30	1029 FT 3000			5 9	90	
31	1030 FT 3100				24	} 22
10 32	1030 FT 3100 (R)				20	
33	1031 FT 3300				25	
34	1032 FT 3300				28	
35	1033 FT 3400			2.5 4	40	
36	1034 FT 3500 <sup>21</sup>			1.5 4	133	

Continued on Page

Read and Understood By

Signed

Date

Signed

Date

