

PROJECT *Willy Bastard!* **B 23** 100' comp.

Btk

ppm As

1001 W 52
 1002 W 200
 1003 W 300
 1004 W 400
 1005 W 500
 1006 W 600
 1007 W 700
 1008 W 800
 1009 W 900
 1010 W 1000
 1011 W 1100
 1012 W 1200
 1013 W 1300
 1014 W 1400
 1015 W 1500 *BTK*
 1015 W 1500 (R)
 1016 W 1600
 1017 W 1700
 1018 W 1800
 1019 W 1900
 1020 W 2000
 1021 W 2100
 1022 W 2300
 1023 W 2400
 1024 W 2500
 1025 W 2660
 1026 W 2800
 1027 W 2900
 1028 W 3000 *BTK*
 1029 W 3100
 1030 W 3200
 1030 W 3200 (R)
 1031 W 3300 *BTK*
 1032 W 3400
 1033 W 3500
 1034 W 3600

19/50 ml

3
2
5
4
2
4
4
4
3
3
12
16
11
6
7
10
6
7
6
6
5
6
5
16
11
9
10
12
16
5
10
11
12
9
15
14

AD-33
Stom!
in sample
results

G-8
WR

Continued on Page _____

Read and Understood By _____

Signed _____

Date _____

Signed _____

Date _____

PROJECT _____

Continued From Page _____

para 1.5

38	1035 W	3760			13
39	1036 W	3900			15
40	1037 W	4000			35
41	1038 W	4100			30
42	1039 W	4200			15
43	1040 W	4300			9
44	1041 W	4400			17
45	1042 W	4500			14
46	1043 W	4660	- BIK		4
47	1044 W	4800			16
48	1045 W	4900			15
49	1045 W	4900			14
50	1046 W	5000			13
51	1047 W	5100			15
52	1048 W	5200			16
53	1049 W	5300			16
54	1050 W	5400			16
55	1051 W	5500			19
56	1052 W	5600			16
57	1053 W	5700			15
58	1054 W	5840			15
59	1055 W	5920	- BIK		14

Continued on Page _____

My Bastard - 23 +3.3

Blk						
2	20					
3	20	52	.1	g Normals	-	
4	20	200	.1		3	<15 <16
5	20	300	.1		3	<.5 <16
6	20	400	.1		3	1 33
7	20	500	.1		3	<.5 <16
8	20	600	.1		3	3.5 120
9	20	700	.1		3	.5 16
10	20	800	.1		3	1.5 33
11	20	900	.1		3	.5 16
12	20	1000	.1		3	3.5 120
13	20	1100	.077		2	8 500
14	20	1200	.1		1	7 700
	20	1300	.1		2	6 300
15	20	1400		B1		
16	20	1500	.1		2	4 200
17	20	1600	.1		2	6 300
18	20	1700	.0374		3	1.5 130
19	20	1800	.0308		3	4 430
20	20	1900	.0341		3	4 390
21	20	2000	.0448		3	3 220
22	20	2100	.0746		2	2.5 170
	20	2300	.0388		3	2 170
	20	2400				
23	20	2500	.053		3	4 250
24	20	2600	.0505		3	2 130
25	20	2700	.0569		3	<.5 <30
26	20	2800	.0627		3	<.5 <26
27	20	2900	.051		3	<.5 <33
28	20	3000	.0403	B1		
29	20	3100	.1		3	<.5 <41
30	20	3200	.1		3	<.5 <16
31	20	3300	.1		3	.5 16
32	20	3400	.0731		3	4 180
33	20	3500	.1		3	3.5 120
34	20	3600	.0315		3	<.5 <53
35	20	3700	.1		3	<.5 <16
	20	3900	.1		2	15 750

AD034
Stored in
solution

4-8
x
3

PROJECT _____

Continued From Page _____

				mls		ppm	
36	2037W	4000	.1 g/100mls	1	17	1700	
37	2038W	4100	.1	2	7	350	
38	2039W	4200	.1	3	4.5	416	
39	2040W	4300	.1	3	4.5	416	
40	2041W	4400	.1	2	5	250	
41	2042W	4500	.1 BI	3	4.5	416	
42	2043W	4660	.1	3	4.5	416	
43	2044W	4800	.1	3	1.5	50	
44	2045W	4900	.1	3	2	65	
48	2046W	5000	.1	3	4.5	416	
49	2047W	5100	.1	3	3	100	
50	2048W	5200	.1	3	2.8	65	
51	2049W	5300	.1	3	4.4	130	
52	2050W	5400	.1	3	4.5	416	
53	2051W	5500	0.637	3	2	105	
54	2052W	5600	.1	3	5	165	
55	2053W	5700	.1	3	4	130	
56	2054W	5840	.1	3	6	200	
57	2055W	5920	.1	3	5	165	
	2056W	5					

Continued on Page _____