

# PRUETT WIRELINE SERVICE

8915 ROSEDALE HWY., BAKERSFIELD, CA 93308  
(805) 589-2768




## SUB-SURFACE TEMPERATURE SURVEY

GL04388\_7

COMPANY Chevron Resources FIELD Beowawe WELL NAME 85-18  
 TOTAL DEPTH --- WELL STATUS Static BOMB HUNG @ none DATE 9-16-80  
 CASING 2 3/8" @ 5922' CASING PRESSURE --- TIME ON BOTTOM 3:01 ELEMENT RANGE 100-580'  
 LINER --- TUBING PRESSURE --- TIME OFF BOTTOM 3:07 ZERO POINT 13'  
 PERFORATIONS --- ZONE --- SHUT IN --- ELEVATION ---  
 MPP --- MAX. °F 353.89° ON PRODUCTION --- PICKUP 5910'  
 TUBING DETAIL --- PURPOSE Traverse Temperature Survey

### TEMPERATURE



### SURVEY DATA

DEPTH	TEMP.	DEPTH	TEMP.	DEPTH	TEMP.	DEPTH	TEMP.	DEPTH	TEMP.	DEPTH	TEMP.
100	157.68	1080	201.05	2060	344.42	3040	323.37	4020	318.74	5000	318.32
120	159.79	1100	206.74	2080	344.42	3060	323.37	4040	318.53	5000	318.32
140	165.26	1120	213.26	2100	344.42	3080	323.16	4060	318.53	5020	318.53
160	171.37	1140	219.37	2120	344.42	3100	323.16	4080	318.32	5040	318.53
180	177.89	1160	224.00	2140	344.42	3120	323.16	4100	318.32	5060	318.53
200	177.89	1180	229.89	2160	343.79	3140	323.16	4120	318.32	5080	318.53
220	180.42	1200	235.79	2180	343.37	3160	323.16	4140	318.32	5100	318.53
240	182.13	1220	242.74	2200	342.74	3180	323.16	4160	318.32	5120	318.74
260	183.79	1240	248.84	2220	342.32	3200	323.16	4180	318.32	5140	318.74
280	185.05	1260	252.63	2240	341.68	3220	323.16	4200	318.11	5160	318.74
300	186.53	1280	258.95	2260	341.47	3240	323.16	4220	318.11	5180	318.74
320	188.63	1300	266.11	2280	340.84	3260	323.16	4240	318.11	5200	318.74
340	189.05	1320	272.63	2300	339.79	3280	323.16	4260	318.11	5220	318.74
360	189.89	1340	277.26	2320	339.16	3300	323.16	4280	318.11	5240	318.95
380	190.74	1360	282.11	2340	338.32	3320	323.16	4300	318.11	5260	318.95
400	191.58	1380	287.79	2360	337.68	3340	323.16	4320	318.11	5280	318.95
420	191.58	1400	293.26	2380	337.05	3360	323.16	4340	318.11	5300	318.95
440	190.74	1420	299.16	2400	336.42	3380	323.16	4360	318.11	5320	318.95
460	187.16	1440	304.42	2420	335.79	3400	323.16	4380	318.11	5340	318.95
480	182.11	1460	310.11	2440	335.16	3420	323.16	4400	318.11	5360	318.95
500	174.53	1480	314.74	2460	334.74	3440	323.16	4420	318.11	5380	318.95
520	168.42	1500	319.58	2480	334.32	3460	323.16	4440	318.11	5400	318.95
540	162.74	1520	324.42	2500	333.47	3480	323.16	4460	318.11	5420	318.95
560	156.42	1540	328.84	2520	332.63	3500	322.32	4480	318.11	5440	318.95
580	152.63	1560	333.05	2540	331.79	3520	321.89	4500	318.11	5460	318.95
600	149.47	1580	336.21	2560	331.37	3540	321.89	4520	318.11	5480	318.95
620	146.32	1600	338.74	2580	330.32	3560	321.68	4540	318.11	5500	319.16
640	143.58	1620	341.05	2600	329.68	3580	321.47	4560	318.11	5520	319.37
660	141.26	1640	343.16	2620	329.05	3600	321.26	4580	318.11	5540	319.37
680	139.37	1660	345.47	2640	329.05	3620	321.36	4600	318.11	5560	319.58
700	137.47	1680	347.37	2660	329.05	3640	321.05	4620	318.11	5580	319.79
720	137.05	1700	349.47	2680	328.84	3660	321.05	4640	318.11	5600	319.79
740	137.47	1720	351.37	2700	328.63	3680	321.05	4660	318.11	5620	320.00
760	137.89	1740	352.21	2720	328.63	3700	320.84	4680	318.11	5640	320.00
780	138.74	1760	353.05	2740	328.42	3720	320.84	4700	318.11	5660	320.21
800	139.79	1780	353.68	2760	328.21	3740	320.63	4720	318.11	5680	320.21
820	142.74	1800	353.68	2780	327.79	3760	320.63	4740	318.11	5700	320.42
840	146.74	1820	353.47	2800	327.37	3780	320.42	4760	318.11	5720	320.42
860	150.74	1840	353.26	2820	327.37	3800	320.42	4780	318.11	5740	320.42
880	154.53	1860	353.26	2840	327.16	3820	320.21	4800	318.11	5760	320.63
900	157.68	1880	353.89	2860	327.16	3840	320.21	4820	318.11	5780	320.63
920	162.32	1900	353.84	2880	327.16	3860	320.00	4840	318.11	5800	320.84
940	167.37	1920	348.42	2900	326.74	3880	320.00	4860	318.11	5820	320.84
960	171.79	1940	347.16	2920	326.32	3900	320.00	4880	318.11	5840	320.84
980	176.84	1960	346.53	2940	326.32	3920	320.00	4900	318.11	5860	321.05
1000	181.47	1980	345.11	2960	326.11	3940	319.79	4920	318.11	5880	321.05
1020	185.47	2000	345.05	2980	325.47	3960	319.58	4940	318.11	5900	321.05
1040	189.47	2020	344.63	3000	324.63	3980	319.16	4960	318.11	5910	321.05
1060	192.42	2040	344.42	3020	323.79	4000	318.95				

Survey traversed 20' per minute.

C Skenfield