

Produced By  
*Geological Log Service*  
 Houston, Texas 77001

REFERENCE K 367X




AGNEW AND SWEET

SUBSURFACE TEMPERATURE SURVEY

14-2

WELL NO. 14-2  
 DEPTH 1000 FT  
 DATE 12/15/54  
 TIME 11:25 AM  
 LOCATION 151 1576  
 STATIC TEMPERATURE SURVEY  
 CONTROL POINTS  
 100 1000  
 100 100



SUB-SURFACE TEMPERATURE DATA

DEPTH	TEMP °F	DEPTH	TEMP °F	DEPTH	TEMP °F	DEPTH	TEMP °F	DEPTH	TEMP °F
0	106.0	106.0	346.4	212.0	435.2	316.0	481.1	420.0	485.9
20		1100	349.4	214.0	425.2	318.0	481.3	422.0	485.9
40	156.0	1100	353.6	216.0	425.3	320.0	481.3	424.0	485.9
60	192.2	1120	356.9	218.0	425.7	322.0	481.6	426.0	485.9
80	192.8	1140	358.7	220.0	426.0	324.0	481.6	428.0	485.9
100	193.4	1160	362.0	222.0	426.3	326.0	481.6	430.0	486.2
120	197.1	1180	365.0	224.0	426.6	328.0	481.6	432.0	486.2
140	199.6	1200	367.7	226.0	426.6	330.0	481.6	434.0	486.5
160	201.8	1220	369.8	228.0	427.1	332.0	481.6	436.0	486.5
180	203.0	1240	372.8	230.0	427.6	334.0	481.9	438.0	486.5
200	204.0	1260	375.8	232.0	427.9	336.0	482.1	440.0	486.5
220	205.2	1280	379.7	234.0	428.2	338.0	482.1	442.0	487.0
240	207.7	1300	382.8	236.0	428.4	340.0	482.1	444.0	487.0
260	213.0	1320	386.3	238.0	429.0	342.0	482.1	446.0	487.0
280	218.8	1340	388.3	240.0	429.3	344.0	482.4	448.0	487.3
300	223.5	1360	391.0	242.0	429.8	346.0	482.4	450.0	487.3
320	225.8	1380	393.7	244.0	430.3	348.0	482.4	452.0	487.5
340	226.3	1400	395.6	246.0	430.9	350.0	482.4	454.0	487.8
360	228.1	1420	398.0	248.0	431.7	352.0	482.7	456.0	487.8
380	228.2	1440	400.0	250.0	432.5	354.0	482.7	458.0	487.8
400	231.0	1460	402.4	252.0	432.5	356.0	482.7	460.0	488.1
420	241.0	1480	404.1	254.0	433.3	358.0	482.9	462.0	488.1
440	244.4	1500	407.7	256.0	433.6	360.0	483.3	464.0	488.1
460	250.8	1520	409.9	258.0	434.1	362.0	483.5	466.0	488.6
480	255.1	1540	411.5	260.0	434.4	364.0	483.5	468.0	488.6
500	258.2	1560	412.7	262.0	434.9	366.0	483.5	470.0	488.6
520	261.0	1580	413.2	264.0	435.7	368.0	483.5	472.0	488.6
540	264.4	1600	415.9	266.0	436.7	370.0	483.8	474.0	488.9
560	273.5	1620	418.0	268.0	437.3	372.0	483.8	476.0	488.9
580	277.2	1640	419.4	270.0	437.4	374.0	484.0	478.0	488.9
600	278.3	1660	419.2	272.0	437.4	376.0	484.0	480.0	489.0
620	278.3	1680	418.1	274.0	437.4	378.0	484.0	482.0	489.0
640	281.0	1700	419.2	276.0	437.2	380.0	484.0	484.0	489.2
660	282.8	1720	419.8	278.0	437.4	382.0	484.3	486.0	489.2
680	283.8	1740	420.8	280.0	437.7	384.0	484.6	488.0	489.2
700	284.8	1760	420.8	282.0	437.7	386.0	484.6	490.0	489.2
720	284.8	1780	420.9	284.0	437.7	388.0	484.6	492.0	489.2
740	285.1	1800	421.1	286.0	437.7	390.0	484.6	494.0	489.2
760	285.7	1820	421.4	288.0	437.8	392.0	484.8	496.0	489.2
780	286.3	1840	421.7	290.0	437.8	394.0	484.8	498.0	489.2
800	286.9	1860	422.0	292.0	437.8	396.0	484.8	500.0	489.2
820	287.6	1880	422.6	294.0	437.5	398.0	484.8	502.0	489.4
840	287.6	1900	423.5	296.0	437.6	400.0	485.1	504.0	489.4
860	287.9	1920	423.8	298.0	437.6	402.0	485.1	506.0	489.4
880	287.9	1940	423.8	300.0	437.6	404.0	485.1	508.0	489.4
900	287.9	1960	423.8	302.0	437.6	406.0	485.1	510.0	489.4
920	287.9	1980	423.8	304.0	437.6	408.0	485.1	512.0	489.4
940	287.9	2000	423.8	306.0	437.6	410.0	485.1	514.0	489.4
960	287.9	2020	423.8	308.0	437.6	412.0	485.1	516.0	489.4
980	287.9	2040	423.9	310.0	437.6	414.0	485.1	518.0	489.4
1000	287.9	2060	424.1	312.0	437.6	416.0	485.1	520.0	489.4
1020	287.9	2080	424.4	314.0	437.6	418.0	485.1	522.0	489.4
1040	287.9	2100	424.7						