

10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100

Sample Number	Description	T °C	GPM	Mg	K	Ca	Na	SiO ₂	Li	B	SO ₄	Cl	F	CO ₂	HCO ₃	PPB Mo	PPB Cu	ph	T °C No SiO ₂ Steam	T °C No SiO ₂ Steam	T °C No SiO ₂ Steam	T °C No SiO ₂ Steam	R	T °C No K Ca	T °C No K Ca	T °C No K Ca, Mg
W10983	Cain C.S. 24-40-5C	18	25	18	11	70	37	10	0	0	60	28	0.1	0	184	0	07.75	39	47	7	-65	28	64	---		
W11172	Warm Spg 22-38-2	24	20	0	0.6	4	130	33	0	0.4	75	45	0.7	0	139	15	07.78	83	87	52	-30	--	48	---		
W11173	Shoshone Meadows WS 22-38-2-da	24	1	1.5	9	30	270	48	0.1	0.6	250	140	0.9	0	21	20	08.28	100	101	70	-16	7	98	---		
W14750	Water Well 22-39-32-b	27	50	10	18	40	77	85	0.1	0.4	98	31	1.1	0	206	20	7	7.6	128	125	100	9	205	---		
W14991	Hole-In-Wall Well #2 23-39-2-ad	20.5	3	7.8	7.7	50	78	48	--	0.4	87	78	0.5	0	120	6	47.5	100	101	70	-16	19	68	---		
W14992	McCoy Mine Well	42.5	25	8.7	15	43	230	40	0.3	1.3	47	24	4.2	0	580	2	<27.2	92	94	61	-23	22	157	77		
W13453	Hole 66-8 1630 ft.	62.0		2.6	21	6.6	160	120	0.7	1.3	100	38	5.6	72	144	710	69.4	148		122	26	20	205	95		
W13454	Hole 66-8 2050 ft.			16.0	14	9.6	98	75	0.4	1.0	100	31	3.0	24	142	1400	29.1	122		93	3	61	197	---		
W13455	Hole 66-8 2050 ft.			14.0	14	8.0	110	65	0.4	1.0	87	32	4.4	44	154	210	<29.0	115		86	-3	60	194	---		
W13456	Hole 66-8 2410 ft.			18.0	14	6.0	110	62	0.5	0.9	80	31	4.1	20	204		9.0	112		83	-5	69	197	---		
W14995	Hole 25-9 1640 ft. 22-40-9	44.4	25	20	14	8.4	85	17	0.3	0.8	64	29	2.9	12	182	35	18.7	57	64	25	-51	68	204	---		
W14996	Hole 25-9 1840 ft. 22-40-9	47.8	30	16	11	19	69	25	0.2	0.5	75	34	1.7	0	158	65	18.2	73	77	40	-39	52	100	---		
W14997	Hole 25-9 2000 ft. 22-40-9	54.4	30	29	12	34	58	35	0.1	0.4	86	45	1.0	0	156	--	18.2		89	55		54	87	---		
W14998	Hole 38-9 550 ft.	34.4	25	13	18	24	230	44	0.3	1.2	58	22	4.2	28	472	5	8.4	96	97	66	-19	39	171	33		
W14999	Hole 38-9 1200 ft.	46.7	100	11	16	33	230	35	0.3	1.2	53	23	4.2	0	538	2	7.9	86	89	55	-28	31	163	52		
W15000	Hole 38-9 1300 ft.	46.7	150	12	16	35	230	35	0.3	1.2	57	23	4.2	0	530	4	7.8	86	89	55	-28	31	162	50		
W10950	Cold Spgs. 21-39-18-cc	15	1	1.5	7	35	52	87	0.2	0	50	24	2.0	0	117	6	07.9	130	126	103	10	6	68	---		
W10951	Well 21-38-22-dd	25	--	8.3	2.8	60	51	24	0	0.3	90	26	0.3	0	138	50	27.9	70	75	39	-40	18	33	---		
W10952	Cold Spgs 19-37-12-dd	17	--	3.9	3.7	24	47	41	0	0	44	19	0.1	0	102	0	07.31	93	95	62	-22	20	56	---		
W1605	Clan Alpine WS	19	--	3.0	1.3	17	15	24	0	0.4	12	12	0.2	0	46	3	27.00	70	75	39	-44	22	25	---		
W1624	Hoyt Mine CS	10	10	20.0	3.0	130	180	17	0	1.2	550	17	0.5	0	328	3	07.91	57	64	25	-51	60	32	---		
W14993	Well 21-39-3-bb	14.5	5	2.1	9.4	23	110	80	0.1	0.6	80	39	1.3	0	178	15	50	8.0	125	122	97	6	11	95	---	
W14994	Well 21-39-2	15.5	5	2.7	4.8	14	71	61	--	0.3	42	26	0.8	0	130	10	<2	7.6	111	111	82	-6	21	79	---	
W10984	Well 25-42-9-dd	14	--	18	7	120	97	32	0	0.2	180	140	0.5	0	180	3	0	7.5	82	85	51	-31	19	50	---	
W11004	Big Antelope CS 22-41	15	10	7	6.1	32	40	56	0	0.2	31	19	0.3	0	120	4	0	7.81	107	107	78	-9	25	63	---	
W11596	Cold Well	17	0	9	6.6	46	81	52	0.1	0.4	50	53	1.9	0	176	20	0	7.69	104	104	74	-12	23	65	---	
W11597	Caterpillar Well	16	1200	14	6.9	47	42	70	0	0.4	60	56	0.5	0	135	10	0	7.88	118	117	90	0	31	59	---	
W10759	Warm Spgs 24-35-36a	29.5	1	24	4.2	44	400	25	0.1	1.0	190	550	0.8	0	180	10	0	8.3	72	77	40	-39	46	68	44	
W10767	26-38-29-dc	33	1	22	30	130	170	56	0.8	1.3	460	84	5.6	0	278	2	0	7.39	107	107	78	-9	20	101	86	
W10768	7 Devils W. Well 26-38-32-cb	20	--	62	19	230	150	70	0.2	0.8	180	550	0.4	0	180	3	0	7.35	118	117	90	0	30	71	--	
W10769	Hyder H.S. 25-38-28-cb	78	50	9.5	22	24	350	68	1.9	4.0	125	50	8.4	31	665	2	0	8.59	117	115	88	-1	31	167	52	
W10770	Lower Ranch H.S. 25-39-16-bc	40	20	13	11	43	140	39	0.3	1.0	65	28	3.3	0	377	4	0	7.41	91	93	60	-24	31	89	63	
W10771	McCoy H.S. 26-39-33-bc	46.5	5	37	9.2	110	220	38	0.2	0.8	210	300	1.4	0	280	7	0	7.08	89	92	59	-25	35	68	64	
W10772	Hot Sprgs. 26-40-19-ab	40.5	1	18	22	80	240	31	0.8	0.8	100	38	7.2	0	677	2	0	6.75	81	84	49	-32	25	170	70	
W10802	Warm Spg. 25-39-19-bb	29.5	15	18	11	90	160	34	0.4	1.5	130	35	2.9	0	466	2	0	7.1	85	88	54	-29	24	74	--	
W10988	Hole-In-Wall W.S. 24-38-24	24	10	20	16	160	260	56	0.5	1.7	500	62	1.9	0	370	10	0	7.53	107	107	78	-9	16	79	--	