

ΔT Well No. 14-7

Property-Project McCoy Depth Logged 340 m  
 Map Shoshone Meadows Scale 15' Date: Drilled 25/5/80 Logged 30/6/80  
 State Nevada County Churchill of SW of NW of Sec 7 T R  
 Instrument #30 Operator CT & DP Elevation 4560 (ft/m)  
 Comments Probe to end of cable

RT JUSTIFY

Date Logged

Proj No	Well No	DA	MO	YR	*
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20					
864	14-730	6	80	C	M

\*19-Write F if Fahrenheit, 20-Write F if Feet

Card A

Site Description	Operator	Editor	DA	MO	YR
21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68					
2 Km SE Hole in wall well #2	CT	DP	25	5	80

(Approx. location, water well?, oil test?, etc.)

Map Location \* \*

Scale Unit IN CM Map Size (75, 15, 60) Degree Min Degree Min \*\*

21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50					
15.0	39.	45.0	117.	45.0	

Use decimals

Northing Easting Elev

51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80			
22.3	29.9	4560.	F

Use decimals

Write M if meters

Measure from SW corner of map; except AMS sheets measure from bottom center degree mark (W,-)(E,+)

Segment 1 = Depths

Start	End	Conductivity K	ΔK	Best cond. (-K)
21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50				

Downward extrapolations (-ΔK)

Segment 2 Start →

Segment 3 Start →

Segment 4 Start →

Segment 5 Start →

Segment 6 Start →

Segment 7 Start →

Segment 8 Start →

Segment 9 Start →

Segment 10 Start →

After final segment Start = .999

Date Logged: 30/6/80ΔT Well No. 14-7

Depth (meters)	Instr. Reading	Temp. °C	ΔT	Grad. °C/km	K (Est.)	H <sub>2</sub> O Air	Lithology, etc.
25	86.11	25.67					
30	82.10	26.98					
35	77.48	28.56					
40	73.00	30.18					
45	68.94	31.73					
50	64.94	33.34					
55	61.10	34.98					
60	57.44	36.64					
65	53.83	38.38					
70	50.51	40.09					
75	47.20	41.90					
80	43.98	43.80					
85	41.51	45.36					
90	39.28	46.84					
95	37.28	48.25					
100	35.40	49.65					
5	33.65	51.02					
10	32.15	52.26					
15	30.76	53.47					
20	29.52	54.59					
25	28.33	55.72					
30	27.72	56.31					
35	26.86	57.18					
40	26.23	57.83					
45	25.76	58.33					
50	25.43	58.69					
55	25.16	58.98					

K=Conductivity

page 1 of 3

