

T6C3

U.S. Geol.

United States Department of the Interior
Geological Survey

A NEW HEAT-FLOW CONTOUR MAP OF THE CONTERMINOUS UNITED STATES

by

J. H. Sass, W. H. Diment, A. H. Lachenbruch, B. V. Marshall,
R. J. Munroe, T. H. Moses, Jr., and T. C. Urban

Open-File Report 76-756

1976

This report is preliminary and has not been edited or reviewed
for conformity with Geological Survey standards and nomenclature.

This report presents a series of maps depicting our interpretation of the heat flow within the conterminous United States based on all the data available to the U.S. Geological Survey (USGS) as of August 1976. Sources include all published data and about a hundred new USGS values currently being readied for publication.

Figure 1 shows the distribution of points. The dots are USGS values, and the circles, those published by other institutions. For completeness, points in northern Mexico, southern Canada, and the Pacific coastal waters are included. A few points were left off the map. These included sites where the temperature profile showed curvature not related to changes in thermal conductivity and sites within a 3-km radius of hot springs or other currently active hydrothermal manifestations. Because of problems associated with the scale of the map, we have occasionally generalized one value from a number within a small area. In other instances where a sharp transition occurs over a short distance, one point is offset to show clearly the control for the transition.

In Figure 2, observed heat-flow data (q) are shown as coded symbols with state boundaries and latitudes and longitudes as points of reference.

Figure 3 shows our interpretation of the heat-flow field as a contour map. Our aim was to produce a map that was as objective as possible, and in general, we were guided by the heat flow alone without reference to other geological or geophysical quantities; however in

drawing the contours in areas of spotty control, we were guided by thermal criteria such as the presence or absence of hot springs. Figure 3a shows the contours for the entire continental United States, and Figure 3b, for the western part of the country where most of the thermal structure is found.

Figure 4 shows the reduced heat flow (q_r) plotted on a base adapted from the physiographic map of Fenneman (1946). The reduced heat flow (see e.g., Roy and others, 1972) is defined by $q_r = q - DA_o$ where q = surface heat flux, A_o , the observed radioactivity, and D , an empirically determined constant for a given heat-flow province. For the United States west of the Great Plains, D is 10 km and for eastern United States, D was taken as 7.5 km (cf. Roy and others, 1968a; Birch and others, 1968). Figures 2 and 4 represent an updating and revision of Figures 9 and 10 of Diment and others (1975). The sources of individual points (with the exception of the unpublished USGS data which are now being readied for publication) may be obtained from Table 1 which lists published data by state, physiographic province, and geographic location.

TABLE 1. Locations, heat flow (q , HFU) and heat production (A , HGU)
for published values plotted on Figures 1 through 4

	q	A
U.S.A. -- ALABAMA		
AL AP TDI TALLADEGA	RO 68 33-16 86-01	0.95
U.S.A. -- ARIZONA		
AZ BR SRM SANTA RITA MTS. A719	RO 68 31-50 110-45	2.06
AZ BR HVI HELVETIA A729	RO 68 31-52 110-48	1.78 3.8
AZ BR CNT CONTINENTAL A972	RO 68 31-53 111-00	2.47
AZ BR TB2 TWIN BUTTES A940	US 71 31-53 111-02	1.56
AZ BR TB3 TWIN BUTTES A616	US 71 31-53 111-02	1.88 5.30
AZ BR SRI SIERRITA MTS.	RO 68 31-53 111-08	2.0 7.7
AZ BR TB4 TWIN BUTTES A911	US 71 31-54 111-02	1.98
AZ BR TB5 TWIN BUTTES A644	US 71 31-54 111-03	2.10 5.3
AZ BR HPI HELMET PEAK A545	US 71 31-58 111-04	2.14
AZ BR MNI MISSION 106	RO 68 31-59 111-04	2.98
AZ BR DRI DRAGOON UCSD 4	WA 69 32-02 110-04	1.58 3.1
AZ BR DRI DRAGOON UCSD 4	WA 69 32-02 110-04	1.58 3.1
AZ BR AJ1 AJO	RO 68 32-06 112-45	2.4 6.0
AZ BR KCL TUCSON KCL-7	US 71 32-11 111-07	2.56
AZ BR SBI SILVER BELL 0151	RO 68 32-25 111-32	2.36
AZ BR RRI RED ROCK D-9-7	US 71 32-36 111-36	0.85
AZ BR SM2 SAN MANUEL	LO 48 32-37 110-39	1.2
AZ BR OR1 ORACLE UCSD-3	WA 69 32-37 110-48	1.85 5.7
AZ BR SM1 SAN MANUEL	US 71 32-40 110-42	1.54 6.00
AZ BR YU2 YUMA LCRP-13	US 71 32-41 114-37	2.10
AZ BR YU3 YUMA LCRP-26	US 71 32-44 114-37	1.92
AZ BR EL1 ELOY D-7-8	US 71 32-47 111-29	1.30
AZ BR CHI CHRISTMAS MINE SM-1	US 71 33-02 110-41	1.40 1.50
AZ BR RW1 RAINBOW VALLEY UCSD-2	WA 69 33-11 112-39	2.41
AZ BR BC1 BUCKEYE HILLS UCSD-1	WA 69 33-17 112-38	3.42
AZ BR HGI HIGLEY D-1-6	US 71 33-19 111-43	1.70
AZ BR TM1 TEMPE A-1-3	US 71 33-25 112-01	1.10
AZ BR PH1 PHOENIX ST-1	US 71 33-32 112-20	3.00
AZ BR QZ1 QUARTZSITE	RO 68 33-38 114-20	2.4 10.7
AZ BR BG2 BAGDAD 13-64	RO 68 34-35 113-11	1.64
AZ BR BG1 BAGDAD 8-62	RO 68 34-36 113-12	1.6 6.6
AZ BR HLI HUALAPAI MTS.	RO 68 35-08 113-49	2.14 2.0
AZ BR WHL WHITE HILLS	RO 68 35-43 114-22	2.82
U.S.A. -- CALIFORNIA		
CA SB ET1 EL CENTRO PO	HE 68 32-36 116-36	0.80
CA SB ET2 EL CENTRO DU	HE 68 32-37 116-45	1.40
CA SB ET3 EL CENTRO JA	HE 68 32-40 116-07	1.50
CA SB ET4 EL CENTRO LO	HE 68 32-41 116-22	1.20
CA SB ET5 EL CENTRO CW	HE 68 32-43 115-57	1.90
CA BR IV1 IMPERIAL VALLEY UCR 127	CO 71 32-46 115-14	2.6
CA BR IV2 IMPERIAL VALLEY UCR 116	CO 71 32-47 115-15	4.9
CA BR IV3 IMPERIAL VALLEY UCR 123	CO 71 32-47 115-15	3.8
CA BR IV4 IMPERIAL VALLEY UCR 122	CO 71 32-48 115-15	3.3
CA BR IV5 IMPERIAL VALLEY UCR 124	CO 71 32-48 115-15	2.9
CA BR IV6 IMPERIAL VALLEY UCR 125	CO 71 32-49 115-14	2.1
CA BR IV7 IMPERIAL VALLEY UCR 126	CO 71 32-50 115-15	2.9
CA FS ET6 EL CENTRO SV	HE 68 32-52 116-34	1.10
CA FS AZ1 ANZA A-1	HE 68 33-30 116-36	1.87 3.60
CA FS AZ2 ANZA A-3	HE 68 33-32 116-36	1.76 2.80
CA SB AZ3 ANZA A-2	HE 68 33-32 116-48	1.46 2.20
CA BR CK3 EAGLE MT. CK-3	US 71 33-52 115-26	1.29 4.00
CA FS LB1 L. A. BASIN LB-1	US 71 33-53 118-02	1.74
CA FS AC1 SANTA ANA AC-1	US 71 33-58 117-38	1.60 3.40
CA FS SB2 SAN BERNADINO SB-2	HE 68 34-15 117-19	1.63
CA FS SB3 SAN BERNADINO SB-10	HE 68 34-15 117-20	1.58 3.70
CA FS SB4 SAN BERNADINO SB-5	HE 68 34-16 117-20	1.08
CA BR LC1 LUCERNE VALLEY LV-1	HE 68 34-37 116-43	1.65 3.1
CA BR BRW BARSTOW M10.11	RO 68 34-39 116-41	1.6

TABLE 1. Locations, heat flow (q , HFU) and heat production (A , HGU)
for published values plotted on Figures 1 through 4 (continued)

		<u>q</u>	<u>A</u>
CA FS LH3 LAKE HUGHES LH-3	HE 68 34-39 118-29	1.68	2.60
CA FS LH2 LAKE HUGHES LH-2	HE 68 34-41 118-26	1.56	3.40
CA FS LM1 LAKE HUGHES LM-1	HE 68 34-44 118-24	1.72	8.70
CA FE TE1 TEHACHAPI MT. DH15A	HE 68 34-51 118-44	1.48	
CA FE TE2 TEHACHAPI MT. DH-70	HE 68 34-52 118-45	2.21	
CA FE TE3 TEHACHAPI MT. DH-14	HE 68 34-52 118-45	2.03	7.70
CA FE TE4 TEHACHAPI MT. DH-43	HE 68 34-53 118-46	2.02	2.10
CA FE TE5 TEJON RANCH DH-43	US 71 34-53 118-46	1.83	
CA FE TE6 TEHACHAPI MT. DH-65,67	HE 68 34-56 118-49	1.30	1.10
CA FE TE7 TEJON RANCH DH-65,67+6	US 71 34-56 118-49	1.36	
CA FE EH1 ELK HILLS 382-36	US 71 35-16 119-23	1.26	
CA FE EH2 ELK HILLS 343-36	US 71 35-16 119-24	1.12	
CA FE EH3 ELK HILLS 344-355	US 71 35-17 119-22	1.20	
CA FE EH4 ELK HILLS 372-35R	US 71 35-17 119-28	1.30	
CA FE EH5 ELK HILLS 326-28R	US 71 35-17 119-31	1.26	
CA FE EH6 ELK HILLS 385-24Z	US 71 35-18 119-33	1.20	
CA FE EH7 ELK HILLS 366-24Z	US 71 35-18 119-34	1.00	
CA FW TS1 LA PANZA TS-1	US 71 35-26 120-30	2.21	5.40
CA FW WB1 WEST OF BAKERSFIELD	BE 47 35-28 119-45	1.29	
CA BR CO3 COSO AREA	CO 75 36-03 117-46	10.3	
CA FW HT3 HOLLISTER HO-3	HE 68 36-32 121-40	1.20	
CA FW HT5 HOLLISTER HO-5	HE 68 36-35 121-27	1.90	
CA FW HT1 HOLLISTER HO-1	HE 68 36-43 121-24	1.71	3.40
CA FW HT4 HOLLISTER HO-4	HE 68 36-48 121-20	2.30	
CA FW HT6 HOLLISTER HO-6	HE 68 36-50 121-17	2.30	
CA FW HT2 HOLLISTER HO-2 & 7	HE 68 36-53 121-35	1.70	
CA FW HT7 HOLLISTER HO-8	HE 68 36-55 120-58	1.40	
CA SN JB1 JOSE BASIN	US 71 37-06 119-23	0.77	3.7
CA SN SJR SAN JOAQUIN EX. RANGE	US 71 37-06 119-44	0.61	2.1
CA SN HC1 HELMS CREEK	US 71 37-08 118-59	1.30	9.0
CA SN ST1 SHERMAN THOMAS	US 71 37-10 120-04	0.45	0.70
CA FE PRM PERMANENTE	US 71 37-19 122-07	2.20	
CA BR DSP DEEP SPRINGS	US 71 37-24 118-00	1.80	3.4
CA FE SE1 SUNNYVALE C-3	US 71 37-27 122-02	2.02	
CA FE MP1 MENLO PARK MP-1	US 68 37-27 122-10	2.16	
CA FE DM1 DUMBARTON S.F. BAY	US 71 37-29 122-08	2.25	
CA BR BRK BLACK ROCK	US 71 37-41 118-32	2.00	
CA FE TR1 TRACY DH-2	US 71 37-48 121-35	0.96	
CA FE MST BERKELEY MSTW	US 71 37-52 122-15	2.00	
CA SN OM1 OMO RANCH	RO 68 38-33 120-34	0.72	
CA SN WR1 WRIGHT'S LAKE	RO 68 38-50 120-15	0.83	4.70
CA SN LO1 LOOMIS	RO 68 38-50 121-10	0.62	1.80
CA SN BL1 BLODGETT	RO 68 38-52 120-39	1.06	6.40
CA SN ADM AUBURN DAM	US 71 38-52 121-03	0.70	
CA SN LK1 LOON LAKE	RO 68 38-59 120-19	1.25	6.8
CA SN GR1 GRASS VALLEY	CL 57 39-12 121-03	0.69	3.20
CA SN SJ1 SAN JUAN RIDGE	US 71 39-24 120-52	0.69	1.70
CA FE FBG FORT BRAGG	US 71 39-26 123-44	2.00	
CA FE WL WILLITTS EC-1	US 71 39-34 123-07	1.85	
CA CR EG7 COTTONWOOD GLADE EG-7	US 71 39-42 122-48	1.20	2.80
CA CR EG8 COLD CREEK EG-8	US 71 39-42 122-53	1.50	2.40
CA BS MLV MOONLIGHT VALLEY	US 71 40-13 120-48	1.93	10.50
U.S.A. -- COLORADO			
CO RM TII TRINIDAD WI	RE 75 37-13 104-43	4.69	
CO RM HS1 HESPERUS DDH-1	RO 68 37-23 108-04	2.08	
CO RM SMH SUMMITVILLE DDH-SM31	DB 74 37-26 106-36	2.46	
CO CP DV1 DOVE CREEK DDH-8,9	DB 74 37-47 108-46	2.17	
CO CP OV2 DOVE CREEK DDH-K1	DB 74 37-47 108-51	2.99	
CO RM SNI STLVERTON	RE 75 37-48 107-37	2.22	
CO RM OUI OURAY DDH-1	DB 74 37-56 107-40	3.7	
CO RM MAK MARY ALICE CREEK	RE 75 38-03 107-30	3.44	

TABLE 1. Locations, heat flow (q , HFU) and heat production (A , HGU)
for published values plotted on Figures 1 through 4 (continued)

	q	A
CO RM NE1 NELLIE CREEK	RE 75 38-04	107-23
CO RM WJ1 WESTCLIFFE DDH=3+4+9+1	DB 74 38-08	105-27
CO CP ATI ATKLUISON MESA	RE 75 38-12	108-49
CO RM WTI WETMORE #1	RE 75 38-14	105-05
CO RM GK1 GEM PARK DDH=3+4	DB 74 38-16	105-32
CO CP WSM WILD STEER MESA	RE 75 38-26	108-46
CO RM CCY CANON CITY DDH=1	RO 68 38-30	105-20
CO RM CUP CUMBERLAND PASS DDH=CP2	DB 74 38-41	106-30
CO RM BVA BUENA VISTA	RE 75 38-47	106-10
CO GP REC RED CREEK ?	BI 50 38-49	104-49
CO RM CBE CRESTED BUTTE	RE 75 38-55	107-07
CO CP GL1 GLADE PARK DDH=10,11+16	DB 74 38-57	108-37
CO RM PDI PARADISE PASS DDHPP-2	RO 68 39-00	107-04
CO RM KO1 KOKOMO DDH=1201	DB 74 39-26	106-08
CO RM SPK SOUTH PARK	RE 75 39-28	105-47
CO RM RB1 ROBERTS TUNNEL	RO 68 39-30	105-50
CO RM RD1 REOCLIFFE	RE 75 39-31	106-22
CO RM GMN GILMAN DDH E324	RO 68 39-33	106-24
CO RM UR1 URAD DDH=CX111,124	DB 74 39-46	105-50
CO CP TG2 RIO BLANCO TG2,3	US 71 39-46	108-09
CO RM GD1 GOLDEN DDH=1	RO 68 39-47	105-16
CO RM CRY CENTRAL CITY	RE 75 39-48	105-35
CO RM RMA ROCKY MT. ARSENAL	US 71 39-51	104-51
CO RM APX APEX DDH=17BH	DB 74 39-52	105-33
CO CP RF1 RIFLE 28-1 & 14-1	RO 68 39-57	108-23
CO CP YC2 YELLOW CREEK CH=2	US 71 39-58	108-28
CO CP YC1 YELLOW CREEK CH=1	US 71 40-03	108-20
CO CP BRU BARCUS CREEK BC-1	US 71 40-03	108-31
CO CP YC3 YELLOW CREEK CH=3	US 71 40-03	108-21
CO RM AM1 ADAMS TUNNEL	BI 50 40-15	105-40
U.S.A. -- DIST OF COLUM		1.7
DC AP DC1 DRB-1	DW 64 39-00	77-00
USA -- FLORIDA		1.12
FL CN 001 NEAR ORLANDO	KI 72 28-28	81-13
U.S.A. -- GEORGIA		0.92
GA CN LRI LA GRANGE	DR 63 33-	85-
GA CN GHI GRIFFIN	DR 63 33-13	84-15
U.S.A. -- IDAHO		0.97
ID CU ID1 PT. PICKED OFF MAP	RO 72 44-06	115-40
ID RM WAI WALLACE	US 71 47-29	115-58
ID RM SRI SILVER SUMMIT	RO 68 47-30	116-02
ID RM CM1 CRESCENT MINE	RO 68 47-30	116-05
U.S.A. -- ILLINOIS		2.22
IL IP CY1 CRESCENT CITY, TADEN 1	CO 70 40-45	87-47
IL IP CY2 CRESCENT CITY, F. WESSEL	CO 70 40-46	87-48
IL IP CY3 CRESCENT CITY, CONDUIT 1	CO 70 40-49	87-54
IL IP AN1 ANCONA, MUSSER 1	CO 70 41-01	88-54
U.S.A. -- INDIANA		1.41
IN IP R01 ROYAL CENTER S-36,38	CO 70 40-53	86-28
IN IP R02 ROYAL CENTER S-55	CO 70 40-55	86-27
IN IP R03 ROYAL CENTER S-46	CO 70 40-55	86-28
IN IP M11 MONROEVILLE, L. WELL	CO 70 40-59	84-52
IN IP LF1 LINKVILLE FIELD	CO 70 41-23	86-14
U.S.A. -- IOWA		1.28
IA IP C10 CAIRO, P. HUTCHINSON 2	CO 70 41-12	91-20
IA IP KE1 KEOTA, L. VOGEL 1	CO 70 41-22	91-55
IA IP KE2 KEOTA, J. ANDERSON 1	CO 70 41-23	91-55
IA IP RL1 REDFIELD, BOOK 1	CO 70 41-34	94-06
IA IP RL2 REDFIELD, BRODERICK 1	CO 70 41-40	94-10
IA IP RL3 REDFIELD, PRICE 1	CO 70 41-42	94-10
IA IP VII VINCENT, ANDERSON 1,3	CO 70 42-38	94-01
		0.91

TABLE 1. Locations, heat flow (q , HFU) and heat production (A , HGU)
for published values plotted on Figures 1 through 4 (continued)

		<u>q</u>	<u>A</u>
IA IP VIZ VINCENT, HOFFMAN 1-OLSON	CO 70 42-38	94-03	0.95
IA IP SPE SPENCER	RO 68 43-10	95-11	0.44
U.S.A. -- KANSAS			
KS IP SYR SYRACUSE	BI 50 37-57	101-45	1.55
KS IP LY1 LYONS HOLE 1,2	US 71 38-23	98-10	1.50
U.S.A. -- LAKE SUPERIOR			
MI CS LSI STATION 8	HS 65 47-11	91-15	0.30
MI CS LS2 STATION 5	HS 65 47-35	88-13	0.79
MI CS LS3 STATION 4	HS 65 47-49	88-54	0.75
MI CS LS4 STATION 7	HS 65 48-02	86-14	0.87
U.S.A. -- MAINE			
ME AP CAO CASCO	RO 68 44-03	70-37	1.80 12.9
ME AP BLU BLUE HILL	RO 68 44-24	68-37	1.44
U.S.A. -- MASSACHUSETTS			
MA AP BW1 BREWSTER	RO 68 41-45	70-05	1.16
MA AP CBR CAMBRIDGE	RO 68 42-23	71-07	1.20
MA AP MF1 MILLERS FALLS	RO 68 42-37	72-27	1.67
MA AP CHE CHELMSFORD	RO 68 42-38	71-25	1.63 11.6
U.S.A. -- MICHIGAN			
MI IP LEN LENEY 1956	LE 56 42-06	83-23	0.8
MI IP NV2 NORTHLVILLE 106	JB 73 42-26	83-34	1.20
MI IP NV1 NORTHLVILLE, N-203	CO 70 42-26	83-34	1.39
MI IP BP1 BURNIPS, S-503-E	CO 70 42-43	85-49	1.07
MI IP OLI OVERISEL 150	JB 73 42-44	86-00	0.90
MI IP OLI OVERISEL 157	JB 73 42-44	86-00	0.90
MI IP OLI OVERISEL 162	JB 73 42-44	86-00	0.90
MI IP MUT MUTTONVILLE 2	JB 73 42-48	82-44	0.80
MI IP BG1 BILLINGSLEY 1	JB 73 43-32	85-36	1.00
MI IP AUI AUSTIN-MAREK 1	JB 73 43-32	85-16	1.20
MI IP EEI E. BREGGS 2	JB 73 43-50	85-35	1.20
MI IP MO1 MARION 972	CO 70 44-03	85-05	1.10
MI IP MO2 MARION 965	JB 73 44-04	85-05	1.30
MI IP MO3 MARION 829	JB 73 44-09	85-00	1.20
MI IP MO4 MARION 192	JB 73 44-12	85-11	1.10
MI CS WPI WHITE PINE, N-55,65	RO 68 46-45	89-34	1.05
MI CS CJ1 CALUMET	BI 54 47-17	88-28	0.93
MI CS DW1 DELAWARE	RO 68 47-24	88-01	0.99
U.S.A. -- MINNESOTA			
MN CS WI1 ROY CITES WILLIAMS 71	RO 72 44-54	93-12	1.15
MN CS WI2 ROY CITES WILLIAMS 71	RO 72 46-06	93-42	1.03
MN CS WI3 ROY CITES WILLIAMS 71	RO 72 47-09	95-12	0.89
MN CS EY1 ELY 3,4	RO 68 47-69	91-43	0.82 1.4
U.S.A. -- MISSOURI			
MO IP IT1 IRONTON K-13	RO 68 37-30	90-40	1.24
MO IP BD1 BOSS USA-7	RO 68 37-39	91-10	1.2
MO IP BF1 BOURBON B-20	RO 68 38-09	91-15	1.24
MO IP LV1 LEVASY	RO 68 39-05	94-10	1.17 5.5
U.S.A. -- MONTANA			
MT RM CN1 COOKE CITY 1,2	BL 67 45-03	109-57	1.31
MT RM DN1 DILLON	BL 73 45-19	112-53	1.5
MT RM NB1 NYE BASIN HOLE NB-2	US 71 45-22	109-49	1.39 5.50
MT RM VG1 VERDIGRIS CREEK M-22	US 71 45-23	109-54	1.63 5.50
MT RM VG2 VERDIGRIS CREEK M-19A	US 71 45-23	109-55	1.61 5.50
MT RM SD1 SILVER STAR	BL 73 45-43	112-20	1.94 5.2
MT RM WLL WHITEHALL	BL 73 45-55	112-01	1.8
MT RM SF1 SILVER BOW	BL 73 45-57	112-42	2.0 4.8
MT RM BJ1 BUTTE DDH B-3	BL 67 46-03	112-33	2.1 8.6
MT RM SH1 SELK PARK	BL 73 46-15	112-27	1.98 7.0
MT RM DG1 DEER LODGE	BL 73 46-23	112-35	1.93
MT RM PG1 PHILIPSBURG	BL 73 46-28	113-25	1.91
MT RM UN1 UNIONVILLE	BL 73 46-29	112-07	1.92

TABLE 1. Locations, heat flow (q , HFU) and heat production (A, HGU)
for published values plotted on Figures 1 through 4 (continued)

	q	A
MT RM OT1 OTTOWA GULCH DOH-1,2	BB 73 46-44 112-19	3.2
MT RM WO1 WOODCHOPPER G. DOH-4,6	BB 73 46-44 112-19	4.7
MT RM CQ1 CONTINENTAL DIVIDE DOH-	BB 73 46-43 112-19	5.0
MT RM BO1 BALD BUTTE DOH-9,10-13	BB 73 46-43 112-21	5.5
MT RM EH1 EMPIRE CREEK DOH-15	BB 73 46-45 112-22	9.5
MT RM NH1 NEIHART 36137	BL 67 46-58 110-43	1.66
MT RM L11 LINCOLN 1,29	BL 67 47-02 112-23	2.16
MT RM LE1 LIBBY	BL 67 48-14 115-55	1.75
MT RM CX1 CONRAD	BL 69 48-20 111-55	0.9
MT RM KN1 KEVIN-SUNBURST	BL 69 48-45 111-50	1.0
U.S.A., -- NEVADA		
NV BR CE1 CRESCENT PEAK 1	RO 68 35-28 115-08	2.33 7.90
NV BR IN1 INDIAN SPR. VALLEY TW-4	US 71 36-36 115-47	2.17
NV BR RK1 ROCK VALLEY TW-5	US 71 36-38 116-18	2.00
NV BR FF1 FRENCHMAN FLAT TW-3	US 71 36-46 115-52	2.20
NV BR HH1 HAMPEL HILL TW-F	US 71 36-46 116-07	1.81
NV BR YM1 YUCCA MT. TW-6	US 71 36-48 116-24	1.60
NV BR YF1 YUCCA FLAT TW-E	US 71 37-03 116-00	0.70
NV BR DL1 DOLOMITE HILL	US 71 37-11 116-12	1.90
NV BR PM1 PAHUTE MESA PM-1	US 71 37-17 116-24	1.00
NV BR PM2 PAHUTE MESA PM-2	US 71 37-21 116-34	1.50
NV BR TP4 TEMPIUTE	US 71 37-38 115-33	1.10 5.40
NV BR SK1 SILVER PEAK	US 71 37-43 117-47	1.90
NV BR GFD GOLDFIELD	US 71 37-44 117-12	2.30 10.30
NV BR WH1 MANHATTAN GAP	US 71 37-58 114-36	1.74
NV BR BS1 BRISTOL RANGE ESP-1	US 71 38-04 114-36	1.69
NV BR PO1 PIOCHE B-1 & B-3	RO 68 38-05 114-37	1.92
NV BR BS2 BRISTOL RANGE ESP-3	US 71 38-06 114-36	1.74
NV BR CG1 CROW SPRINGS 2,4,7,8&10	RO 68 38-14 117-33	2.30
NV BR SV1 STONE CABIN VALLEY UCE-2	US 71 38-18 116-35	1.30
NV BR HA1 HALL MINE 87 & 90	RO 68 38-19 117-18	2.52
NV BR RY1 ROYSTON	RO 68 38-19 117-31	1.68
NV BR PTM PILOT MTS. DH-1+2 & 3	US 71 38-19 117-52	1.95 2.7
NV BR LN1 LUNING M-4	US 71 38-29 118-12	7.20
NV BR UE1 RALSTON VALLEY UCE-1	US 71 38-34 116-56	1.79 4.40
NV BR HY1 HOT CREEK VALLEY UCE-18	US 71 38-35 116-12	1.28
NV BR PS1 PATTERSON PASS PP-2 & 3	US 71 38-36 114-44	1.22
NV BR FV1 FISH LAKE VALLEY UCE-10	US 71 38-41 116-28	1.20
NV BR LSV1 LITTLE SMOKEY VA. UCE-14	US 71 38-43 116-02	1.50
NV BR FV2 FISH LAKE VALLEY UCE-9	US 71 38-49 116-27	1.20
NV BS GRV GARONERVILLE	RO 68 38-51 119-45	1.14
NV BR PNC PINE NUT CANYON PN-19	US 71 38-52 119-35	2.45 5.00
NV BR FV3 FISH LAKE VALLEY UCE-12A	US 71 38-55 116-20	1.40
NV BR YR1 YERINGTON	RO 63 38-55 119-04	2.36
NV BR YR2 YERINGTON	US 71 38-56 119-04	1.84
NV BR SC1 SCHURZ	RO 68 38-57 118-38	1.88 5.30
NV BR MV1 MONITOR VALLEY UCE-3	US 71 38-58 116-38	2.00
NV BR SG1 SINGATSE RANGE	RO 68 38-58 119-16	1.56
NV BR WH1 WARD MT.	RO 68 39-04 114-55	2.05
NV BR TC1 TAYLOR CANYON	RO 68 39-05 114-41	5.32
NV BR SS1 SAND SPRINGS	US 71 39-12 118-22	1.57 3.20
NV BR ME1 MONTE CRISTO 9 & 14	RO 68 39-14 115-34	2.14
NV BR CV1 SILVER CITY CV-1	US 71 39-15 119-40	1.93 5.70
NV BR RT1 RUTH	RO 68 39-16 114-59	1.82 7.70
NV BR SP1 SPRING VALLEY	RO 68 39-17 114-21	1.83
NV BR VC1 VIRGINIA CITY C-63	US 71 39-18 119-39	7.00 3.40
NV BR LW1 LOUSETOWN	US 71 39-23 119-38	2.80
NV BR WH1 WASHINGTON HILL VC-4	US 71 39-28 119-38	2.10
NV BR EK1 EUREKA	US 71 39-30 116-00	0.85 4.50
NV BR LL1 LOVELOCK	RO 68 40-02 118-19	2.50
NV BR GAP GOLD ACRE PIT	US 71 40-16 116-45	2.50 4.60

TABLE 1. Locations, heat flow (q , HFU) and heat production (A , HGU)
for published values plotted on Figures 1 through 4 (continued)

		<u>q</u>	<u>A</u>
NV BR TN2 TENABO	US 71 40-18	116-40	3.53 4.1
NV BR LD1 LANDER	US 71 40-20	116-43	3.00
NV BR IRC IRON CANYON	US 71 40-33	117-06	3.50 4.3
NV BR BM1 PANTHER CANYON BM3 & 37	US 71 40-33	117-34	3.80
NV BR BT1 BATTLE MT.	RO 68 40-33	117-14	2.06
NV BR BUK BUCKINGHAM B-6 & 11	US 71 40-37	117-04	2.70 7.60
NV BR EC1 ELDER CREEK EC-4	US 71 40-41	117-04	3.20 3.90
NV BR GV1 ADELAIOE GV-1	US 71 40-50	117-32	3.40 6.3
NV BR WE1 WHITE ELEPHANT BUTTE	US 71 41-53	115-05	3.30
U.S.A. -- NEW HAMPSHIRE			
NH AP FW1 FITZWILLIAM	RO 68 42-47	72-08	1.63 9.6
NH AP DU1 DURHAM	RO 68 43-07	70-55	1.08 3.8
NH AP CC1 CONCORD	RO 68 43-12	71-32	1.73
NH AP BX1 BRADFORD	RO 68 43-16	71-59	1.59
NH AP WV1 WATERVILLE	RO 68 43-56	71-32	2.15 21.2
NH AP KA1 KANCAMAGUS	RO 68 44-02	71-29	2.27 20.7
NH AP NC1 NORTH CONWAY	RO 68 44-04	71-10	1.89 17.6
NH AP NR1 NORTH HAVERHILL	RO 68 44-06	72-00	1.34 7.8
U.S.A. -- NEW MEXICO			
NM BR HI1 HACHITA	DS 75 31-51	108-18	2.40 4.5
NM BR LT1 LITTLE HACHET MT.	RE 75 31-54	108-26	2.30
NM BR CO1 CORNUDAS	DS 75 32-01	105-29	2.00
NM BR GG1 GRANITE GAP	RE 75 32-07	108-56	1.22
NM BR SI1 STEINS	RE 75 32-10	109-02	2.92
NM IP SU1 SUPERIOR NO. 1	HC 56 32-14	104-07	1.20
NM BR WS1 WHITE SANDS #2	RE 75 32-17	106-24	2.28
NM IP MW1 MARLAND-OHIO #1	HC 56 32-18	103-45	1.00
NM BR LG1 LORDSBURG	DS 75 32-20	108-47	1.70 2.30
NM BR MR1 MIRAGE	RE 75 32-22	107-40	9.68
NM IP BB1 BLUEBIRD #1	HC 56 32-24	104-16	0.90
NM BR OG1 OROGRANDE	DS 75 32-24	106-07	3.10 5.10
NM BR OG2 OROGRANDE UCSD-6	WA 69 32-26	106-06	2.24 6.70
NM BR WS2 WHITE SANDS #3	RE 75 32-26	106-27	2.08
NM BR ON1 ORGAN DDH-1	DB 74 32-27	106-36	2.76
NM BR ON2 ORGAN	DS 75 32-27	106-36	2.80 3.40
NM BR OG3 OROGRANDE NORTH	RE 75 32-30	106-00	1.75
NM IP GO1 GETTY #7 DOOLEY	HC 56 32-31	104-09	1.00
NM BR WS3 WHITE SANDS #4	RE 75 32-32	106-25	2.18
NM BR CRK1 COOKS PEAK	DS 75 32-32	107-41	3.60 2.40
NM BR WG1 WHITE SIGNAL	RO 68 32-32	108-21	2.06
NM IP SAM SANDBURG AND MILLS #1	HC 56 32-38	104-14	1.20
NM BR TY1 TYRONE UCSD-5	WA 69 32-40	108-29	2.16 7.10
NM BR LAK LAKE VALLEY	DS 75 32-43	107-35	2.60 4.90
NM IP CR1 CAP ROCK OIL AND GAS #1	HC 56 32-47	103-48	1.2
NM BR SRA1 SANTA RITA	DS 75 32-48	108-04	1.80 4.20
NM BR BK1 BITTER CREEK	RO 68 32-54	109-02	2.77
NM BR API1 ANIMAS PEAK	RE 75 32-58	107-32	1.70
NM BR CF1 CLIFFE	RO 68 33-03	108-30	2.56
NM BR TT1 T DR C NDRTH	RE 75 33-17	107-16	2.20
NM BR CI1 CHLORIDE #1 & 2	RE 75 33-19	107-42	2.92
NM BR SA1 SIERRA BLANCA	RE 75 33-28	105-47	1.77
NM BR RS1 RAILROAD CAN. SOUTH	RE 75 33-31	108-11	1.98
NM BR MC1 MONTICELLO CAN. #1 & 2	RE 75 33-34	107-36	3.36
NM BR FT1 FORT CRAIG	RE 75 33-37	107-08	2.81
NM BR CZ1 CARRIZO/NW	RE 75 33-44	106-02	1.44
NM BR BN1 BIG RED CANYON	RE 75 33-44	107-21	1.28
NM BR RS2 RAILROAD CAN. NORTH	RE 75 33-45	107-49	1.75
NM BR BH1 BINGHAM SOUTH	RE 75 33-53	106-21	1.56
NM BR BH2 BINGHAM NE	RE 75 33-57	106-17	1.46
NM BR NY1 NORTH BALDY	RE 75 34-02	107-13	2.48
NM BR CD1 CHUPADERA MESA	RE 75 34-06	106-48	2.20

TABLE 1. Locations, heat flow (q , HFU) and heat production (A, HGU)
for published values plotted on Figures 1 through 4 (continued)

	<u>q</u>	<u>A</u>
NM BR MO1 MAGDALENA WEST	RE 75 34-07 107-17	2.01
NM BR MG2 MAGDALENA NW	RE 75 34-09 107-18	1.91
NM BR NK1 NORTH LAKE	RE 75 34-14 107-38	1.91
NM BR ISI INDIAN SPRINGS	RE 75 34-18 107-26	1.95
NM BR PI1 PIE TOWN NORTH	RE 75 34-19 108-07	1.55
NM BR OS1 QUEMADO SOUTH	RE 75 34-20 108-30	1.98
NM BR PI2 PIETOWN NW	RE 75 34-23 108-13	1.46
NM BR SY1 SILVER CITY	RE 75 34-47 108-16	2.33
NM BR AQ1 ALBUQUERQUE #1 & 2	RE 75 34-56 106-33	1.50
NM BR ZP1 ZUNI PIA MESA	RE 75 34-58 108-45	2.96
NM BR CP1 CLINES CORNERS	RE 75 35-00 105-37	0.82
NM BR WH1 WAGON WHEEL	RE 75 35-00 105-43	1.61
NM BR HY1 MORIARTY EAST	RE 75 35-00 105-54	1.82
NM BR A02 ALBUQUERQUE	RE 75 35-03 106-31	1.08
NM BR GS1 GRANTS	RE 75 35-07 107-46	1.68
NM BR HW1 HOLWEG	RE 75 35-09 106-16	1.58
NM BR RU1 RIO PUERCO #2	RE 75 35-12 107-01	2.27
NM BR RU2 RIO PUERCO #3	RE 75 35-12 107-05	2.66
NM BR RU3 RIO PUERCO #1	RE 75 35-13 107-01	3.08
NM BR BB0 BIBO NORTH,SOUTH	RE 75 35-13 107-19	2.36
NM BR SPR SAN PEDRO #1 & 3	RE 75 35-15 106-11	1.32
NM BR MZ1 MARQUEZ SE	RE 75 35-15 107-13	2.11
NM BR MZ2 MARQUEZ	RE 75 35-17 107-15	2.14
NM BR SFP SAN FELIPE	RE 75 35-18 106-15	1.86
NM BR OZ1 ORTIZ MT.	RE 75 35-20 106-11	1.76
NM BR SH0 SAN MATEO MESA	RE 75 35-20 107-37	1.66
NM BR GI1 GALISTEO	RE 75 35-25 106-00	1.48
NM BR CS1 CERRILLOS	RE 68 35-28 106-07	1.22
NM BR GW1 GALLUP WEST	RE 75 35-33 108-46	2.94
NM BR GW2 GALLUP WEST #2	RE 75 35-35 108-51	1.66
NM BR HK1 MARIANO LAKE	RE 75 35-38 108-19	2.35
NM BR GW3 GALLUP WEST #3	RE 75 35-38 109-02	1.27
NM BR GW4 GALLUP	DB 74 35-39 108-31	1.61
NM BR CW1 CROWN POINT	RE 75 35-40 108-08	1.91
NM BR CW2 CROWN POINT EAST	RE 75 35-62 107-56	2.04
NM BR CSL CHACO SLOPE	RE 75 35-51 107-24	1.49
NM BR BU1 BUCKMAN	RE 75 35-52 106-09	1.91
NM BR GT1 LOS ALAMOS GT-1	PO 73 35 54 106 40	3.6
NM BR RA1 RED MT.	RE 75 35-55 107-49	1.70
NM BR CWH CHACO WASH	RE 75 35-56 107-48	1.63
NM BR CYN CHACO CAN.	RE 75 36-02 107-54	1.56
NM BR DX1 DIXON	RE 75 36-13 105-48	5.25
NM BR GAV GAVILIAN EAST	RE 75 36-22 106-54	1.51
NM BR TA1 TIERRA AMARILLA	RE 75 36-23 106 23	2.34
NM BR TO1 TAOS #1	RE 75 36-27 105-35	2.29
NM BR EV1 EL VADO SW	RE 75 36-32 106-51	1.60
NM BR GB2 GOBERNADOR SOUTH	RE 75 36-36 107-21	1.35
NM BR HU1 MUÑOZ CREEK	RE 75 36-36 107-25	1.29
NM BR TAB TABLE MESA #1 & 2	RE 75 36-37 108-37	2.30
NM BR TRP TRES PIEDRAS	RE 75 36-39 105-59	2.66
NM BR CZK CARRIZO CREEK	RE 75 36-39 107-40	1.26
NM BR GB1 GOBERNADOR GB-1	US 71 36-41 107-12	2.01
NM BR QU1 QUESTA EAST	RE 75 36-42 105-28	2.04
NM BR QU2 QUESTA	RE 68 36-42 105-31	1.53
NM BR BO1 BLANCO EAST #2	RE 75 36-42 107-43	1.33
NM BR RV1 RED RIVER DDH-1	DB 74 36-43 105-24	1.90
NM BR VJ1 VERMAJO RIVER	RE 75 36-45 104-53	1.93
NM BR BO2 BLANCO EAST #1	RE 75 36-45 107-43	1.31
NM BR RN1 RATTLESNAKE	RE 75 36-45 108-48	1.46
NM BR NG1 NO AGUA	RE 75 36-46 105-58	3.02
NM BR BO3 BLANCO NORTH	RE 75 36-47 107-50	1.72

TABLE 1. Locations, heat flow (q , HFU) and heat production (A, HGU)
for published values plotted on Figures 1 through 4 (continued)

		q	A
NM BR AE1 AZTEC NE	RE 75 36-50	107-55	1.47
NM BR VJ2 VERMAJO PARK	RE 75 36-54	104-55	2.86
NM BR AE2 AZTEC NORTH	RE 75 36-54	108-01	1.46
NM BR CHW CEDAR HILL WEST	RE 75 36-57	107-59	1.51
U.S.A. -- NEW JERSEY			
NJ AP FR1 FRANKLIN-OGDENSBURG	UR T1 41-06	74-35	0.91
U.S.A. -- NEW YORK			
NY AP WK1 WATKINS GLEN HOLE 23	UR 71 42-25	76-54	1.72
NY AP GA1 GILBOA B-1-2	UR 71 42-27	74-26	1.00
NY AP WH1 WEST VALLEY HOLE-1	UR 71 42-27	78-38	1.19
NY AP HM1 MINROD M-7-8	UR 71 42-34	76-57	1.55
NY AP LX1 LACKAWANNA-BUFFALO HOLE	UR 71 42-48	78-51	1.20
NY AP NF1 NIAGARA FALLS WPL-1	UR 71 43-05	79-00	1.18
NY AP MT1 MIDDLEPORT FMC-1	UR 71 43-12	78-28	1.18
NY AP GN1 GLEN FALLS	RO 68 43-18	73-37	1.05
NY AP EZ1 ELIZABETHTOWN	RO 68 44-13	73-32	0.81 0.4
NY AP WD1 WADHAMS	RO 68 44-14	73-28	0.79 0.4
NY CS BZ1 BALMAT	UR 71 44-16	75-25	1.22
NY AP SO1 SARANAC LAKE	RO 68 44-20	74-16	0.81 0.4
NY AP RX1 KERVERVIEW	RO 68 44-35	73-54	1.22 5.8
U.S.A. -- NORTH DAKOTA			
ND IP LJ1 LONE TREE	BL 69 48-18	101-40	1.4
ND IP CHV CARRIE HOVLAND #1	CO 70 48-55	102-26	2.20
ND IP EN1 E.L.K. #1 NELSON	CO 70 48-56	100-50	2.20
U.S.A. -- OKLAHOMA			
OK IP PC1 PICHET 43-C,P-5	RO 68 36-59	94-52	1.4 7.6
U.S.A. -- OREGON			
OR BR KL1 KLAATH CO.	BL 69 42-12	121-50	1.6
OR CU AL1 ALVORD 39-3482	BO 73 42-17	118-41	2.3
OR BR TK1 THOMAS CR. 37-18514	BO 73 42-22	120-27	3.2
OR CU BRS BURNS	BL 69 43-27	118-06	2.0
OR CU GY1 GRASSY MT. 21-45936	BO 73 43-41	117-23	1.5
OR CU VE1 VALE	BL 69 43-46	117-22	1.6
OR CU CB1 CHALK BUTTE 19-45526	BO 73 43-52	117-10	3.6
OR CU CB2 CHALK BUTTE 19-45525	BO 73 43-53	117-09	6.9
OR CU CB3 CHALK BUTTE 19-45522	BO 73 43-53	117-11	3.3
OR CU CB4 CHALK BUTTE 19-45514	BO 73 43-54	117-10	5.6
OR CU CB5 CHALK BUTTE 19-45511	BO 73 43-55	117-10	5.7
U.S.A. -- PENNSYLVANIA			
PA AP MH1 MT. HOLLY SPRING	UR 71 40-06	77-11	0.57
PA AP RP1 READING -OLEY	UR 71 40-22	75-50	0.70
PA AP RQ1 RIEGELSVILLE	UR 71 40-34	75-12	0.89
PA AP LU1 LEHIGH P.C.CO. #1	JO 60 40-59	80-08	1.2
PA AP SX1 SABULA	UR 71 41-12	78-39	1.31
PA AP ER1 E.N.CLAIR #1	JO 60 41-52	78-00	1.31
PA AP EII EARL A. MILL #1	JO 60 41-56	77-51	1.47
U.S.A. -- SOUTH CAROLINA			
SC CN AK1 AIKEN	DI 65 33-17	81-40	1.06
U.S.A. -- SOUTH DAKOTA			
SD IP AS1 ASSMAN #1	CO 70 43-15	100-12	2.10
SD IP HOO MOONSHINE GULCH NBH-2	US 71 44-08	103-43	0.50
SD IP WMS WINDY FLATS NBH-1	US 71 44-18	103-40	0.50
SD IP LM1 LEAD-YATES	BL 67 44-21	103-45	1.9
SD IP DY1 DACY RIM-1	US 71 44-22	103-53	1.90
U.S.A. -- TENNESSEE			
TN AP OE1 OAK RIDGE	DR 63 35-55	84-19	0.82
U.S.A. -- TEXAS			
TX IP UV1 NEAR UVALDE	KI 72 29-07	99-41	1.11
TX BR SZ1 SHAPTER	DS 75 29-48	104-24	1.5 3.5
TX IP GJ1 GULF #1 NORTHRUP	HC 56 31-10	103-14	1.1
TX IP BE1 BIG LAKE #1-B	BC 45 31-12	101-29	2.0

TABLE 1. Locations, heat flow (q , HFU) and heat production (A , HGU)
for published values plotted on Figures 1 through 4 (continued)

	<u>q</u>	<u>A</u>
TX IP BE2 BIG LAKE-UNIVERSITY	HC 56 31-15	101-23
TX IP DK1 DONNELLY AND GERKE #1	HC 56 31-23	101-48
TX IP VH1 VAN HORN	DS 75 31-27	104-53
TX IP STP STANDARD POTASH #2 TEST	HC 56 31-39	102-15
U.S.A. -- UTAH		
UT BR CC2 CEDAR CITY N-6	US 71 37-38	113-26
UT BR CC1 CEDAR CITY DE MOLES	US 71 37-42	113-18
UT CP HB1 HORSE RANGE MESA	RE 78 37-59	109-03
UT CP LA1 LA SAL	WR 66 36-15	109-17
UT BR MD1 MILFORD	RO 68 38-29	113-00
UT CP BY1 BALSLEY #1-C	SP 64 38-46	109-38
UT CP HE1 HYDE #1	SP 64 38-51	109-30
UT CP RE1 REED, CRESC. EAGLE, BR.	SP 64 38-55	109-50
UT DR SO1 SPOK MOUNTAIN	WR 66 39-43	113-13
UT BR GC1 GOVERNMENT CANYON QC-1A	RO 69 39-52	112-03
UT BR EA1 EUREKA ET-5(A)	RO 68 39-57	112-03
UT CP OUR OURAY W-EX-1	US 71 39-59	109-56
UY BR BII BINGHAM ICC-124	RO 68 40-31	112-09
UT BR BIZ BINGHAM D-142	CB 73 40-32	112-09
UY BR JVI JORDAN VALLEY	WR 66 40-47	112-04
U.S.A. -- VERMONT		
VT AP LZ1 LONDONDERRY	RO 68 63-15	72-50
VT AP WN1 WESTON	RO 68 43-17	72-49
VT AP NS1 NORTH SPRINGFIELD	RO 68 43-20	72-33
U.S.A. -- VIRGINIA		
VA AP CRY CRIPPLE CREEK	RE 73 36-49	81-06
VA AP AAI ALBERTA	DI 65 36-52	77-54
VA AP GQ1 GRUNDY	RE 73 37-20	82-00
U.S.A. -- WASHINGTON		
WA CU RZ1 RICHLAND DH-3	US 71 46-21	119-17
WA PC RAE RANDLE	DL 74 46-21	122-06
WA CU BO1 BENTON CITY	BL 69 46-29	119-34
WA CU RZ5 RATTLESNAKE HILLS	US 71 46-26	119-47
WA PC CHH CHEHALIS	US 71 46-32	122-30
WA CU RZ4 WILLA DH-1	US 71 46-35	119-31
WA PC WQ1 WESTPORT	BL 74 46-51	124-06
WA PC MQ1 MOCLIPS	BL 69 47-12	124-06
WA CU OO2 ODESSA	BL 74 47-20	118-55
WA PC HU1 WENATCHEE	BL 74 47-22	120-18
WA PC ND1 NORTH BEND	BL 69 47-30	121-22
WA CU REO REARDON	BL 74 47-52	118-07
WA CU WK1 WILBUR	RO 68 48-04	118-42
WA RM NM1 NESPELEM	BL 74 48-22	118-53
WA PC AO1 ANACORTES	BL 74 48-23	122-38
WA PC MX1 MAZAHIA	BL 74 48-37	120-23
WA RM RU1 REPUBLIC	BL 74 48-40	118-46
WA RM TO1 TONASKIT	BL 74 48-43	119-31
WA RM HIE METALINE	NO 68 48-55	117-20
WA RM LO1 LEADPOINT	BL 69 48-55	117-36
WA RM CUW CURLEW	BL 74 49-00	118-36
WA RM OVI OROVILLE	BL 74 49-00	119-29
U.S.A. -- WEST VIRGINIA		
WV AP LW1 LEWIS MAXWELL N11-F	JO 60 39-17	80-46
WV AP GX1 M.O. GOFF #1	JO 60 39-18	80-14
WV AP JL1 J.H. LAKE #1	JO 60 39-25	80-05
WV AP MN1 MORGANTOWN	UR 71 39-40	79-59
U.S.A. -- WYOMING		
WY RM GZ1 GREEN RIVER GR1-1	US 71 41-32	109-25
WY RM RIE ROCK R. FIELD	BL 69 41-40	106-07
WY RM FD1 FERRIS FIELD	BL 69 42-10	107-08
WY RM PE1 PINEDALE DHPW	US 71 42-46	109-34
		1.60
		1.2
		1.4
		1.30 4.30

TABLE 1. Locations, heat flow (q , HFU) and heat production (A , HGU)
for published values plotted on Figures 1 through 4 (continued)

		q	A
WY RM PE1 PINEDALE DHPW	US 71 42-46 109-34	1.30	4.30
WY RM BY1 BIG MUDDY FIELD	BL 69 42-51 106-58	1.4	
WY IP LCF LANCE CR. FIELD	BL 69 43-04 104-38	2.0	
WY IP SCF SALT CR. FIELD	BL 69 43-35 106-15	1.8	
WY RM GEL GEBO FIELD	BL 69 43-48 108-14	1.6	
WY RM MEE MEETEETSE	RO 68 43-52 109-17	1.95	
WY RM LSD LITTLE SAND DRAW FIELD	BL 69 44-22 109-00	1.3	
WY RM OBI OREGON BASIN FIELD	BL 69 44-22 108-56	1.3	
WY RM YSI YELLOWSTONE	WH 65 44-27 110-50	3.49	

- BB 73 Blackwell and Baag, 1973
 BC 45 Birch and Clark, 1945
 BE 47 Benfield, 1947
 BI 50 Birch, 1950
 BI 54 Birch, 1954
 BL 67 Blackwell, 1967
 BL 69 Blackwell, 1969
 BL 73 Blackwell and Robertson, 1973
 BL 74 Blackwell, 1974
 BO 73 Bowen, 1973
 CL 57 Clark, 1957
 CO 70 Combs, 1970
 (see also Combs and Simmons, 1973)
 CO 71 Combs, 1971
 CO 75 Combs, 1975
 CW 73 Costain and Wright, 1973
 DB 74 Decker and Birch, 1974
 (see also Decker and Smithson, 1973)
 DI 65 Diment et al., 1965a, 1965b
 DR 63 Diment and Robertson, 1963
 DS 75 Decker and Smithson, 1975
 DW 64 Diment and Werre, 1964
 HC 56 Herrin and Clark, 1956
 HE 68 Henyey, 1968; Henyey and Wusserburg, 1971
 HS 65 Hart and Steinhart, 1965
 JB 73 Judge and Beck, 1973
 JO 60 Joyner, 1960
 KI 72 King and Simmons, 1972
 LE 56 Leney, 1956
 LO 48 Lovering, 1948
 PO 73 Potter, 1973
 RE 65 Reiter et al., 1975
 RO 68 Roy et al., 1968a, 1968b
 RO 72 Roy et al., 1972
 SP 64 Spicer, 1964
 UR 71 Urban, 1970; Diment et al., 1972
 US 68 Sasse et al., 1968
 US 71 Sasse et al., 1971
 WA 69 Warren et al., 1969
 WH 65 White, 1965
 WR 66 Wright, 1966
 (see also Costain and Wright, 1973)

References

- Benfield, A. E., 1947, A heat flow value for a well in California: Am. Jour. Sci., v. 245, no. 1, p. 1-18.
- Birch, Francis, 1950, Flow of heat in the Front Range, Colorado: Geol. Soc. America Bull., v. 61, no. 6, p. 567-630.
- Birch, Francis, 1954, Thermal conductivity, climatic variation, and heat flow near Calumet, Michigan: Am. Jour. Sci., v. 252, no. 1, p. 1-25.
- Birch, Francis, and Clark, Harry, 1945, An estimate of the surface flow of heat in the west Texas permian basin: Am. Jour. Sci., v. 243-A, p. 69-74.
- Birch, F., Roy, R. F., and Decker, E. R., 1968, Heat flows and thermal history in New England and New York, in Zen, E., White, W. S., Hadley, J. B., and Thompson, J. B., Jr., eds., Studies of Appalachian Geology--Northern and maritime: New York, Interscience, p. 437-451.
- Blackwell, D. D., 1967, Terrestrial heat-flow determinations in the northwestern United States: Harvard Univ., Cambridge, Mass., Ph. D. thesis.
- Blackwell, D. D., 1969, Heat-flow determinations in the northwestern United States: Jour. Geophys. Research, v. 74, no. 4, p. 992-1007.
- Blackwell, D. D., 1974, Terrestrial heat flow and its implications on the location of geothermal reservoirs in Washington: Washington Div. Mines and Geology Inf. Circ., no. 50, p. 21-33.

Blackwell, D. D., and Baag, C. G., 1973, Heat flow in a "blind" geothermal area near Marysville, Montana: Geophysics, v. 38, p. 941-956.

Blackwell, D. D., and Robertson, E. C., 1973, Thermal studies of the Boulder batholith and vicinity, Montana: Soc. Econ. Geologists Guidebook, Butte Field Meeting, Aug. 18-21, p. D-1 to D-8.

Bowen, R. G., 1973, Geothermal activity in 1972: Ore Bin, v. 35, no. 1, p. 4-7.

Clark, S. P., Jr., 1957, Heat flow at Grass Valley, California: Am. Geophys. Union Trans., v. 38, p. 239-244.

Combs, J. B., 1970, Terrestrial heat flow in North Central United States: Massachusetts Institute of Technology, Cambridge, Mass., Ph. D. thesis.

Combs, J., 1971, Heat flow and geothermal resource estimates for the Imperial Valley, in cooperative geological-geophysical-geochemical investigations of geothermal resources in The Imperial Valley area of California: Univ. California, Riverside, Education Research Service, p. 5-27.

Combs, J., 1975, Heat flow and microearthquake studies, Coso geothermal area, China Lake, California: Final Report, Contract No. N00123-74-C-2099, Advanced Research Projects Agency Order No. 2800, 65 p.

Combs, J., and Simmons, G., 1973, Terrestrial heat flow determinations in the North Central United States: Jour. Geophys. Research, v. 78, no. 2, p. 441-461.

Costain, J. K., and Wright, P. M., 1973, Heat flow at Spor Mountain, Jordan Valley, Bingham, and La Sal, Utah: *Jour. Geophys. Research*, v. 78, no. 35, p. 8687-8698.

Decker, E. R., and Birch, F., 1974, Basic heat-flow data from Colorado, Minnesota, New Mexico, and Texas: U.S. Geol. Survey Open-File Rept. 74-9, p. 5-1 to 5-59.

Decker, E. R., and Smithson, S. B., 1973, Geophysical studies in the southern Rio Grande rift: *EOS (Am. Geophys. Union Trans.)*, v. 54, p. 463.

Decker, E. R., and Smithson, S. B., 1975, Heat flow and gravity interpretation across the Rio Grande rift in southern New Mexico and west Texas: *Jour. Geophys. Research*, v. 80, no. 17, p. 2542-2552.

Diment, W. H., Marine, I. W., Neiheisel, J., and Siple, G. E., 1965a, Subsurface temperature, thermal conductivity and heat flow near Aiken, South Carolina: *Jour. Geophys. Research*, v. 70, no. 22, p. 5635-5644.

Diment, W. H., Raspet, R., Mayhew, M. A., and Werre, R. W., 1965b, Terrestrial heat flow near Alberta, Virginia: *Jour. Geophys. Research*, v. 70, no. 4, p. 923-929.

Diment, W. H., and Robertson, E. C., 1963, Temperature, thermal conductivity, and heat flow in a drilled hole near Oak Ridge, Tennessee: *Jour. Geophys. Research*, v. 68, no. 17, p. 5035-5047.

Diment, W. H., Urban, T. C., and Revetta, F. A., 1972, Some geophysical anomalies in the eastern United States, in Robertson, E. C., ed., *The Nature of the Solid Earth*: New York, McGraw-Hill, Inc., p. 544-572.

Diment, W. H., Urban, T. C., Sass, J. H., Marshall, B. V., Munroe, R. J., and Lachenbruch, A. H., 1975, Temperatures and heat contents based on conductive transport of heat, in White, D. E., and Williams, D. L., eds., Assessment of geothermal resources of the United States--1975: U.S. Geol. Survey Circ. 726, p. 84-103.

Diment, W. H., and Werre, R. W., 1964, Terrestrial heat flow near Washington, D. C.: Jour. Geophys. Research, v. 69, no. 10, p. 2143-2149.

Fenneman, N. M., 1946, Physical divisions of the United States: U.S. Geol. Survey, scale 1:7,000,000.

Hart, S. R., and Steinhart, J. S., 1965, Terrestrial heat flow--Measurement in lake bottoms: Science, v. 149, no. 3691, p. 1499-1501.

Heney, T. L., 1968, Heat flow near major strike-slip faults in central and southern California: California Institute of Technology, Pasadena, California, Ph. D. thesis, 415 p.

Heney, T. L., and Wasserburg, G. J., 1971, Heat flow near major strike-slip faults in California: Jour. Geophys. Research, v. 76, no. 32, p. 7924-7946.

Herrin, E., and Clark, S. P., Jr., 1956, Heat flow in west Texas and eastern New Mexico: Geophysics, v. 21, no. 4, p. 1087-1099.

Joyner, W. B., 1960, Heat flow in Pennsylvania and West Virginia: Geophysics, v. 25, p. 1229-1241.

Judge, A. S., and Beck, A. E., 1973, Analysis of heat-flow data--Several boreholes in a sedimentary basin: Canadian Jour. Earth Sci., v. 10, p. 1494-1507.

King, W., and Simmons, G., 1972, Heat flow near Orlando, Florida, and Uvalde, Texas, determined from well cuttings: Geothermics, v. 1, no. 4, p. 133-139.

Leney, G. W., 1956, Preliminary investigation of rock conductivity and terrestrial heat flow in southeastern Michigan: Univ. Michigan, Ann Arbor, Michigan, Ph. D. thesis.

Lovering, T. S., 1948, Geothermal gradients, recent climatic changes, and rate of sulfide oxidation in the San Manuel district, Arizona: Econ. Geology, v. 43, no. 1, p. 1-20.

Potter, R. M., 1973, Heat flow of the Jemez Plateau (abs.): EOS (Am. Geophys. Union Trans.), v. 54, no. 11, p. 1214.

Reiter, M., Edwards, C. L., Hartman, H., and Weidman, C., 1975, Terrestrial heat flow along the Rio Grande rift, New Mexico and southern Colorado: Geol. Soc. America Bull., v. 86, p. 811-818.

Roy, R. F., Blackwell, D. D., and Birch, F., 1968a, Heat generation of plutonic rocks and continental heat-flow provinces: Earth and Planetary Sci. Letters, v. 5, no. 1, p. 1-12.

Roy, R. F., Decker, E. R., Blackwell, D. D., and Birch, F., 1968b, Heat flow in the United States: Jour. Geophys. Research, v. 73, no. 16, 5207-5221.

Roy, R. F., Blackwell, D. D., and Decker, E. R., 1972, Continental heat flow, in Robertson, E. C., ed., *The Nature of the Solid Earth*: New York, McGraw-Hill, Inc., p. 506-543.

Sass, J. H., Munroe, R. J., and Lachenbruch, A. H., 1968, Measurement of geothermal flux through poorly consolidated sediments: *Earth and Planetary Sci. Letters*, v. 4, no. 4, p. 293-298.

Sass, J. H., Lachenbruch, A. H., Munroe, R. J., Greene, G. W., and Moses, T. H., Jr., 1971, Heat flow in the western United States: *Jour. Geophys. Research*, v. 76, no. 26, p. 6376-6413.

Spicer, H. C., 1964, Geothermal gradients and heat flow in the Salt Valley anticline, Utah: *Boll. Geofisica Teor. ed. Appl.*, v. 6, no. 23, p. 263-282.

Urban, T. C., 1970, Terrestrial heat flow in the Middle Atlantic States: Univ. Rochester, Rochester, New York, Ph. D. thesis, 398 p.

Warren, R. E., Sclater, J. G., Vacquier, V., and Roy, R. F., 1969, A comparison of terrestrial heat flow and transient geomagnetic fluctuations in the southwestern United States: *Geophysics*, v. 34, no. 3, p. 463-478.

White, D. E., 1965, Geothermal energy: U.S. Geol. Survey Circ. 519, 17 p.

Wright, P. M., 1966, Geothermal gradient and regional heat flow in Utah: Univ. Utah, Salt Lake City, Utah, Ph. D. thesis, 181 p.




Figure 1a. Locations of heat-flow determinations in the western United States. Dots are USGS values, open circles, those published by other investigators.




Figure 1b. Locations of heat-flow determinations in the eastern United States. Dots are USGS values, open circles, those published by other investigators.




Figure 2. Observed heat flow (q) in the United States. Physiographic boundaries (Figure 4) have been generalized from Fenneman (1946).

$$1 \text{ HFU} = 1 \times 10^{-6} \text{ cal/cm}^2\text{sec} = 41.8 \text{ mW/m}^2$$




Figure 3a. A generalized representation of heat flow (q) in the United States. Contours are conjectural in places and will undoubtedly change with additional measurements.

$$1 \text{ HFU} = 1 \times 10^{-6} \text{ cal/cm}^2 \text{ sec} = 41.8 \text{ mW/m}^2$$




Figure 3b. Enlargement of the western part of Figure 3a. BMH is the Battle Mountain High, and EL, the Laureka Low (cf. Sass and others, 1971).




Figure 4. Reduced heat flow (q^*) in the United States. Physiographic provinces after Fenneman (1946).

$$1 \text{ HFU} = 1 \times 10^{-6} \text{ cal/cm}^2 \text{ sec} = 41.8 \text{ mW/m}^2$$