



REMARKS

EXPLANATION

DRILLING		LITHOLOGY		MINERALS		PHYSICAL-CHEMICAL			
NB	NEW BIT	<input checked="" type="checkbox"/>	SHALE, ARGILLITE (MICROGRAYWACKE)	<input checked="" type="checkbox"/>	FELSIC INTRUSIVE	Q	QUARTZ	T	TEMPERATURE
RRB	RERUN BIT	<input type="checkbox"/>	MUDSTONE	<input checked="" type="checkbox"/>	INTERMEDIATE INTRUSIVE	C	CALCITE	BH	BOTTOM HOLE
CB	CORE BIT	<input type="checkbox"/>	GRAYWACKE SANDSTONE	<input checked="" type="checkbox"/>	MAFIC INTRUSIVE	E	EPIDOTE	DH	DOWN HOLE
DD	DIRECTIONAL DRLG.	<input type="checkbox"/>	CONGLOMERATE	<input checked="" type="checkbox"/>	FELSIC EXTRUSIVE	CH	CHLORITE	FL	FLOW LINE
BW	BIT WEIGHT	<input type="checkbox"/>	LIMESTONE	<input checked="" type="checkbox"/>	INTERMEDIATE EXTRUSIVE	F	FELDSPAR	BU	BOTTOMS UP
DEV	DEVIATION	<input type="checkbox"/>	DOLOMITE	<input checked="" type="checkbox"/>	MAFIC EXTRUSIVE	M	MICA	TC	TIME SINCE CIRC
KOP	KICK OFF POINT	<input type="checkbox"/>	EVAPORITE	<input type="checkbox"/>	TUFF	Z	ZEOLITE	P	PRESSURE
DST	DRILL STEM TEST	<input type="checkbox"/>	CHERT	<input type="checkbox"/>	VOLCANIC BRECCIA	CY	CLAY	WH	WELL HEAD
LC	LOST CIRCULATION	<input type="checkbox"/>	SERPENTINITE	<input type="checkbox"/>		O	OPAL	SI	SHUT IN
PB	PLUG BACK	<input type="checkbox"/>	GREENSTONE	<input type="checkbox"/>		L	LIMONITE	PPM	PARTS PER MILLION
DP	DRILL PIPE	<input type="checkbox"/>	METAMORPHIC	<input type="checkbox"/>		H	HEMATITE	MW	MUD WEIGHT
DC	DRILL COLLAR	<input type="checkbox"/>		<input type="checkbox"/>		P	PYRITE	CR	CIRCULATION RATE
KB	KELLY BUSHING	<input type="checkbox"/>		<input type="checkbox"/>		S	SPHALERITE	VIS	VISCOSITY
		<input type="checkbox"/>		<input type="checkbox"/>		G	GALENA	WL	WATER LOSS
		<input type="checkbox"/>		<input type="checkbox"/>		Mg	MAGNETITE	GP	GALVANIC PROBE
		<input type="checkbox"/>		<input type="checkbox"/>				CHL	CHLORIDES

DEPTH  
FEET

PENETRATION

FT/HR  MIN/FT

LITHOLOGY

PRIMARY LITHOLOGY    SECONDARY MINERALS

DESCRIPTION

PHYSICAL - CHEMICAL


TEMP

FLOWLINE  
SUCTION

—X—

MISC.





600  
700  
800  
900  
1000  
1100  
1200

6/4  
6/6

6/4  
6/6

6/4  
6/6

6/4  
6/6

6/4  
6/6

6/4  
6/6

6/4  
6/6

6/4  
6/6

6/4  
6/6

6/4  
6/6

6/4  
6/6

6/4  
6/6

6/4  
6/6

6/4  
6/6

6/4  
6/6

6/4  
6/6

600  
700  
800  
900  
1000  
1100  
1200

6/4  
6/6

6/4  
6/6

6/4  
6/6

6/4  
6/6

6/4  
6/6

6/4  
6/6

6/4  
6/6

6/4  
6/6

6/4  
6/6

6/4  
6/6

6/4  
6/6

6/4  
6/6

6/4  
6/6


6/4  
6/6

6/4  
6/6

132  
150  
160  
180  
200

1108  
1.45  
< 100°F

Safe clay rich zone 730-800'  
Auriferous - 840-850'  
Auriferous - 850-866'  
No RETURNS 866-929'  
Dilig W 140'



White  
to grey  
ch  
Change Ec @ 1242. Sandstone, org sand in  
Calc arenite, subrounded grains  
clean, frag. silt. minor rounded, frosted  
sand grains, minor kaol. (s)

NO RETURNS

a/a

Dolomite. sec. crystalline, v. hd, minor  
finely-crystalline to ophanitic, minor  
kaol.

NO RETURNS

H<sub>2</sub>S 300 ppm fr. drill pipe  
after setting plug # 11.  
CO<sub>2</sub> 74,000 ppm white  
w/c

Twisted off  
@ 1330' while  
cleaning out cut  
Recovered

Survey @ 1480'  
3" 45' Trench.  
broke.

Drill w/ H<sub>2</sub>O

NO RETURNS

Survey @ 1641'  
3" 45' Trench

NO RETURNS

NO RETURNS

Survey @ 1850'  
4" 35' Trench

