

DAILY DRILLING REPORT

Project - Hole: 1198-123 Date: November 3, 1981
 Location: NW of NW Sec. 36 T 13S R 12W Spud Date: November 1, 1981
 County, State: Juab, Utah Day #: 5
 Prog. Depth: 500' Contractor: Superior Drilling
 Geologist: Mark Avery Rig.: Gardner/Denver

Drilled _____ to _____ Mud/Air/ _____
 Footage Cut 0' Temp: In _____ Out _____
 Hole Size _____ Wt _____
 Dev. Survey _____ @ _____ Vis _____
 Casing _____ Ph _____

Bits, stabs, etc. & ser. # _____

Lithology _____

Additional Report _____

Accident at rig: Karl Pierce hurt his hand, had 5 stitches, and will be back to work on 11/6.

Superior's charges:

Travel time from Delta to Topaz: 1½ hrs

Moving rig from #123 to #122: 2 hrs

Running 3/4" PVC in #123: 1½ hrs

Well History

Interval	Hole Size	Casing
<u>0-105'</u>	<u>6-7/8"</u>	<u> </u>
<u>105-190'</u>	<u>6-7/8"</u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>

Expenditures

Total to date _____
 Projected _____
 Cost/Ft _____
 Budgeted _____

DAILY DRILLING REPORT

Project - Hole: 1198-123 Date: November 2, 1981
 Location: NW of NW Sec. 36 T 13S R 12W Spud Date: November 1, 1981
 County, State: Juab, Utah Day #: 4
 Prog. Depth: 500' Contractor: Superior Drilling
 Geologist: Mark Avery Rig.: Gardner/Denver

Drilled 105' to 190' Mud/Air/ _____
 Footage Cut 85' Temp: In _____ Out _____
 Hole Size 6-7/8" Wt _____
 Dev. Survey @ Vis _____
 Casing _____ Ph _____

Bits, stabs, etc. & ser. # PF 206 6-7/8" Tricone (same bit)

Lithology Limestone with calcareous siltstone and chert conglomerate

Additional Report _____

At 1600 hrs. down for repairs to rig; should have problem squared
away in a.m. of November 3.

Drilling rate = 17' per hour

TD = 190'

Well History

Interval	Hole Size	Casing
<u>0-105'</u>	<u>6-7/8"</u>	_____
<u>105-190'</u>	<u>6-7/8"</u>	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

Expenditures

Total to date _____
 Projected _____
 Cost/Ft _____
 Budgeted _____

DAILY DRILLING REPORT

Project - Hole: 1198-123 Date: November 1, 1981

Location: NW of NW Sec. 36 T 13S R 12W Spud Date: November 1, 1981

County, State: Juab, Utah Day #: 3

Prog. Depth: 500' Contractor: Superior Drilling

Geologist: Mark Avery Rig.: Gardner/Denver

Drilled 0' to 105' ~~Mud~~/Air/Foam injection

Footage Cut 105' Temp: In _____ Out _____

Hole Size 6-7/8" Wt _____

Dev. Survey @ Vis _____

Casing _____ Ph _____

Bits, stabs, etc. & ser. # PF 206 6-7/8" tricone

Lithology Limestone and calcareous siltstone

Additional Report _____

Backhoe mobilized from Evergreen, Colorado

Well History

<u>Interval</u>	<u>Hole Size</u>	<u>Casing</u>
<u>0-105'</u>	<u>6-7/8"</u>	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

Expenditures

Total to date _____
 Projected _____
 Cost/Ft _____
 Budgeted _____