

10 15 20 25 30 35 40

HOLE 11
BRUNEAU
GRANDVIEW
115 HRS OLD
17 DEC 76

GRAD \approx 190°C/KM
10.4°F/100 FT
7S, 3E-11 SWISE


L. REISWAY T. MEYER, INC.
PRINTED IN U.S.A.

10 DIVISIONS PER INCH BOTH WAYS

9.8
9.5

DEPTH (METERS)

10
20
30
40
50
60
70
80
90



TEMPERATURE-DEPTH LOG

Location 75 / 3E - 11 SW 1SE
 Company _____ Drill Hole No. 11
 Date 12/17/74 Depth Drilled _____ Zero Depth _____
 Probe, Cable, Bridge _____ Operator C. Britt
 Comments _____

<u>Depth</u>	<u>Resistance</u>	<u>Temperature</u>	<u>ΔT/Δx</u>	<u>Comments</u>
5		16.7	+160	
10		17.5	+320	
15		19.1	+280	
20		20.5	+240	
25		21.7	+220	
30		22.8	+180	
35		23.7	+220	
40		24.8	+200	
45		25.8	+180	
50		26.7	+240	
55		27.9	+160	
60		28.7	+220	
65		29.8	+220	
70		30.9	+140	
75		31.6	+180	
80		32.5	+180	
85		33.4	+180	
90		34.3		

T 7 S R 3 E 11 SW of the SE
Earth Power # 11

Lithological Log -

0 - 40' clay & Rhyolitic gravel

40' - 90' clay

90' - 150' clay & Rhyolitic gravel

150' - 160' Bluish clay

160 - 190' clay & Rhyolitic gravel

190' - 300' Bluish clay.

- 1) Drilling completed at 3:00 PM on 12/12/76
- 2) Completed with hole at 4:50 PM on 12/12/76
- 3) 1/2 hr to install surface casing
- 4) Lost ~~circulation~~ mud circulation at 45'
- 5) 10' for halting water to site
- 6) Hole measured at 10:00 PM on 12/17/76
- 7) 115 hrs after drilling hole was measured.
- 8) Install 18' of surface casing at 3. ~~ft~~ a foot
on 12/54.