

June 5, 1984

Mr. Jim McNitt GeothermEx, Inc. 901 Mendocino Ave. Berkeley, California 94707

Re: Fish Lake Prospect, Nevada

Flow Test Well 88-11

Dear Jim:

Enclosed are copies of the following logs plus some other data you requested and will send other data as it becomes available. I would appreciate it if you would return the logs when you have completed the flow test analysis of Fish Lake well 88-11.

Best regards.

Sincerely,

STEAM RESERVE CORPORATION

H. J. Olson

Vice President and Operations Manager

HJO/c

Enclosed data for Fish Lake well 88-11

- 1. ExLog Smith Geothermal Data Log
- 2. Schlumberger FDC-CNL-GR-5" to 6120'
- 3. " to 7885'
- 4. " Temperature Log to 6144'
- 5. " Dual Induction-SFL 5" to 6138'
- 6. " " to 7910'
- 7. " Cement Evaluation Log to 6790'
- 8. Field Notes of Deviation Survey
- 9. Field Sketch of Casing and Drilling Record

				a gran - Land and distributed a gran - Land and distributed	er versioner i generate i de propositioner en
The state of the s					• • •
	-				SRC
	Fish	Loke well	1 88-11		6/3/84
	**************************************				/
	Dent	W (ft)			
			Hule Si		Casins
	0-1	14	36		30"
	0- 2		26		20"
	0-1		17/2		133/8"
	_	6803	12/4		
		8149	12/		95/8"
	! !	-8156 redri	A		apen hale
		UI - C TEATI	<u>'/ </u>		
948 LOSING 2		5 cement		-	
110 651150		6803			
		MIXEd	cement or	id mue	
		1887 top	of bridge stest	cacount	evocl w/
		1/2	How test		
		N 9918 (Sppron	<i>(</i>) — — —		
		(e)	ment plud		
, # ,	1	8041		-	
12/4 holes	1 '				
4 4	11/1/2	Sour	d pock drill	led aut	WIT
o'l'hole-	P-3 1 1	1	14 " b.t		
	1.1.				
,		8/49			
· · · · · · · · · · · · · · · · · · ·	_1	Loss Circulat	tion Zone	· · · · · · · · · · · · · · · · · · ·	
					·

SRC FISH Lake well 6/3/84 Devistion (spprox) Depth (Ft) 0100 0-1100 3-5/20 1100 - 5150 1-20 5150 - 7300 1300 - 8000 18-24