

AMAX EXPLORATION, INC.

TEMPERATURE/DEPTH LOG

(FL-25)

AT Well No. 1191-13

Property-Project Fish Lake Depth Logged 44m
 Map Davis MTN Scale 15" Date: Drilled 4-17-81 Logged 8-4-81
 State NV County Esmeralda of SW of NW of Sec 8 T 15 R 36 E
 Instrument # 46 Operator JED Elevation 5030 (±m)
 Comments 3/4" H₂O Filled PVC

RT JUSTIFY
Card A

Date Logged

Proj No	Well No	DA	MO	YR
1 2 3 4 5 6 7 8 9 10	11 12 13 14 15 16 17 18 19 20			
1191	1304	08	08	81

*19-Write F if Fahrenheit, 20-Write F if Feet

Site Description

Operator	Editor	DA	MO	YR
21 22 23 24 25 26 27 28 29 30	31 32 33 34 35 36 37 38 39 40	41 42 43 44 45 46 47 48 49 50	51 52 53 54 55 56 57 58 59 60	61 62 63 64 65 66 67 68
10.0	KM S GAP SPG A	JED	JED	17 04 81

(Approx. location, water well?, oil test?, etc.)

Card B

Map Location **

Scale Unit IN CM Map Size (75, 15, 60) 15.0 Degree 37.0 Min 45.0 Degree 118.0 Min 15.0

Use decimals

Northring 21.2 Easting 33.9 Elev 5030.

Use decimals

Write M if meters

Measure from SW corner of map; except AMS sheets measure from bottom center degree mark (W,-)(E,+)

Segment 1 = Depths

Start	End	Conductivity K	ΔK	Best cond. (-K)
21 22 23 24 25 26 27 28 29 30	31 32 33 34 35 36 37 38 39 40	41 42 43 44 45 46 47 48 49 50		
	5.0	14.0		

Segment 2

Start	End	Conductivity K	ΔK
51 52 53 54 55 56 57 58 59 60	61 62 63 64 65 66 67 68 69 70	71 72 73 74 75 76 77 78 79 80	
	14.0	28.0	

Segment 3

21 22 23 24 25 26 27 28 29 30	31 32 33 34 35 36 37 38 39 40	41 42 43 44 45 46 47 48 49 50
	28.0	42.0
		-3.26
		-0.5

Segment 4

21 22 23 24 25 26 27 28 29 30	31 32 33 34 35 36 37 38 39 40	41 42 43 44 45 46 47 48 49 50
		.999

Segment 5

21 22 23 24 25 26 27 28 29 30	31 32 33 34 35 36 37 38 39 40	41 42 43 44 45 46 47 48 49 50

Segment 6

21 22 23 24 25 26 27 28 29 30	31 32 33 34 35 36 37 38 39 40	41 42 43 44 45 46 47 48 49 50

Segment 7

21 22 23 24 25 26 27 28 29 30	31 32 33 34 35 36 37 38 39 40	41 42 43 44 45 46 47 48 49 50

Segment 8

21 22 23 24 25 26 27 28 29 30	31 32 33 34 35 36 37 38 39 40	41 42 43 44 45 46 47 48 49 50

Segment 9

21 22 23 24 25 26 27 28 29 30	31 32 33 34 35 36 37 38 39 40	41 42 43 44 45 46 47 48 49 50


Segment 10

51 52 53 54 55 56 57 58 59 60	61 62 63 64 65 66 67 68 69 70	71 72 73 74 75 76 77 78 79 80

After final segment Start = .999

HOLE 1191-13

Alluvium - sandy gravel of sphyolites & Tuffs
Dry to TD



DEPTH METERS

TEMPERATURE °C

Date Logged: 8-4-81ΔT Well No. 1191-13

Depth (meters)	Instr. Reading	Temp. °C	ΔT	Grad. °C/km	K (Est.)	H ₂ O Air	Lithology, etc.
1	88.72	25.07				H ₂ O	Cable in .0854 out .0859
2	99.99	21.73				↓	
3	108.85	19.33					
4	112.86	18.29					
5	112.64	18.35	0.06	60			
6	110.50	18.90	0.55	550			
7	108.67	19.38	0.48	480			
8	106.54	19.94	0.56	560			
9	104.71	20.43	0.49	490			
10	102.61	21.01	0.58	580			
11	100.57	21.57	0.56	560			
12	99.54	21.86	0.29	290			
13	97.58	22.42	0.56	280			
14	95.80	22.93	0.51	510			
15	94.03	23.45	0.52	520			
16	92.55	23.89	0.44	440			
17	91.12	24.33	0.44	440			
18	89.60	24.79	0.46	460			
19	87.98	25.30	0.51	510			
20	86.28	25.84	0.54	540			
22	83.68	26.68	0.84	420			
24	81.06	27.55	0.87	435			
26	77.76	28.69	1.14	570			
28	75.62	29.45	0.76	380			
30	73.36	30.27	0.82	410			
32	70.43	31.38	1.11	555			
34	68.62	32.08	0.50	250			

K=Conductivity

page _____ of _____

