

AMAX EXPLORATION, INC.
TEMPERATURE/DEPTH LOG

(FL-26)

AT Well No. 1191-14

Property-Project Fish Lake Depth Logged 67m
 Map Davis Mtn Scale _____ Date: Drilled 4-16-81 Logged 8-4-81
 State Nu County Esmeralda of _____ of SW of SW of Sec 31 T N R 36 E
 Instrument # 46 Operator JED Elevation 5410 (m)
 Comments 3/4" H₂O Filled PVC

RT JUSTIFY
Card A

Date Logged																				
Proj No					Well No					DA		MO		YR						
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	
1	1	1	9	1						1	4	0	4	0	8	8	1			

*19-Write F if Fahrenheit, 20-Write F if Feet

Site Description																				Operator					Editor					Drilled																				
																				DA					MO					YR																				
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68			
8	.	3			K	M				S	S	W			G	A	P			S	P	G			A										J	E	D			V	O	S			1	6	0	4	8	1

(Approx. location, water well?, oil test?, etc.)

Card B

Scale Unit		Map Size		Map Location * *																									
IN		(7.5, 15, 60)		N Lat		W Long																							
CM		Degree		Min		Degree		Min **																					
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
C	M	1	5	.	0	3	7	.	4	5	.	1	1	.	1	5	.	0											

Use decimals

Northing										Easting										Elev																															
51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80																						
																				2	5	.	1											3	2	.	2	5	4	.	0										

Use decimals

Write M if meters


Measure from SW corner of map; except AMS sheets measure from bottom center degree mark (W,-)(E,+)

Segment 1 = Depths										Conductivity										Best cond. (-K)																																							
Start					End					K					ΔK					Downward extrapolations (-ΔK)																																							
21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80
																																			</																								

HOLE 1191-14

Brown sandy gravel

Brown air Fall Tuff. Low density



TEMPERATURE °C

Date Logged: 8-4-81

AT Well No. 1191-14

Depth (meters)	Instr. Reading	Temp. °C	ΔT	Grad. °C/km	K (Est.)	H ₂ O Air	Lithology, etc.
1	87.27	25.52				H ₂ O	Cable in .0867 " out .0873
2	104.50	20.49				↓	
3	115.59	17.60					
4	120.19	16.47					
5	120.77	16.33					
6	119.60	16.61	0.28	280			
7	118.24	16.95	0.34	340			
8	116.62	17.35	0.40	400			
9	115.55	17.61	0.26	260			
10	114.72	17.82	0.21	210			
11	114.00	18.00	0.18	180			
12	113.30	18.18	0.18	180			
13	112.59	18.36	0.18	180			
14	111.95	18.53	0.17	170			
15	111.23	18.71	0.18	180			
16	110.48	18.90	0.19	190			
17	109.72	19.10	0.20	200			
18	109.06	19.27	0.17	170			
19	108.27	19.48	0.21	210			
20	107.60	19.66	0.18	180			
22	106.21	20.03	0.37	185			
24	104.80	20.41	0.38	190			
26	103.39	20.79	0.38	190			
28	102.20	21.12	0.33	165			
30	100.79	21.51	0.39	195			
32	99.31	21.93	0.42	210			
34	97.87	22.34	0.41	205			

K=Conductivity

