

PRUETT INDUSTRIES INC  
8915 ROSEDALE HWY, BAKERSFIELD, CA. 93308  
(805) 589-2768

SUB-SURFACE TEMPERATURE SURVEY

CO. STEAM RESERVE CORP.		RUN 01 FIELD FISHLAKE VALLEY WELL 88-11	
EFF DEPTH 8147'		WELL STAT STATIC	TOOL HUNG
CASING 13 5/80	-803'	CASING PRESS	ON BOTTOM 5:45
LINER SEE	-BELOW	TUBING PRESS	OFF BOTTOM 6:00
DATE 061084		ELEMENT RANGE 72 - 540	ZERO POINT 31'
ELEVATION		ZONE	SHUT-IN
MAX TEMP		PICK-UP 8112'	ON-PROD
PERF 8093 -8140		CAL SER NO. 113	MPP
TUBING NONE	-		
UNITS ENGLISH		PURPOSE TEMPERATURE TRAVERSE	RUN 1

SURVEY DATA

CO. STEAM RESERVE CORP.				RUN 01 FIELD FISHLAKE VALLEY WELL 88-11			
TIME	DEPTH	P/T	GRAD	TIME	DEPTH	P/T	GRAD
1:00	700	255.2	0.000	1:00	1450	286.0	0.000
1:00	720	256.1	0.000	1:00	1500	292.7	0.000
1:00	740	257.9	0.000	1:00	1550	296.1	0.000
1:00	760	259.2	0.000	1:00	1600	299.0	0.000
1:00	780	260.5	0.000	1:00	1650	304.1	0.000
1:00	800	261.8	0.000	1:00	1700	309.0	0.000
1:00	820	262.6	0.000	1:00	1750	312.0	0.000
1:00	840	263.5	0.000	1:00	1800	313.7	0.000
1:00	860	264.1	0.000	1:00	1850	315.0	0.000
1:00	880	265.4	0.000	1:00	1900	316.7	0.000
1:00	900	266.1	0.000	1:00	1950	317.8	0.000
1:00	920	267.0	0.000	1:00	2000	318.6	0.000
1:00	940	267.4	0.000	1:00	2050	319.7	0.000
1:00	960	268.0	0.000	1:00	2100	320.3	0.000
1:00	980	268.7	0.000	1:00	2150	321.8	0.000
1:00	1000	269.5	0.000	1:00	2200	322.9	0.000
1:00	1020	270.8	0.000	1:00	2250	324.0	0.000
1:00	1040	271.7	0.000	1:00	2300	324.6	0.000
1:00	1060	272.1	0.000	1:00	2350	325.3	0.000
1:00	1080	273.0	0.000	1:00	2400	325.9	0.000
1:00	1100	273.6	0.000	1:00	2450	326.5	0.000
1:00	1120	274.3	0.000	1:00	2500	327.2	0.000
1:00	1140	274.7	0.000	1:00	2550	328.3	0.000
1:00	1160	275.1	0.000	1:00	2600	328.9	0.000
1:00	1180	275.4	0.000	1:00	2650	329.8	0.000
1:00	1200	276.0	0.000	1:00	2700	330.9	0.000
1:00	1250	276.6	0.000	1:00	2750	331.1	0.000
1:00	1300	277.5	0.000	1:00	2800	331.5	0.000
1:00	1350	279.9	0.000	1:00	2850	331.9	0.000
1:00	1400	282.4	0.000	1:00	2900	332.4	0.000

## SURVEY DATA

STEAM RESERVE CORP.				RUN 01 FIELD FISHLAKE VALLEY WELL 88-11			
TIME	DEPTH	P/T	GRAD	TIME	DEPTH	P/T	GRAD
1:00	2950	333.0	0.000	1:00	5100	344.3	0.000
1:00	3000	333.7	0.000	1:00	5200	344.5	0.000
1:00	3050	334.5	0.000	1:00	5250	344.8	0.000
1:00	3100	335.0	0.000	1:00	5300	345.0	0.000
1:00	3150	335.6	0.000	1:00	5350	345.2	0.000
1:00	3200	335.8	0.000	1:00	5400	345.4	0.000
1:00	3250	336.0	0.000	1:00	5450	345.4	0.000
1:00	3300	336.5	0.000	1:00	5500	345.6	0.000
1:00	3350	337.1	0.000	1:00	5600	345.9	0.000
1:00	3400	337.6	0.000	1:00	5650	346.1	0.000
1:00	3450	338.0	0.000	1:00	5700	346.1	0.000
1:00	3500	338.2	0.000	1:00	5750	346.3	0.000
1:00	3550	338.6	0.000	1:00	5800	346.5	0.000
1:00	3600	339.1	0.000	1:00	5850	346.7	0.000
1:00	3650	339.3	0.000	1:00	5900	347.0	0.000
1:00	3700	339.7	0.000	1:00	5950	347.4	0.000
<del>1:00</del>	<del>3750</del>	<del>340.0</del>	<del>0.000</del>	1:00	6000	347.6	0.000
<del>1:00</del>	<del>3750</del>	<del>340.0</del>	<del>0.000</del>	1:00	6050	347.9	0.000
1:00	3800	340.0	0.000	1:00	6100	348.1	0.000
1:00	3850	340.4	0.000	1:00	6150	348.3	0.000
1:00	4000	340.6	0.000	1:00	6200	348.5	0.000
1:00	4100	340.8	0.000	1:00	6300	348.7	0.000
1:00	4200	340.8	0.000	1:00	6400	348.7	0.000
1:00	4250	341.0	0.000	1:00	6450	349.0	0.000
1:00	4300	341.0	0.000	1:00	6500	349.2	0.000
1:00	4350	341.3	0.000	1:00	6540	349.4	0.000
1:00	4400	341.5	0.000	1:00	6600	349.6	0.000
1:00	4450	341.9	0.000	1:00	6640	349.8	0.000
1:00	4500	342.1	0.000	1:00	6700	350.1	0.000
1:00	4550	342.4	0.000	1:00	6800	350.3	0.000
1:00	4600	342.8	0.000	1:00	6840	350.5	0.000
1:00	4650	343.0	0.000	1:00	6900	350.7	0.000
1:00	4700	343.5	0.000	1:00	7000	351.0	0.000
1:00	4800	343.5	0.000	1:00	7500	354.3	0.000
1:00	4850	343.7	0.000	1:00	8000	361.5	0.000
1:00	4900	343.9	0.000	1:00	8112	364.4	0.000
1:00	5000	344.1	0.000	0:00	0	0.0	0.000


LINER: 9 5/8 @ 6803', 7" @ 8140'  
 BY THOMPSON / DRIVER JR.



STATIC TEMPERATURE TRAVERSE  
RUN #1  
STEAM RESERVE CORP  
FISHLAKE VALLEY  
88-11  
6/10/84

file #01FI88-1

P.U. 8112'



PRUETT INDUSTRIES INC  
 8915 ROSEDALE HWY, BAKERSFIELD, CA. 93308  
 (805) 589-2768


SUB-SURFACE PRESSURE SURVEY

CO. STEAM RESERVE CORP.		RUN 1A FIELD FISHLAKE VALLEY WELL 88-11	
EFF DEPTH 8147'		WELL STAT	STATIC
CASING 13 5/8@	-803'	CASING PRESS	ON BOTTOM 5:45
LINER SEE	-BELOW	TUBING PRESS	OFF BOTTOM 6:00
DATE 061084		ELEMENT RANGE	0 - 4191
ELEVATION		ZONE	ZERO POINT 31'
MAX TEMP		PICK-UP	8112'
PERF 8093	-8140	CAL SER NO.	13660
TUBING NONE	-		MPP
UNITS ENGLISH		PURPOSE	PRESSURE GRADIENT RUN 1

SURVEY DATA

CO. STEAM RESERVE CORP.	RUN 1A FIELD FISHLAKE VALLEY WELL 88-11						
TIME	DEPTH	P/T	GRAD	TIME	DEPTH	P/T	GRAD
1:00	700	181.5	0.000	1:00	7500	2918.7	.383
1:00	1200	434.9	.507	1:00	8000	3093.2	.349
1:00	6200	2408.1	.395	1:00	8112	3132.7	.352
1:00	7000	2727.2	.399	0:00	0	0.0	0.000

PRESSURE NOT STABILIZED @ 700 FT STOP  
 LINER: 9 5/8 @ 6803', 7" @ 6563'  
 BY THOMPSON / DRIVER JR.



STEAM RESERVE CORP  
FISHLAKE VALLEY

88-11  
6/10/84

